

Contents

1. Introduction	1
1.1 Introduction to Molecular Beam Epitaxy	2
1.2 Introduction to Gas Source Molecular Beam Epitaxy	4
1.3 Why Gas Sources?	9
1.4 Heterostructures with GSMBE	11
2. Chemistry	14
2.1 Equilibrium, the Phase Diagram, and Molecular Beam Epitaxy	15
2.2 Liquid-Solid-Vapor Relationships for the Growth of InP and GaAs	19
2.2.1 Indium Phosphide	19
2.2.2 Gallium Arsenide	26
2.3 III-V Solid Solutions	28
2.3.1 $\text{Ga}_{0.47}\text{In}_{0.53}\text{As}$	33
2.3.2 $\text{Ga}_{0.5}\text{In}_{0.5}\text{P}$	36
2.3.3 AlGaAs and AlInAs	36
2.3.4 $\text{Ga}_x\text{In}_{1-x}\text{As}_y\text{P}_{1-y}$	37
2.4 Group III Metalorganics – Metalorganic MBE	39
2.4.1 Decomposition of the Group III Metalorganics	42
2.4.2 Addition Compounds to Replace Group III Alkylmetalorganics	51
2.5 Group V Metalorganics to Replace Arsine and Phosphine	52
3. The Generation of Atomic and Molecular Beams for Elemental and Gas Source Molecular Beam Epitaxy	55
3.1 Background	55
3.2 Molecular Effusion: The Ideal Effusion Cell	56
3.3 Real Effusion Cells	58
3.3.1 Beam Flux Distribution	58
3.3.2 Time Dependent Flux Variations	62
3.4 Gas Sources and Their Use in GSMBE	63
3.4.1 Thermal Cracking of Arsine and Phosphine and Equilibria Among Group V Molecular Species	64
3.4.2 High Pressure Gas Sources	68
3.4.3 Low Pressure Gas Sources	71
3.5 Introduction of the Group III Metalorganics into the MBE System	76

4. Molecular Beam Epitaxy Systems and Procedures	78
4.1 The Conventional Growth Chamber-Configuration for ESMBE, HSMBE and MOMBE	80
4.2 System Pressure – Pumping	84
4.2.1 System Pressure Limitations for GSMBE	84
4.2.2 Pumping the Growth Chamber	85
4.3 Sample Introduction, Transfer and Manipulation	87
4.4 Substrate Temperature Measurement and Control	88
4.5 Gas Handling	95
4.5.1 Pressure Regulated Control	95
4.5.2 Mass Flow Control	99
4.6 Arsine and Phosphine Generators	101
4.6.1 Electrochemical Arsine and Phosphine Generation	101
4.6.2 Storage of AsH ₃ and PH ₃ by Adsorption on Synthetic Zeolite	103
4.7 Safe Handling of Arsine and Phosphine for GSMBE	104
4.8 Procedures for GSMBE	107
4.8.1 Start-up: System Preparation	107
4.8.2 Substrate Preparation and Mounting on the Sample Block	107
4.8.3 Growth of Layers	108
4.9 The RHEED Apparatus, Growth Rate and Composition Calibration	110
4.10 Metalorganic MBE Systems – Potential for Scaleup	116
5. Doping During GSMBE	118
5.1 Background	118
5.2 Maximum Free-Carrier Concentrations in Semiconductors	122
5.3 Background Doping and Carbon Incorporation	124
5.3.1 Background Doping	124
5.3.2 Deliberate Doping with Carbon: GaAs and AlGaAs	129
5.4 Doping with Tin	131
5.4.1 Sn in InP and GaAs	131
5.4.2 Sn in GaInAs	142
5.5 Doping with Be	148
5.5.1 Be in GaAs	149
5.5.2 Be in InP and GaInAs	152
5.6 Zn in InP and GaInAs	166
5.7 Si in GaAs, InP and GaInAs	169
5.8 Semi-insulating InP by Fe Doping During MBE	172
6. Characterization of Heterostructures by High Resolution X-ray Diffraction	173
6.1 X-Ray Diffraction of Epitaxial Layers	173
6.2 Periodic Epitaxial Semiconductor Structures	178
6.3 High-Resolution X-Ray Diffraction	180

6.4	High-Resolution Rocking Curves of Superlattices	184
6.4.1	Strained-Layer Superlattices (SLS)	187
6.4.2	Interfacial Layers	190
6.5	Intrinsic Strain at Heterostructure Interfaces	191
7.	Optical Properties of Quantum Wells	200
7.1	Energy Levels in Quantum Wells	200
7.2	Single Quantum Wells	203
7.3	Superlattices	211
7.4	Quantum Wires and Boxes	220
7.5	Electric Field Effects	229
7.6	Strained-Layer Superlattices	233
7.6.1	Critical Layer Thickness	234
7.6.2	Strain and Electronic Energy Levels	237
7.6.3	The Strain Model	240
7.6.4	A Type-II GaInAs/InP Superlattice	243
7.6.5	Exciton Energies of Strained $\text{Ga}_x\text{In}_{1-x}\text{As}$	245
7.7	Thermal Stability	246
8.	Carrier Transport Across Quantum Wells and Superlattices	251
8.1	Experimental Techniques	252
8.1.1	Capacitance-Voltage Profiling	252
8.1.2	Admittance Spectroscopy	253
8.1.3	Deep-Level Transient Spectroscopy	255
8.2	Motion of Photo-Induced Holes	256
8.3	Sequential Screening	261
8.4	Barrier Height	266
8.5	Heterojunction Band Offsets	268
8.6	Telegraph Noise	274
9.	Bipolar Transistors	279
9.1	Background	279
9.2	Figures of Merit	280
9.2.1	Current Gain	281
9.2.2	High-Speed Characteristics	284
9.3	Device Fabrication	288
9.4	DC Characteristics	290
9.4.1	Moderate Base Doping	291
9.4.2	Lateral Scaling	294
9.4.3	High Doping of the Base	296
9.4.4	Minority Carrier Diffusion Length	300
9.5	Temperature Dependence	301
9.6	Carrier Transport	306
9.7	Gain Dependence on the Base Thickness	307
9.8	Microwave Devices	311

9.9	Applications	315
9.9.1	The Heterostructure Phototransistor	315
9.9.2	Integrated p-i-n-HBT Photoreceiver	316
9.9.3	Laser Drivers	318
9.9.4	Amplifiers	319
10.	Optoelectronic Devices	322
10.1	Broad-Area Lasers	323
10.1.1	Separate Confinement Heterostructure (SCH) Lasers	325
10.1.2	Quantum-Well Lasers	328
10.2	Buried Heterostructure Lasers	332
10.3	Single-Frequency Lasers	338
10.3.1	The Distributed Bragg Reflector (DBR) Laser	339
10.3.2	Distributed Feedback (DFB) Lasers	340
10.4	Visible Lasers	345
10.5	Photodetectors	349
10.5.1	Avalanche Photodiodes	350
10.5.2	Strained-Layer Detectors	353
10.6	Quantum-Well Inter-sub-band Detectors	356
11.	In-Situ Processing and Selective Area Epitaxy	360
11.1	Pattern Formation	361
11.1.1	<i>In-situ</i> Processing Apparatus	362
11.1.2	Native Oxide Masks	363
11.2	Ion-Induced Damage	366
11.3	Towards Vacuum Lithography	368
11.3.1	Formation of a Native Oxide Mask	369
11.3.2	Pattern Generation in the Oxide Mask	370
11.3.3	Pattern Transfer	372
11.3.4	Oxide Mask Removal	374
11.4	Buried Heterostructures	375
11.5	Selective-Area Epitaxy	382
11.5.1	Selective Growth with Si Masks	383
11.5.2	Selectively Grown Lasers	386
11.5.3	Selective Growth with the Dielectric Masks	389
11.5.4	Diodes and Bipolar Transistors	394
References		399
Subject Index		423