

Table of Contents

	Page
3 Sulfur-Nitrogen Compounds with 3-Coordinate Sulfur	1
3.1 Sulfur Imide, Imidosulfurous Compounds, and Derivatives	1
3.1.1 S,S-Dihydrido-sulfur Imide, Sulfur Imide, Sulfilimine, $\text{H}_2\text{S}=\text{NH}$	1
3.1.2 Imidosulfurous Dihalogenides and Derivatives	2
Imidosulfurous Difluoride, $\text{F}_2\text{S}=\text{NH}$	2
Caesium Salt of the Imidosulfurous Difluoride Ion ($1-$), $\text{Cs}^+ \text{F}_2\text{S}=\text{N}^-$	2
N-Halogeno-imidosulfurous Difluorides, $\text{F}_2\text{S}=\text{NX}$, $\text{X} = \text{F}, \text{Cl}, \text{Br}, \text{I}$	2
N-Fluoro-imidosulfurous Difluoride, $\text{F}_2\text{S}=\text{NF}$	2
N-Chloro-imidosulfurous Difluoride, $\text{F}_2\text{S}=\text{NCl}$	4
N-Bromo-imidosulfurous Difluoride, $\text{F}_2\text{S}=\text{NBr}$	7
N-Iodo-imidosulfurous Difluoride, $\text{F}_2\text{S}=\text{NI}$	10
Sulfur-Substituted Imidosulfurous Difluorides	11
N-Fluorosulfanyl-imidosulfurous Difluoride, $\text{F}_2\text{S}=\text{NS}(\text{O})\text{F}$	11
N,N'-Disulfanediy-bis(imidosulfurous Difluoride), $\text{F}_2\text{S}=\text{NSSN}=\text{SF}_2$	11
N-Chlorodisulfanyl-imidosulfurous Difluoride, $\text{F}_2\text{S}=\text{NSSCl}$	11
N-Trifluoromethylsulfanyl-imidosulfurous Difluoride, $\text{F}_2\text{S}=\text{NSCF}_3$	11
N-Heptafluoroisopropylsulfanyl-imidosulfurous Difluoride, $\text{F}_2\text{S}=\text{NSC}_3\text{F}_7\text{-i}$	12
N-Hexafluoroisopropylideneamino-sulfanyl-imidosulfurous Difluoride, $\text{F}_2\text{S}=\text{NSN}=\text{C}(\text{CF}_3)_2$	12
N-[(2,2,3-Trifluoro-3-trifluoromethyl-1-aziridinyl)sulfanyl]-imidosulfurous Difluoride, $\text{F}_2\text{S}=\text{NSN}-\text{CF}_2-\text{CFCF}_3$	13
Tellurium-Substituted Imidosulfurous Difluoride	14
N-(Pentafluoro- λ^6 -tellanyl)-imidosulfurous Difluoride, $\text{F}_2\text{S}=\text{NTeF}_5$	14
Nitrogen-Substituted Imidosulfurous Difluoride	14
N-Hexafluoroisopropylideneamino-imidosulfurous Difluoride, $\text{F}_2\text{S}=\text{NN}=\text{C}(\text{CF}_3)_2$	14
Phosphorus-Substituted Imidosulfurous Difluorides	15
N-Difluorophosphinoyl-imidosulfurous Difluoride, $\text{F}_2\text{S}=\text{NP}(\text{O})\text{F}_2$	15
N-(2,4,4,6,6-Pentafluoro-2,2,4,4,6,6-hexahydro-1,3,5,2,4,6-triaza- triphosphorin-2-yl)-imidosulfurous Difluoride, $\text{F}_2\text{S}=\text{NP}_3\text{N}_3\text{F}_5$	15
Mercury-Substituted Imidosulfurous Difluoride	16
Bis(imidosulfurous difluorido-N)mercury, $\text{Hg}(\text{N}=\text{SF}_2)_2$	16
N-Organyl-imidosulfurous Difluorides and Derivatives	17
N-Alkyl-imidosulfurous Difluorides and Derivatives	17
N-Methyl-imidosulfurous Difluoride, $\text{F}_2\text{S}=\text{NCH}_3$	17
N-Chloromethyl-imidosulfurous Difluoride, $\text{F}_2\text{S}=\text{NCH}_2\text{Cl}$ and N-Dichloromethyl- imidosulfurous Difluoride, $\text{F}_2\text{S}=\text{NCHCl}_2$	18
N-Phenylmethyl-imidosulfurous Difluoride, $\text{F}_2\text{S}=\text{NCH}_2\text{C}_6\text{H}_5$	19
N-Trifluoromethyl-imidosulfurous Difluoride, $\text{F}_2\text{S}=\text{NCF}_3$	20
N-Chlorodifluoromethyl-imidosulfurous Difluoride, $\text{F}_2\text{S}=\text{NCF}_2\text{Cl}$	28
N-(Dihalogenoamino-difluoromethyl)-imidosulfurous Difluorides, $\text{F}_2\text{S}=\text{NCF}_2\text{NXX}'$, $\text{X} = \text{X}' = \text{Cl}$ or Br ; $\text{X} = \text{Cl}$, $\text{X}' = \text{Br}$	28
N-(Cyano-difluoromethyl)-imidosulfurous Difluoride, $\text{F}_2\text{S}=\text{NCF}_2\text{CN}$	29
N-(Phenyl-difluoromethyl)-imidosulfurous Difluoride, $\text{F}_2\text{S}=\text{NCF}_2\text{C}_6\text{H}_5$	29
N-(Chloroimino-fluoromethyl)-imidosulfurous Difluoride, $\text{F}_2\text{S}=\text{NCF}=\text{NCl}$	30

	Page
N-(Trifluoroacetylmino-fluoromethyl)-imidosulfurous Difluoride, $F_2S=NCF=NC(O)CF_3$	30
N-(Trifluoromethylsulfanylimino-chloromethyl)-imidosulfurous Difluoride, $F_2S=NCCL=NCF_3$	30
N-Ethyl-imidosulfurous Difluoride, $F_2S=NC_2H_5$	31
N-Halogenoethyl-imidosulfurous Difluorides, $F_2S=NCR^1R^2CR^3R^4R^5$, R^1, R^2, R^3, R^4 , and $R^5 = H, F, Cl$, or Br	32
N-Pentafluoroethyl-imidosulfurous Difluoride, $F_2S=NC_2F_5$	40
N-[2-Bis(trimethylsilyl)amino-ethyl]-imidosulfurous Difluoride, $F_2S=NCH_2CH_2N(Si(CH_3)_3)_2$	42
N-(1-Phenyl-tetrafluoroethyl)-imidosulfurous Difluoride, $F_2S=NCF(C_6H_5)CF_3$...	43
N-(1-Cyano-2, 2, 2-trihalogeno-1-fluoroethyl)-imidosulfurous Difluorides, $F_2S=NCF(CN)CX_3$, $CX_3 = CF_3, CCl_3$	43
N-(2-Halogenoimino-2-halogeno-1, 1-difluoroethyl)-imidosulfurous Difluorides, $F_2S=NCF_2CX=NX'$, $X = X' = Cl$; $X = F$, $X' = Cl$; $X = F$ or Cl , $X' = Br$	44
N-(2-Dihalogenoamino-tetrafluoroethyl)-imidosulfurous Difluorides, $F_2S=NCF_2CF_2NXX'$, $X = X' = Cl$ or Br ; $X = Cl$, $X' = Br$	45
N-Isopropyl-imidosulfurous Difluoride, $F_2S=NC_3H_7-i$	45
N-Heptafluoro-n-propyl-imidosulfurous Difluoride, $F_2S=NC_3F_7-n$	46
N-(2-Halogeno-hexafluoropropyl)-imidosulfurous Difluorides, $F_2S=NCF_2CFXCF_3$, $X = Cl, Br$	47
N-Heptafluoroisopropyl-imidosulfurous Difluoride, $F_2S=NC_3F_7-i$	47
N-[1(or 2)-Halogeno-2(or 1), 2, 2-trifluoro-1-(trifluoromethyl)ethyl]-imidosulfurous Difluorides, $F_2S=NCX(CF_3)_2$ and $F_2S=NCF(CF_3)CF_2X$, $X = Cl$ and Br	49
N-[1-Amino-2, 2, 2-trifluoro-1-(trifluoromethyl)ethyl]-imidosulfurous Difluoride, $F_2S=NC(NH_2)(CF_3)_2$	50
N-tert-Butyl-imidosulfurous Difluoride, $F_2S=NC_4H_9-t$	50
N-Nonafluoro-n-butyl-imidosulfurous Difluoride, $F_2S=NC_4F_9-n$	51
N-Nonafluoro-tert-butyl-imidosulfurous Difluoride, $F_2S=NC_4F_9-t$	51
N-(4-Chloro-octafluorobutyl)-imidosulfurous Difluoride, $F_2S=N(CF_2)_3CF_2Cl$, and N-(2, 2, 4, 4, 4-Pentachloro-1, 1, 3, 3-tetrafluorobutyl)-imidosulfurous Difluoride, $F_2S=NCF_2CCl_2CF_2CCl_3$	51
N-[1, 2, 2-Tribromo-3, 3, 3-trifluoro-1-(trifluoromethyl)propyl]-imidosulfurous Difluoride, $F_2S=NBr(CF_3)CBr_2CF_3$	52
N-(Heptafluoro-2-butenyl)-imidosulfurous Difluoride, $F_2S=NCF_2CF=CF_3$	52
N-(2-Bromo-3, 3, 3-trifluoro-1-trifluoromethyl-1-propenyl)-imidosulfurous Difluoride, $F_2S=NC(CF_3)=CBrCF_3$	53
N-(1, 1-Difluoro-2, 2-dimethylpropyl)-imidosulfurous Difluoride, $F_2S=NCF_2C(CH_3)_3$	53
N-Aryl-imidosulfurous Difluorides	53
N-Phenyl-imidosulfurous Difluoride, $F_2S=NC_6H_5$	53
N-Pentafluorophenyl-imidosulfurous Difluoride, $F_2S=NC_6F_5$	54
N-[Tetrafluoro-4-(trifluoromethyl)phenyl]-imidosulfurous Difluoride, $F_2S=NC_6F_4CF_3-4$	56
N-(2-Pyrimidinyl)-imidosulfurous Difluoride, $2-F_2S=NC_4H_3N_2$	56
N-(4, 6-Difluoro-1, 3, 5-triazin-2-yl)-imidosulfurous Difluoride, $2-F_2S=NC_3F_2N_3$..	57
N-Fluorocarbonyl-imidosulfurous Difluoride, $F_2S=NC(O)F$	57
N-Chlorocarbonyl-imidosulfurous Difluoride, $F_2S=NC(O)Cl$	62
N-Isocyanatocarbonyl-imidosulfurous Difluoride, $F_2S=NC(O)NCO$	62

N-Trifluoroacetyl-imidosulfurous Difluoride, $F_2S=NC(O)CF_3$	62
N-Pentafluorobenzoyl-imidosulfurous Difluoride, $F_2S=NC(O)C_6F_5$	63
N-(2-Trifluoromethyl-1, 3-dioxolan-2-yl)-imidosulfurous Difluoride, $F_2S=N(2-C_3H_4O_2-2)CF_3$	64
N-Fluorothiocarbonyl-imidosulfurous Difluoride, $F_2S=NC(S)F$	64
N-(2-Trifluoromethyl-1, 3-dithiolan-2-yl)-imidosulfurous Difluoride, $F_2S=N(2-C_3H_4S_2-2)CF_3$	64
N-Cyano-imidosulfurous Difluoride, $F_2S=NCN$	65
Adduct of N-Cyano-imidosulfurous Difluoride with AsF_5 , $F_2S=NCN \cdot AsF_5$	66
Metal Complexes of N-Cyano-imidosulfurous Difluoride, $[(F_2S=NCN)_2Ag]^+AsF_6^-$, $[(F_2S=NCN)M(CO)_5]^+AsF_6^-$, $M = Mn, Re$	67
N, N'-Organylene-bis(imidosulfurous Difluorides) and Derivatives	67
N, N'-Alkanediyl-bis(imidosulfurous Difluorides) and N, N'-(1, 3-Phenylene)-bis- (imidosulfurous Difluoride), $F_2S=NRN=SF_2$, $R = (CH_2)_2, (CH_2)_3, CH_2CH(CH_3),$ $CH_2C(CH_3)_2, 1-C_6H_4-3$	67
N, N'-Perfluoroalkanediy-bis(imidosulfurous Difluorides), $F_2S=NR_1N=SF_2$, $R_1 = CF_2,$ $C(CF_3)_2, CF_2CF_2$	69
$F_2S=NCF_2N=SF_2$	69
$F_2S=NC(CF_3)_2N=SF_2$	69
$F_2S=NCF_2CF_2N=SF_2$	70
N, N'-(2, 2, 3, 3-Tetrachloro-1, 1, 4, 4-tetrafluoro-1, 4-butanediyl)-bis(imido- sulfurous Difluoride), $F_2S=NCF_2CCl_2CCl_2CF_2N=SF_2$	70
N, N'-Azobis(perfluoroalkanediy-bis(imidosulfurous Difluorides), $F_2S=N(CF_2)_nN=N(CF_2)_nN=SF_2$, $n = 1, 2$	70
N, N'-Difluoromethanediyl-bis(imidosulfurous) Dichloride Difluoride, $F_2S=NCF_2N=SCl_2$	71
N-Difluorosulfonio-imidosulfurous Difluoride Hexafluoroarsenate, $[F_2S \equiv N \equiv SF_2]^+AsF_6^-$	71
Salts of Amidodifluorosulfur Ions (1+)	74
Salts of the N, N-Dimethyl-amidodifluorosulfur Ion (1+), $[F_2S \equiv N(CH_3)_2]^+Y^-$, $Y = BF_4, PF_4, AsF_5, SbF_5$	74
N, N-Diethyl-amidodifluorosulfur Ion (1+) Tetrafluoroborate, $[F_2S \equiv N(C_2H_5)_2]^+BF_4^-$..	75
(1-Piperidinyl)difluorosulfur Ion (1+) Tetrafluoroborate, $[F_2S \equiv N(CH_2)_5]^+BF_4^-$	75
(4-Morpholinyl)difluorosulfur Ion (1+) Tetrafluoroborate, $[F_2S \equiv N(CH_2)_4O]^+BF_4^-$...	76
N-Methyl-N-trifluoromethyl-amidodifluorosulfur Ion (1+) Hexafluoroarsenate, $[F_2S \equiv N(CH_3)CF_3]^+AsF_6^-$	76
N-Methyl-N-trifluoromethyl-amidodifluorosulfur Ion (1+) Hexafluoroantimonate, $[F_2S \equiv N(CH_3)CF_3]^+SbF_6^-$	76
N-Methyl-N-pentafluoroethyl-amidodifluorosulfur Ion (1+) Hexafluoroantimonate, $[F_2S \equiv N(CH_3)C_2F_5]^+SbF_6^-$	77
N-Methyl-N-heptafluoroisopropyl-amidodifluorosulfur Ion (1+) Hexafluoro- antimonate, $[F_2S \equiv N(CH_3)C_3F_7-i]^+SbF_6^-$	77
N-Methyl-N-pentafluorophenyl-amidodifluorosulfur Ion (1+) Hexafluoroantimonate, $[F_2S \equiv N(CH_3)C_6F_5]^+SbF_6^-$	78
N-Ethyl-N-trifluoromethyl-amidodifluorosulfur Ion (1+) Hexafluoroantimonate, $[F_2S \equiv N(C_2H_5)CF_3]^+SbF_6^-$	78
N-Pentafluorobenzoyl-amidodifluorosulfur Ion (1+) Fluorosulfate, $[F_2S \equiv NHC(O)C_6F_5]^+SO_3F^-$	78
Isocyanato-difluorosulfur Ion (1+) Hexafluoroarsenate, $[F_2S \equiv N=C=O]^+AsF_6^-$	78

	Page
3.1.3 Imidosulfurous Chloride Fluorides	79
N-Pentafluoroethyl-imidosulfurous Chloride Fluoride, $\text{Cl}(\text{F})\text{S}=\text{NC}_2\text{F}_5$	79
N-(2,3,4-Trichloro-1,1,2,3,4,4-hexafluorobutyl)-imidosulfurous Chloride Fluoride, $\text{Cl}(\text{F})\text{S}=\text{NCF}_2\text{CFC}(\text{Cl})\text{CF}_2\text{Cl}$	79
N-Fluorocarbonyl-imidosulfurous Chloride Fluoride, $\text{Cl}(\text{F})\text{S}=\text{NC}(\text{O})\text{F}$	79
3.1.4 Imidosulfurous Dichlorides and Derivatives	80
Sulfur-Substituted Imidosulfurous Dichlorides	80
N-(2-Nitrophenylsulfonyl)-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NSC}_6\text{H}_4\text{NO}_2$ -2	80
N-Organysulfonyl-imidosulfurous Dichlorides, $\text{Cl}_2\text{S}=\text{NSO}_2\text{R}$, $\text{R}=\text{CH}_3$, aryl	80
N-Methylsulfonyl-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NSO}_2\text{CH}_3$	80
N-Phenylsulfonyl-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NSO}_2\text{C}_6\text{H}_5$	82
N-(4-Chlorophenylsulfonyl)-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NSO}_2\text{C}_6\text{H}_4\text{Cl}$ -4	84
N-(4-Bromophenylsulfonyl)-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NSO}_2\text{C}_6\text{H}_4\text{Br}$ -4	85
N-(2-Nitrophenylsulfonyl)-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NSO}_2\text{C}_6\text{H}_4\text{NO}_2$ -2	86
N-(3-Nitrophenylsulfonyl)-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NSO}_2\text{C}_6\text{H}_4\text{NO}_2$ -3	86
N-(4-Nitrophenylsulfonyl)-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NSO}_2\text{C}_6\text{H}_4\text{NO}_2$ -4	87
N-p-Tolylsulfonyl-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NSO}_2\text{C}_6\text{H}_4\text{CH}_3$ -4	88
N-Pentafluorophenylsulfonyl-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NSO}_2\text{C}_6\text{F}_5$	89
N-(1-Naphthylsulfonyl)-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NSO}_2\text{C}_{10}\text{H}_7$ -1	90
N-(2-Naphthylsulfonyl)-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NSO}_2\text{C}_{10}\text{H}_7$ -2	90
N,N'-[1,4-Phenylenebis(sulfonyl)]-bis(imidosulfurous Dichloride), 1,4-($\text{Cl}_2\text{S}=\text{NSO}_2$) $_2\text{C}_6\text{H}_4$	92
Tellurium-Substituted Imidosulfurous Dichloride, N-(Pentafluoro- λ^6 -tellanyl)-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NTeF}_5$	92
Phosphorus-Substituted Imidosulfurous Dichlorides	93
N-(2,4,4,6,6-Pentafluoro-2,2,4,4,6,6-hexahydro-1,3,5,2,4,6-triaza-triphosphorin-2-yl)-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NP}_3\text{N}_3\text{F}_5$	93
N-Dialkoxyphosphoryl-imidosulfurous Dichlorides, $\text{Cl}_2\text{S}=\text{NP}(\text{O})(\text{OR})_2$, $\text{R}=\text{C}_2\text{H}_5$, $\text{n-C}_3\text{H}_7$, $\text{i-C}_3\text{H}_7$, $\text{n-C}_4\text{H}_9$, $\text{n-C}_5\text{H}_{11}$	93
N-Diphenoxyphosphoryl-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NP}(\text{O})(\text{OC}_6\text{H}_5)_2$	94
N-Organyl-imidosulfurous Dichlorides, $\text{Cl}_2\text{S}=\text{NR}$, $\text{R}=\text{organyl}$	95
Survey	95
N-Alkyl-imidosulfurous Dichlorides and Derivatives	96
N-Methyl- and N-n-Butyl-imidosulfurous Dichlorides, $\text{Cl}_2\text{S}=\text{NCH}_3$ and $\text{Cl}_2\text{S}=\text{NC}_4\text{H}_9$ -n	96
N-tert-Butyl-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NC}_4\text{H}_9$ -t	96
N-Trifluoromethyl-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NCF}_3$	98
N-Pentafluoroethyl-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NC}_2\text{F}_5$	99
N-Heptafluoro-n-propyl-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NC}_3\text{F}_7$ -n	100
N-Heptafluoroisopropyl-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NC}_3\text{F}_7$ -i	100
N-(2-Chloro-tetrafluoroethyl)-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NCF}_2\text{CF}_2\text{Cl}$	101
N-(1,1-Dichloro-2,2,2-trifluoroethyl)-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NCCl}_2\text{CF}_3$	101
N-[1-Chloro-2,2,2-trifluoro-1-(trifluoromethyl)ethyl]-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NCCl}(\text{CF}_3)_2$	101
N-(1-Aryl-1-chloro-2,2,2-trifluoroethyl)-imidosulfurous Dichlorides, $\text{Cl}_2\text{S}=\text{NCCl}(\text{CF}_3)\text{C}_6\text{H}_4\text{R}$ -4, $\text{R}=\text{H}$, CH_3 , CF_3	102
N-(1-Methoxycarbonyl-1-methylethyl)-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NC}(\text{CH}_3)_2\text{C}(\text{O})\text{OCH}_3$	102

N-(1-Cyanoorganyl)-imidosulfurous Dichlorides, $\text{Cl}_2\text{S}=\text{NC}(\text{CN})\text{RR}'$, $\text{R}=\text{R}'=\text{CH}_3$; $\text{R}=\text{CH}_3$, $\text{R}'=\text{C}_2\text{H}_5$, C_6H_5 ; $\text{R}, \text{R}'=(\text{CH}_2)_4$, $(\text{CH}_2)_5$	103
N-(1-Cyano-1-methylethyl)-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NC}(\text{CN})(\text{CH}_3)_2$..	103
N-(1-Cyano-1-methylpropyl)-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NC}(\text{CN})(\text{CH}_3)\text{C}_2\text{H}_5$	104
N-(1-Cyano-1-phenylethyl)-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NC}(\text{CN})(\text{CH}_3)\text{C}_6\text{H}_5$	104
N-(1-Cyanocyclopentyl)-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NC}(\text{CN})(\text{CH}_2)_4$	105
N-(1-Cyanocyclohexyl)-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NC}(\text{CN})(\text{CH}_2)_5$	105
N-Alkenyl-imidosulfurous Dichlorides	106
N-(2-Bromo-3,3,3-trifluoro-1-trifluoromethyl-1-propenyl)-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NC}(\text{CF}_3)=\text{C}(\text{Br})\text{CF}_3$	106
N-(1-Chloro-2,2-dicyanoethyl)-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NC}(\text{Cl})=\text{C}(\text{CN})_2$	106
N-Aryl-imidosulfurous Dichlorides, $\text{Cl}_2\text{S}=\text{NR}$, $\text{R}=\text{aryl}$	107
N-Phenyl-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NC}_6\text{H}_5$	107
N-Pentafluorophenyl-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NC}_6\text{F}_5$	107
Other Phenyl-Substituted Imidosulfurous Dichlorides, $\text{Cl}_2\text{S}=\text{NR}$, $\text{R}=\text{substituted phenyl}$	109
Derivatives of N-(2(or 4)-Pyridinyl)-imidosulfurous Dichlorides	115
N-(6-Nitro-2-pyridinyl)-imidosulfurous Dichloride, 2- $\text{Cl}_2\text{S}=\text{NC}_5\text{H}_3\text{NNO}_2$ -6, and N-(3,5-Dichloro-6-methyl-2-pyridinyl)-imidosulfurous Dichloride, 2- $\text{Cl}_2\text{S}=\text{NC}_5\text{HNC}_2\text{Cl}_2$ -3,5- CH_3 -6	115
N-(Tetrachloro-2-(or 4)-pyridinyl)-imidosulfurous Dichloride, 4- $\text{Cl}_2\text{S}=\text{NC}_5\text{NCl}_4$ -2,3,5,6, and 2- $\text{Cl}_2\text{S}=\text{NC}_5\text{NCl}_4$ -3,4,5,6	115
N-Halogenocarbonyl-imidosulfurous Dichlorides	116
N-Fluorocarbonyl-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NC}(\text{O})\text{F}$	116
N-Chlorocarbonyl-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NC}(\text{O})\text{Cl}$	117
N-Alkanoyl-imidosulfurous Dichlorides	117
N-Chloroacetyl-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NC}(\text{O})\text{CH}_2\text{Cl}$	117
N-Trifluoroacetyl-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NC}(\text{O})\text{CF}_3$	118
N-Trichloroacetyl-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NC}(\text{O})\text{CCl}_3$	118
N-(2,2-Dimethylpropanoyl)-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NC}(\text{O})\text{C}_4\text{H}_9$ -t	119
N-Aroyl-imidosulfurous Dichlorides	119
N-Benzoyl-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NC}(\text{O})\text{C}_6\text{H}_5$	119
Monosubstituted N-Benzoyl-imidosulfurous Dichlorides, $\text{Cl}_2\text{S}=\text{NC}(\text{O})\text{C}_6\text{H}_4\text{R}$ -4, $\text{R}=\text{Cl}, \text{Br}, \text{NO}_2, \text{OCH}_3, \text{CH}_3$	121
N-(2,4-Dichlorobenzoyl)-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NC}(\text{O})\text{C}_6\text{H}_3\text{Cl}_2$ -2,4 ...	124
N-Pentafluorobenzoyl-imidosulfurous Dichloride, $\text{Cl}_2\text{S}=\text{NC}(\text{O})\text{C}_6\text{F}_5$	124
N-Methoxycarbonyl- and N-Ethoxycarbonyl-imidosulfurous Dichlorides, $\text{Cl}_2\text{S}=\text{NC}(\text{O})\text{OR}$, $\text{R}=\text{CH}_3, \text{C}_2\text{H}_5$	125
N,N'-Organylene-bis(imidosulfurous Dichlorides)	127
N,N'-Difluoromethanediyl-bis(imidosulfurous Dichloride), $(\text{Cl}_2\text{S}=\text{N})_2\text{CF}_2$	127
N,N'-(1,4-Phenylene)-bis(imidosulfurous Dichloride), 1,4- $(\text{Cl}_2\text{S}=\text{N})_2\text{C}_6\text{H}_4$	127
N,N-Dimethyl-amidodichlorosulfur Ion (1+) Hexachloroantimonate, $[\text{Cl}_2\text{S}=\text{N}(\text{CH}_3)_2]^+\text{SbCl}_6^-$	127
Isocyanato-dichlorosulfur Ion (1+) Hexafluoroarsenate, $[\text{Cl}_2\text{S}=\text{N}=\text{C}=\text{O}]^+\text{AsF}_6^-$	128
3.1.5 Imidosulfurous Dibromides	128
N-Phenylsulfonyl-imidosulfurous Dibromide, $\text{Br}_2\text{S}=\text{NSO}_2\text{C}_6\text{H}_5$	128
N-Trifluoromethyl-imidosulfurous Dibromide, $\text{Br}_2\text{S}=\text{NCF}_3$	128
N-Pentafluoroethyl-imidosulfurous Dibromide, $\text{Br}_2\text{S}=\text{NC}_2\text{F}_5$	129
N-tert-Butyl-imidosulfurous Dibromide, $\text{Br}_2\text{S}=\text{NC}_4\text{H}_9$ -t	129

	Page
3.1.6 Perhalogenoalkanesulfinimidoyl Fluorides	130
Trifluoromethanesulfinimidoyl Fluorides	130
N-Trifluoromethyl-trifluoromethanesulfinimidoyl Fluoride, $\text{CF}_3(\text{F})\text{S}=\text{NCF}_3$	130
N-Pentafluoroethyl-trifluoromethanesulfinimidoyl Fluoride, $\text{CF}_3(\text{F})\text{S}=\text{NC}_2\text{F}_5$	130
N-Heptafluoroisopropyl-trifluoromethanesulfinimidoyl Fluoride, $\text{CF}_3(\text{F})\text{S}=\text{NC}_3\text{F}_7\text{-i}$..	131
N-Fluorocarbonyl-trifluoromethanesulfinimidoyl Fluoride, $\text{CF}_3(\text{F})\text{S}=\text{NC}(\text{O})\text{F}$	131
N-Trifluoroacetyl-trifluoromethanesulfinimidoyl Fluoride, $\text{CF}_3(\text{F})\text{S}=\text{NC}(\text{O})\text{CF}_3$	132
N-Cyano-trifluoromethanesulfinimidoyl Fluoride, $\text{CF}_3(\text{F})\text{S}=\text{NC}\equiv\text{N}$	133
Heptafluoro-2-propanesulfinimidoyl Fluorides	133
N-Methyl-heptafluoro-2-propanesulfinimidoyl Fluoride, $\text{i-C}_3\text{F}_7(\text{F})\text{S}=\text{NCH}_3$	133
N-Trifluoromethyl-heptafluoro-2-propanesulfinimidoyl Fluoride, $\text{i-C}_3\text{F}_7(\text{F})\text{S}=\text{NCF}_3$..	134
N-Pentafluoroethyl-heptafluoro-2-propanesulfinimidoyl Fluoride, $\text{i-C}_3\text{F}_7(\text{F})\text{S}=\text{NC}_2\text{F}_5$..	134
N-Heptafluoropropyl-heptafluoro-2-propanesulfinimidoyl Fluoride, $\text{i-C}_3\text{F}_7(\text{F})\text{S}=\text{NC}_3\text{F}_7\text{-n}$	134
N-Heptafluoroisopropyl-heptafluoro-2-propanesulfinimidoyl Fluoride, $\text{i-C}_3\text{F}_7(\text{F})\text{S}=\text{NC}_3\text{F}_7\text{-i}$	135
N-Trifluoroacetyl-heptafluoro-2-propanesulfinimidoyl Fluoride, $\text{i-C}_3\text{F}_7(\text{F})\text{S}=\text{NC}(\text{O})\text{CF}_3$	135
N-Cyano-heptafluoro-2-propanesulfinimidoyl Fluoride, $\text{i-C}_3\text{F}_7(\text{F})\text{S}=\text{NC}\equiv\text{N}$	136
N-Heptafluoroisopropyl-2-chloro-hexafluoro-2-propanesulfinimidoyl Fluoride, $(\text{CF}_3)_2\text{CCl}(\text{F})\text{S}=\text{NC}_3\text{F}_7\text{-i}$	136
Trifluoromethanesulfinimidoyl Chlorides	137
N-Trifluoromethyl-trifluoromethanesulfinimidoyl Chloride, $\text{CF}_3(\text{Cl})\text{S}=\text{NCF}_3$	137
N-Pentafluoroethyl-trifluoromethanesulfinimidoyl Chloride, $\text{CF}_3(\text{Cl})\text{S}=\text{NC}_2\text{F}_5$	137
N-Heptafluoroisopropyl-trifluoromethanesulfinimidoyl Chloride, $\text{CF}_3(\text{Cl})\text{S}=\text{NC}_3\text{F}_7\text{-i}$..	138
3.1.7 S, S-Bis(perfluoroalkyl)-sulfur Imides and Derivatives	138
S, S-Bis(trifluoromethyl)-sulfur Imides	138
S, S-Bis(trifluoromethyl)-sulfur Imide, $(\text{CF}_3)_2\text{S}=\text{NH}$	138
Lithium Salt of the S, S-Bis(trifluoromethyl)-sulfur Imide Ion (1-), $\text{Li}^+[(\text{CF}_3)_2\text{S}=\text{N}]^-$..	139
N-Fluoro-S, S-bis(trifluoromethyl)-sulfur Imide, $(\text{CF}_3)_2\text{S}=\text{NF}$	140
N-Chloro-S, S-bis(trifluoromethyl)-sulfur Imide, $(\text{CF}_3)_2\text{S}=\text{NCl}$	140
N, N'-Bis[bis(trifluoromethyl)sulfanylidene]-hydrazine, $(\text{CF}_3)_2\text{S}=\text{NN}=\text{S}(\text{CF}_3)_2$	141
N-Difluorophosphinoyl-S, S-bis(trifluoromethyl)-sulfur Imide, $(\text{CF}_3)_2\text{S}=\text{NP}(\text{O})\text{F}_2$	141
N-Trimethylsilyl-S, S-bis(trifluoromethyl)-sulfur Imide, $(\text{CF}_3)_2\text{S}=\text{NSi}(\text{CH}_3)_3$	142
N, N'-Dimethylsilanediyl-bis[S, S-bis(trifluoromethyl)-sulfur Imide], $(\text{CF}_3)_2\text{S}=\text{NSi}(\text{CH}_3)_2\text{N}=\text{S}(\text{CF}_3)_2$	142
N-Methyl-S, S-bis(trifluoromethyl)-sulfur Imide, $(\text{CF}_3)_2\text{S}=\text{NCH}_3$	142
N-Ethyl-S, S-bis(trifluoromethyl)-sulfur Imide, $(\text{CF}_3)_2\text{S}=\text{NC}_2\text{H}_5$	143
N-Isopropyl-S, S-bis(trifluoromethyl)-sulfur Imide, $(\text{CF}_3)_2\text{S}=\text{NC}_3\text{H}_7\text{-i}$	143
N-Heptafluoroisopropyl-S, S-bis(trifluoromethyl)-sulfur Imide, $(\text{CF}_3)_2\text{S}=\text{NC}_3\text{F}_7\text{-i}$...	144
N, N'-(2, 2, 2-Trifluoro-1-trifluoromethyl-1, 1-ethanediyl)-bis[S, S-bis(trifluoro- methyl)-sulfur Imide], $(\text{CF}_3)_2\text{S}=\text{NC}(\text{CF}_3)_2\text{N}=\text{C}(\text{CF}_3)_2$	144
N-Trifluoroacetyl-S, S-bis(trifluoromethyl)-sulfur Imide, $(\text{CF}_3)_2\text{S}=\text{NC}(\text{O})\text{CF}_3$	145
N-Phenylacetyl-S, S-bis(trifluoromethyl)-sulfur Imide, $(\text{CF}_3)_2\text{S}=\text{NC}(\text{O})\text{CH}_2\text{C}_6\text{H}_5$	145
N-Benzoyl-S, S-bis(trifluoromethyl)-sulfur Imide, $(\text{CF}_3)_2\text{S}=\text{NC}(\text{O})\text{C}_6\text{H}_5$	145
N-Cyano-S, S-bis(trifluoromethyl)-sulfur Imide, $(\text{CF}_3)_2\text{S}=\text{NCN}$	146
N, N'-Carbonyl-bis[S, S-bis(trifluoromethyl)-sulfur Imide], $(\text{CF}_3)_2\text{S}=\text{NC}(\text{O})\text{N}=\text{S}(\text{CF}_3)_2$..	146
N, N'-Ethanediyl-bis[S, S-bis(trifluoromethyl)-sulfur Imide], $(\text{CF}_3)_2\text{S}=\text{NC}(\text{O})\text{-}$ $\text{C}(\text{O})\text{N}=\text{S}(\text{CF}_3)_2$	146

Octafluoro-tetrahydrothiophen-1-imines and Derivatives	147
Octafluoro-tetrahydrothiophen-1-imine, $\text{CF}_2\text{CF}_2\text{CF}_2\text{CF}_2\text{S}=\text{NH}$	147
Lithium Salt of the Octafluoro-tetrahydrothiophen-1-imine Ion (1-), $\text{Li}^+[\text{CF}_2\text{CF}_2\text{CF}_2\text{CF}_2\text{S}=\text{N}]^-$	148
N-Chloro-octafluoro-tetrahydrothiophen-1-imine, $\text{CF}_2\text{CF}_2\text{CF}_2\text{CF}_2\text{S}=\text{NCl}$	149
N-Bromo-octafluoro-tetrahydrothiophen-1-imine, $\text{CF}_2\text{CF}_2\text{CF}_2\text{CF}_2\text{S}=\text{NBr}$	149
N-Trimethylsilyl-octafluoro-tetrahydrothiophen-1-imine, $\text{CF}_2\text{CF}_2\text{CF}_2\text{CF}_2\text{S}=\text{NSi}(\text{CH}_3)_3$	150
N-Methyl-octafluoro-tetrahydrothiophen-1-imine, $\text{CF}_2\text{CF}_2\text{CF}_2\text{CF}_2\text{S}=\text{NCH}_3$	150
N-Ethyl-octafluoro-tetrahydrothiophen-1-imine, $\text{CF}_2\text{CF}_2\text{CF}_2\text{S}=\text{NC}_2\text{H}_5$	150
N-Heptafluoroisopropyl-octafluoro-tetrahydrothiophen-1-imine, $\text{CF}_2\text{CF}_2\text{CF}_2\text{CF}_2\text{S}=\text{NC}_3\text{F}_7\text{-i}$	151
N-[1-Hexafluoroisopropylideneamino-2, 2, 2-trifluoro-1-(trifluoromethyl)ethyl]- octafluoro-tetrahydrothiophen-1-imine, $\text{CF}_2\text{CF}_2\text{CF}_2\text{CF}_2\text{S}=\text{NC}(\text{CF}_3)_2\text{N}=\text{C}(\text{CF}_3)_2$..	151
N-Trifluoroacetyl-octafluoro-tetrahydrothiophen-1-imine, $\text{CF}_2\text{CF}_2\text{CF}_2\text{CF}_2\text{S}=\text{NC}(\text{O})\text{CF}_3$	152
N-Cyano-octafluoro-tetrahydrothiophen-1-imine, $\text{CF}_2\text{CF}_2\text{CF}_2\text{CF}_2\text{S}=\text{NCN}$	152
N, N'-Carbonyl-bis(octafluoro-tetrahydrothiophen-1-imine), $\text{CF}_2\text{CF}_2\text{CF}_2\text{CF}_2\text{S}=\text{NC}(\text{O})\text{N}=\text{SCF}_2\text{CF}_2\text{CF}_2\text{CF}_2$	152
N, N'-Ethanediol-bis(octafluoro-tetrahydrothiophen-1-imine), $\text{CF}_2\text{CF}_2\text{CF}_2\text{CF}_2\text{S}=\text{NC}(\text{O})\text{C}(\text{O})\text{N}=\text{SCF}_2\text{CF}_2\text{CF}_2\text{CF}_2$	153
3.1.8 N-[N'-(1-Bis(trifluoromethyl)aminoxy)-2, 2, 2-trifluoro-1-(trifluoromethyl)ethyl]- S-fluorosulfinimidoyloxy]-bis(trifluoromethyl)amine, $(\text{CF}_3)_2\text{NO}(\text{F})\text{S}=\text{NC}(\text{CF}_3)_2\text{ON}(\text{CF}_3)_2$	153
3.1.9 N-[N'-(1-Bis(trifluoromethyl)aminoxy)-2, 2, 2-trifluoro-1-(trifluoromethyl)ethyl]- S-(trifluoromethyl)sulfinimidoyloxy]-bis(trifluoromethyl)amine, $(\text{CF}_3)_2\text{NO}(\text{CF}_3)\text{S}=\text{NC}(\text{CF}_3)_2\text{ON}(\text{CF}_3)_2$	154
3.1.10 Methyl N-(2-Chloro-tetrafluoroethyl)-fluoroimidosulfite, $\text{CH}_3\text{O}(\text{F})\text{S}=\text{NCF}_2\text{CClF}_2$	154
3.1.11 Nonafluoro- <i>tert</i> -butyl N-Pentafluoroethyl-chloroimidosulfite, $\text{t-C}_4\text{F}_9\text{O}(\text{Cl})\text{S}=\text{NC}_2\text{F}_5$	154
3.1.12 Methyl N-Heptafluoroisopropyl-heptafluoro-2-propanesulfinimide, $\text{CH}_3\text{O}(\text{i-C}_3\text{F}_7)\text{S}=\text{NC}_3\text{F}_7\text{-i}$	155
3.1.13 Imidosulfurous Acid, $(\text{HO})_2\text{S}=\text{NH}$	155
3.1.14 Diorganyl Imidosulfites	156
Dimethyl(or Diaryl) N-Arylsulfonyl-imidosulfites, $(\text{RO})_2\text{S}=\text{NSO}_2\text{Ar}$, $\text{R}=\text{CH}_3$, C_6H_5 , 4- $\text{NO}_2\text{C}_6\text{H}_4$; $\text{Ar}=\text{C}_6\text{H}_5$, $\text{C}_6\text{H}_4\text{Cl}$ -4, $\text{C}_6\text{H}_4\text{Br}$ -4, $\text{C}_6\text{H}_4\text{NO}_2$ -3, $\text{C}_6\text{H}_4\text{CH}_3$ -4	156
Bis(4-nitrophenyl) N-[Bis(4-nitrophenoxy)phosphoryl]-imidosulfite, $(4\text{-NO}_2\text{C}_6\text{H}_4\text{O})_2\text{S}=\text{NP}(\text{O})(\text{OC}_6\text{H}_4\text{NO}_2\text{-4})_2$	158
Diorganyl N-Alkyl-imidosulfites	158
Dialkyl N-Perfluoroalkyl-imidosulfites, $(\text{RO})_2\text{S}=\text{NR}$, $\text{R}=\text{alkyl}$; $\text{R}_1=\text{perfluoroalkyl}$, and N, N'-[Trifluoromethylimino- λ^4 -sulfanediy(bis(oxy))]-bis(trifluoromethyl)- amine, $((\text{CF}_3)_2\text{NO})_2\text{S}=\text{NCF}_3$	158
N-Trifluoromethyl(or Pentafluoroethyl)-1, 3, 2 λ^4 -dioxathiolan-2-imine, $\text{OCH}_2\text{CH}_2\text{OS}=\text{NR}$, $\text{R}=\text{CF}_3$, C_2F_5	164
N-Trifluoromethyl(or Pentafluoroethyl)-4, 4, 5, 5-tetrakis(trifluoromethyl)-1, 3, 2 λ^4 - dioxathiolan-2-imine, $\text{OC}(\text{CF}_3)_2\text{C}(\text{CF}_3)_2\text{OS}=\text{NR}$, $\text{R}=\text{CF}_3$, C_2F_5	164

	Page
N-Trifluoromethyl-5, 5, 6, 6-tetrafluoro-1, 3, 2λ ⁴ -dioxathiepan-2-imine, OCH ₂ CF ₂ CF ₂ CH ₂ OS=NCF ₃	165
Bis(4-nitrophenyl) N-(1-Cyano-1-methylethyl)-imidodisulfite, (4-NO ₂ C ₆ H ₄ O) ₂ S=NC(CN)(CH ₃) ₂	165
Diorganyl N-Aryl-imidodisulfites	166
Dimethyl N-Phenyl-imidodisulfite, (CH ₃ O) ₂ S=NC ₆ H ₅	166
Dimethyl N-(2, 4, 6-Trichlorophenyl)-imidodisulfite, (CH ₃ O) ₂ S=NC ₆ H ₂ Cl ₃ -2, 4, 6	166
N-(2, 4, 6-Trichlorophenyl)-1, 3, 2λ ⁴ -dioxathian-2-imines, OCHR ¹ CH ₂ CHR ² OS=NC ₆ H ₂ Cl ₃ -2, 4, 6, R ¹ =R ² =H; R ¹ =t-C ₄ H ₉ , R ² =CH ₃ ; R ¹ =R ² =t-C ₄ H ₉	167
N-(2, 4, 6-Trichlorophenyl)-1, 3, 6, 2λ ⁴ -trioxathiocan-2-imine, OCH ₂ CH ₂ OCH ₂ CH ₂ OS=NC ₆ H ₂ Cl ₃ -2, 4, 6	169
N-(2, 4, 6-Trichlorophenyl)-6-methyl-5, 6, 7, 8-tetrahydro-4 H-1, 3, 2λ ⁴ , 6-dioxathiazocin-2-imine, OCH ₂ CH ₂ N(CH ₃)CH ₂ CH ₂ OS=NC ₆ H ₂ Cl ₃ -2, 4, 6	170
N-(2, 4, 6-Trichlorophenyl)-1, 5-dihydro-2, 4, 3λ ⁴ -benzodioxathiepin-3-imine, OCH ₂ (1-C ₆ H ₄ -2)CH ₂ OS=NC ₆ H ₂ Cl ₃ -2, 4, 6	172
Bis(2, 2, 2-trifluoroethyl) N-(2, 2, 2-Trifluoroethoxycarbonyl)-imidodisulfite, (CF ₃ CH ₂ O) ₂ S=NC(O)OCH ₂ CF ₃	173
Bis(4-nitrophenyl) N-Aroyl-imidodisulfite, (4-NO ₂ C ₆ H ₄ O) ₂ S=NC(O)Ar, Ar = C ₆ H ₅ , C ₆ H ₄ Cl-4, C ₆ H ₄ CH ₃ -4	173
3.1.15 Amidoimidodisulfurous Fluorides and Derivatives	174
N, N-Dialkyl-N'-alkyl-amidoimidodisulfurous Fluorides	174
N, N-Diethyl-N'-methyl-amidoimidodisulfurous Fluoride, (C ₂ H ₅) ₂ N(F)S=NCH ₃	174
N, N-Dimethyl-N'-trifluoromethyl-amidoimidodisulfurous Fluoride, (CH ₃) ₂ N(F)S=NCF ₃	174
N, N-Dimethyl-N'-pentafluoroethyl-amidoimidodisulfurous Fluoride, (CH ₃) ₂ N(F)S=NC ₂ F ₅	174
N, N-Dimethyl-N'-(2-chloro-tetrafluoroethyl)-amidoimidodisulfurous Fluoride, (CH ₃) ₂ N(F)S=NCF ₂ CClF ₂	175
N, N-Diethyl-N'-(2, 2-dichloro-1, 1, 2-trifluoroethyl)-amidoimidodisulfurous Fluoride (C ₂ H ₅) ₂ N(F)S=NCF ₂ CCl ₂ F	176
N, N-Dimethyl-N'-heptafluoroisopropyl-amidoimidodisulfurous Fluoride, (CH ₃) ₂ N(F)S=NC ₃ F ₇ -i	176
N, N-Diethyl-N'-heptafluoroisopropyl-amidoimidodisulfurous Fluoride, (C ₂ H ₅) ₂ N(F)S=NC ₃ F ₇ -i	177
S-Fluoro-S-(1-piperidiny)-N'-heptafluoroisopropyl-sulfur Imide, (CH ₂) ₅ N(F)S=NC ₃ F ₇ -i	177
N, N-Dialkyl-N'-fluorocarbonyl-amidoimidodisulfurous Fluorides	178
N, N-Diethyl-N'-fluorocarbonyl-amidoimidodisulfurous Fluoride, (C ₂ H ₅) ₂ N(F)S=NC(O)F	178
S-Fluoro-S-(1-piperidiny)-N'-fluorocarbonyl-sulfur Imide, (CH ₂) ₅ N(F)S=NC(O)F ..	178
S-Fluoro-S-(4-morpholinyl)-N'-fluorocarbonyl-sulfur Imide, O(CH ₂) ₄ N(F)S=NC(O)F ..	178
S-Fluoro-S-(1-piperidiny)-N'-(1-piperidiny)-N'-fluorocarbonyl-sulfur Imide, (CH ₂) ₅ N(F)S=NC(O)N(CH ₂) ₅ and S-Fluoro-S-(4-morpholinyl)-N'- (4-morpholinyl)-N'-fluorocarbonyl-sulfur Imide, O(CH ₂) ₄ N(F)S=NC(O)N(CH ₂) ₄ O	179
N, N-Dialkyl-N'-trifluoroacetyl-amidoimidodisulfurous Fluorides	179
N, N-Dimethyl-N'-trifluoroacetyl-amidoimidodisulfurous Fluoride, (CH ₃) ₂ N(F)S=NC(O)CF ₃	179

N, N-Diethyl-N'-trifluoroacetyl-amidoimidosulfurous Fluoride, (C ₂ H ₅) ₂ N(F)S=NC(O)CF ₃	180
S-Fluoro-S-(1-piperidinyl)-N'-trifluoroacetyl-sulfur Imide, (CH ₂) ₅ N(F)S=NC(O)CF ₃ ..	180
N, N-Dialkyl-N'-cyano-amidoimidosulfurous Fluorides	181
N, N-Dimethyl-N'-cyano-amidoimidosulfurous Fluoride, (CH ₃) ₂ N(F)S=NCN	181
N, N-Diethyl-N'-cyano-amidoimidosulfurous Fluoride, (C ₂ H ₅) ₂ N(F)S=NCN	181
S-Fluoro-S-(1-piperidinyl)-N'-cyano-sulfur Imide, (CH ₂) ₅ N(F)S=NCN	181
N-Heptafluoroisopropyl-imidosulfurous Fluoride Isocyanate, OCN(F)S=NC ₃ F ₇ -i	182
Salts of the N, N, N', N'-Tetramethyl-diamidofluorosulfur Ion (1+), [(CH ₃) ₂ NS(F)N(CH ₃) ₂] ⁺ MF _n ⁻ , MF _n ⁻ = BF ₄ ⁻ , PF ₆ ⁻ , AsF ₆ ⁻	182
Caesium Salt of the N, N'-Bis(phenylsulfonyl)-amidoimidosulfurous Fluoride Ion (1-), Cs ⁺ [C ₆ H ₅ SO ₂ N ⁻ S(F) ⁻ NSO ₂ C ₆ H ₅] ⁻	182
3.1.16 Amidoimidosulfurous Chlorides and Salts of Diamidochlorosulfur Ions (1+) ..	183
Amidoimidosulfurous Chlorides	183
N, N-Dimethyl-N'-pentafluoroethyl-amidoimidosulfurous Chloride, (CH ₃) ₂ N(Cl)S=NC ₂ F ₅	183
N, N-Dimethyl-N'-(2-chloro-tetrafluoroethyl)-amidoimidosulfurous Chloride, (CH ₃) ₂ N(Cl)S=NCF ₂ CClF ₂	183
N, N'-Bis(1-chloro-2, 2-dicyanoethenyl)-amidoimidosulfurous Chloride, (CN) ₂ C=C(Cl)HN(Cl)S=NC(Cl)=C(CN) ₂	183
N-Ethoxycarbonyl-N'-(1-chloro-2, 2-dicyanoethenyl)-amidoimidosulfurous Chloride, C ₂ H ₅ O(O)CHN(Cl)S=NC(Cl)=C(CN) ₂	184
N-Phenylsulfonyl-N'-(1-chloro-2, 2-dicyanoethenyl)-amidoimidosulfurous Chloride, C ₆ H ₅ SO ₂ HN(Cl)S=NC(Cl)=C(CN) ₂	184
N, N'-Bis(trichloroacetyl)-amidoimidosulfurous Chloride, CCl ₃ C(O)HN(Cl)S=NC(O)CCl ₃ ..	184
N, N'-Dibenzoyl-amidoimidosulfurous Chloride, C ₆ H ₅ C(O)HN(Cl)S=NC(O)C ₆ H ₅	184
N-[Methoxy(phenyl)methylene]-N'-benzoyl-amidoimidosulfurous Chloride, C ₆ H ₅ (CH ₃ O)C=N(Cl)S=NC(O)C ₆ H ₅	185
S-Chloro-S-(4-morpholinyl)-N'-aroyl-sulfur Imides, O(CH ₂) ₄ N(Cl)S=NC(O)C ₆ H ₄ R-4, R = Cl, Br, NO ₂	185
S-Chloro-S-(4-morpholinyl)-N'-(4-nitrophenyl)-sulfur Imide, O(CH ₂) ₄ N(Cl)S=NC ₆ H ₄ NO ₂ -4	185
S-Chloro-S-(4-morpholinyl)-N'-(2, 3, 5, 6-tetramethyl-4-nitrophenyl)-sulfur Imide, O(CH ₂) ₄ N(Cl)S=NC ₆ (CH ₃) ₄ -2, 3, 5, 6-NO ₂ -4	186
S-Chloro-S-(4-morpholinyl)-N'-methyl(or aryl)sulfonyl-sulfur Imides, O(CH ₂) ₄ N(Cl)S=NSO ₂ R, R = CH ₃ , C ₆ H ₅ , subst. phenyl	186
N, N-Dimethyl-N'-p-tolylsulfonyl-amidoimidosulfurous Chloride, (CH ₃) ₂ N(Cl)S=NSO ₂ C ₆ H ₄ CH ₃ -4	186
S-Chloro-S-(1-piperidinyl)-N'-p-tolylsulfonyl-sulfur Imide, (CH ₂) ₅ N(Cl)S=NSO ₂ C ₆ H ₄ CH ₃ -4	186
N-Diphenylmethylene-N'-p-tolylsulfonyl-amidoimidosulfurous Chloride, (C ₆ H ₅) ₂ C=N(Cl)S=NSO ₂ C ₆ H ₄ CH ₃ -4	187
N-[Chloro(dialkylamino)methylene]-N'-alkyl(or aryl)sulfonyl-amidoimidosulfurous Chlorides, R ₁ ¹ NC(Cl)=N(Cl)S=NSO ₂ R ² , R ¹ = C ₂ H ₅ , R ² = CH ₃ ; R ¹ = CH ₃ , R ² = C ₆ H ₅ ; R ¹ = C ₂ H ₅ , R ² = C ₆ H ₅ ; R ¹ = C ₂ H ₅ , R ² = 4-CH ₃ C ₆ H ₄	187
Salts of Diamidochlorosulfur Ions (1+)	189
N, N, N', N'-Tetramethyl-diamidochlorosulfur Ion (1+) Hexachloroantimonate, [(CH ₃) ₂ NS(Cl)N(CH ₃) ₂] ⁺ SbCl ₆ ⁻	189

	Page
N, N'-Bis[chloro(dimethylamino)methylene]-diamidochlorosulfur Ion (1+) Chlorides	189
$[(CH_3)_2NC(Cl)=NS(Cl)N=C(Cl)N(CH_3)_2]^+Cl^- \cdot C_2H_4Cl_2$	189
$[(CH_3)_2NC(Cl)=NS(Cl)N=C(Cl)N(CH_3)_2]^+Cl_3^-$	191
N, N'-Bis[chloro(diethylamino)methylene]-diamidochlorosulfur Ion (1+) Chloride,	
$[(C_2H_5)_2NC(Cl)=NS(Cl)N=C(Cl)N(C_2H_5)_2]^+Cl^-$	192
N, N'-Bis[chloro(1-piperidiny)methylene]-diamidochlorosulfur Ion (1+) Chloride,	
$[(CH_2)_5NC(Cl)=NS(Cl)N=C(Cl)N(CH_2)_5]^+Cl^-$	193
N, N'-Bis[chloro(dicyclohexylamino)methylene]-diamidochlorosulfur (1+) Chloride,	
$[(C_6H_{11})_2NC(Cl)=NS(Cl)N=C(Cl)N(C_6H_{11})_2]^+Cl^-$	193
N, N'-Bis[chloro(dibenzylamino)methylene]-diamidochlorosulfur (1+) Chloride,	
$[(C_6H_5CH_2)_2NC(Cl)=NS(Cl)N=C(Cl)N(CH_2C_6H_5)_2]^+Cl^-$	193
3.1.17 Trihalogenomethanesulfinimidamides and Derivatives	193
N, N-Dimethyl-N'-pentafluoroethyl(or heptafluoroisopropyl)-trifluoromethane-sulfinimidamide, $(CH_3)_2N(F_3C)S=NC_2F_5$ and $(CH_3)_2N(F_3C)S=NC_3F_7-i$	193
N-Acetyl(or Benzoyl)-N'-methyl(or phenyl)sulfonyl-chlorodifluoro- (or dichlorofluoro)-methanesulfinimidamides, $RC(O)NH(R'')S=NSO_2R'$, $R = CH_3, C_6H_5$; $R' = CH_3, C_6H_5$; $R'' = CClF_2, CCl_2F$	194
N-Acyl-N'-methyl(or aryl)sulfonyl-trichloromethanesulfinimidamides, $RC(O)NH(Cl_3C)S=NSO_2R'$, $R = \text{alkyl, aryl}$; $R' = \text{alkyl, aryl}$	195
N-Phenylsulfonyl-N'-benzoyl-trichloromethanesulfinimidamide, $C_6H_5SO_2NH(Cl_3C)S=NC(O)C_6H_5$	197
N, N'-Bis(arylsulfonyl)-trichloromethanesulfinimidamides, $RSO_2NH(Cl_3C)S=NSO_2R'$, $R = \text{aryl}$, $R' = \text{aryl}$	197
Salts of N, N'-Bis(arylsulfonyl)-trichloromethanesulfinimidamide Ions (1-), $M^+[RSO_2N \rightleftharpoons S(Cl_3) \rightleftharpoons NSO_2R']^-$, $M = Na, C_5H_5NH, O(CH_2)_4NH_2, Ag$; $R = \text{aryl}$; $R' = \text{aryl}$	198
N, N'-Diacyl-trichloromethanesulfinimidamides, $RC(O)NH(Cl_3C)S=NC(O)R'$, $R = CH_3, n-C_4H_9, C_6H_5, 4-CH_3C_6H_4$; $R' = CH_3, C_6H_5$	199
N-Pentafluoroethyl(or heptafluoroisopropyl)-trifluoromethanesulfinimidoyl Isocyanates, $OCN(F_3C)S=NC_2F_5$ and $OCN(F_3C)S=NC_3F_7-i$	200
3.1.18 Amidoimidosulfites and Derivatives	200
Methyl(or Ethyl or Trimethylsilyl) Amidoimidosulfites	200
Methyl N, N-Dimethyl-N'-pentafluoroethyl-amidoimidosulfite, $(CH_3)_2N(CH_3O)S=NC_2F_5$	200
Ethyl N, N'-Dibenzoyl-amidoimidosulfite, $C_6H_5C(O)NH(C_2H_5O)S=NC(O)C_6H_5$	201
Ethyl N, N'-Bis(phenylsulfonyl)-amidoimidosulfite, $C_6H_5SO_2NH(C_2H_5O)S=NSO_2C_6H_5$	201
Methyl N, N'-Bis(p-tolylsulfonyl)-N-trimethylstannanyl-amidoimidosulfite, $4-CH_3C_6H_4SO_2N(Sn(CH_3)_3)(CH_3O)S=NSO_2C_6H_4CH_3-4$	201
Trimethylsilyl N, N-Dimethyl-N'-trimethylsilyl-amidoimidosulfite, $(CH_3)_2N((CH_3)_3SiO)S=NSi(CH_3)_3$	202
N, N'-Bis(p-tolylsulfonyl)-S-(1-pyridinium-1-yloxy)-imidosulfurous Amide, $4-CH_3C_6H_4SO_2N \rightleftharpoons S(ONC_5H_5) \rightleftharpoons NSO_2C_6H_4CH_3-4$	202
Salts of Alkyl Amidoimidosulfite Ions (1-), $M^+[RN \rightleftharpoons S(OR') \rightleftharpoons NR']^-$, $R = CF_3SO_2, C_6H_5SO_2, 4-CH_3C_6H_4, 4-NO_2C_6H_4$; $R' = CH_3, C_2H_5, n-C_3H_7, i-C_3H_7, n-C_4H_9$; $M = Na, Li, C_5H_5NH, O(CH_2)_4NH_2$	203
3.1.19 Imidosulfurous Diamides	207

3.1.20	Organylammonium Salts and Pyridinium Salt of N', N''-Bis(phenylsulfonyl)-imidosulfurous Diamide Ions (1-), $R_2NH_2^+ [(C_6H_5SO_2N^{\ominus})_2SNR_2]^+$, $R_2N = (CH_3)_2N$, $(C_2H_5)_2N$, $(CH_2)_5N$, $O(CH_2)_4N$, $C_5H_5NH^+ [(C_6H_5SO_2N^{\ominus})_2S(N(CH_2)_4O)]^+$	217
3.1.21	Sodium Salt and Tetraphenylphosphonium Salt of the N, N', N''-Tris(phenylsulfonyl)-imidosulfurous Diamide Ion (2-), $(Na^+)_2 [(C_6H_5SO_2N^{\ominus})_3S]^{2-}$ and $((C_6H_5)_4P^+)_2 [(C_6H_5SO_2N^{\ominus})_3S]^{2-}$	218
3.1.22	Potassium Salt of the Diimino-imidodisulfurous Diamide Ion (5-), $(K^+)_5 [S_2N_5H_2]^{5-}$	220
3.1.23	Triamidosulfur Ion (1+), $(H_2N)_3S^+$	220
3.1.24	Salts of Triamidosulfur Ions (1+)	222
	Salts of N, N, N', N', N'', N''-Hexaalkyl-triamidosulfur Ions (1+), $(R_2N)_3S^+ X^-$, $R_2 = (CH_3)_2$, $(CH_2)_5$, $O(CH_2)_4$; $X = BF_4$, OSF_5 , $Si(CH_3)_3F_2$, $SbCl_6$, $B(C_6H_5)_4$	222
	Survey	222
	Salts of the N, N, N', N', N'', N''-Hexamethyl-triamidosulfur Ion (1+), $((CH_3)_2N)_3S^+$..	224
	N, N, N', N', N'', N''-Hexamethyl-triamidosulfur Ion (1+) Tetrafluoroborate, $((CH_3)_2N)_3S^+ BF_4^-$	224
	N, N, N', N', N'', N''-Hexamethyl-triamidosulfur Ion (1+) Pentafluorooxosulfur Ion (1-), $((CH_3)_2N)_3S^+ OSF_5^-$	225
	N, N, N', N', N'', N''-Hexamethyl-triamidosulfur Ion (1+) Difluorotrimethylsilicate, $((CH_3)_2N)_3S^+ Si(CH_3)_3F_2^-$	226
	N, N, N', N', N'', N''-Hexamethyl-triamidosulfur Ion (1+) Hexachloroantimonate, $((CH_3)_2N)_3S^+ SbCl_6^-$	227
	Tris(1-piperidiny)sulfur Ion (1+) Tetraphenylborate, $((CH_2)_5N)_3S^+ B(C_6H_5)_4^-$	228
	Salts of the Tris(4-morpholinyl)sulfur Ion (1+), $(O(CH_2)_4N)_3S^+ X^-$, $X = BF_4$, $B(C_6H_5)_4$	228
	Tris(4-morpholinyl)sulfur Ion (1+) Tetrafluoroborate, $(O(CH_2)_4N)_3S^+ BF_4^-$	228
	Tris(4-morpholinyl)sulfur Ion (1+) Tetraphenylborate, $(O(CH_2)_4N)_3S^+ B(C_6H_5)_4^-$..	228
	N, N', N''-Tris(dimethyl-oxo- λ^6 -sulfanylidene)-triamidosulfur Ion (1+) Dihydrogen Trifluoride, $(O=S(CH_3)_2=N)_3S^+ H_2F_3^-$	229
	N, N', N''-Tris(triphenyl- λ^5 -phosphanylidene)-triamidosulfur Ion (1+) Chloride and Tetrasulfur Pentanitride Ion (1-), $((C_6H_5)_3P=N)_3S^+ X^-$, $X = Cl$, S_4N_5	230
	Other Salts of Triamidosulfur Ions (1+)	230
3.1.25	N-Arylsulfonyl-S, S-bis(trimethylsilyl)-sulfur Imides, $((CH_3)_3Si)_2S=NSO_2R$, $R = C_6H_5$, 4-ClC ₆ H ₄ , 4-NO ₂ C ₆ H ₄ , 4-CH ₃ C ₆ H ₄	251
3.2	Amidosulfurous Acids or Derivatives, and Sulfinamides	251
3.2.1	Amidosulfurous Fluorides and Derivatives	251
	Amidosulfurous Fluoride, $H_2NS(O)F$	251
	N, N-Difluoro-amidosulfurous Fluoride, $F_2NS(O)F$	251
	N-Alkyl-amidosulfurous Fluorides, $RNHS(O)F$, $R = \text{alkyl}$	252
	N, N-Dialkyl-amidosulfurous Fluorides, $RR'NS(O)F$, $R = \text{alkyl}$, $R' = \text{alkyl}$	252
	N, N-Dimethyl-amidosulfurous Fluoride, $(CH_3)_2NS(O)F$	252
	N, N-Diethyl-amidosulfurous Fluoride, $(C_2H_5)_2NS(O)F$	253
	1-Pyrrolidinesulfinyl Fluoride, $(CH_2)_4NS(O)F$	254
	1-Piperidine(or 4-Morpholine or 4-Thiomorpholine)sulfinyl Fluorides, $\dot{C}R^1R^2CH_2-Y-CH_2\dot{C}R^1R^2NS(O)F$, $R^1, R^2 = H, CH_3$; $Y = CH_2, O, S$	255
	N-Methyl-N-perfluoroalkyl-amidosulfurous Fluorides, $R_f(CH_3)NS(O)F$, $R_f = CF_3$, C_2F_5 , $i-C_3F_7$	256

	Page
N-(Diethylamino-fluoromethylene)-amidosulfurous Fluoride, $(C_2H_5)_2NC(F)=NS(O)F$..	258
Sulfinyl Fluoride Isocyanate, $O=C=NS(O)F$	258
3.2.2 Amidosulfurous Chlorides and Derivatives	259
N-Organyl-amidosulfurous Chloride, N-(6-Methyl-1, 2, 4-triazin-3-yl)-amidosulfurous Chloride, $CH_3(6-C_3HN_3-3)NHS(O)Cl$	259
N, N-Diorganyl-amidosulfurous Chlorides	259
N, N-Dialkyl-amidosulfurous Chlorides and Derivatives, $RR'NS(O)Cl$, R = alkyl, R' = alkyl	259
N, N-Dimethyl-amidosulfurous Chloride, $(CH_3)_2NS(O)Cl$	260
N, N-Diethyl-amidosulfurous Chloride, $(C_2H_5)_2NS(O)Cl$	263
N, N-Diisopropyl-amidosulfurous Chloride, $(i-C_3H_7)_2NS(O)Cl$	264
N, N-Di-sec-butyl-amidosulfurous Chloride, $(C_2H_5(CH_3)CH)_2NS(O)Cl$	264
N, N-Diisobutyl-amidosulfurous Chloride, $((CH_3)_2CHCH_2)_2NS(O)Cl$	264
N, N-Dibenzyl-amidosulfurous Chloride, $(C_6H_5CH_2)_2NS(O)Cl$	265
1-Aziridinesulfinyl Chloride, 2-Methyl-1-aziridinesulfinyl Chloride, and 2, 2-Dimethyl-1-aziridinesulfinyl Chloride, $R^1R^2\dot{C}CH_2\dot{N}S(O)Cl$, $R^1 = R^2 = H$; $R^1 = H$, $R^2 = CH_3$; $R^1 = R^2 = CH_3$	265
1-Pyrrolidinesulfinyl Chloride, $\dot{C}H_2CH_2CH_2CH_2\dot{N}S(O)Cl$	265
1-Piperidinesulfinyl Chloride, $\dot{C}H_2(CH_2)_3CH_2\dot{N}S(O)Cl$	266
2, 2, 6, 6-Tetramethyl-1-piperidinesulfinyl Chloride, $(CH_3)_2\dot{C}(CH_2)_3C(CH_3)_2\dot{N}S(O)Cl$	266
4-Morpholinesulfinyl Chloride, $\dot{C}H_2CH_2OCH_2CH_2\dot{N}S(O)Cl$	266
N-Benzyl-N-methyl-amidosulfurous Chloride, $C_6H_5CH_2(CH_3)NS(O)Cl$	267
N-Cyclohexyl-N-methyl-amidosulfurous Chloride, $c-C_6H_{11}(CH_3)NS(O)Cl$	267
N-[Chloro-dimethylamino(or 1-piperidinyl)methyl]-N-phenyl-amidosulfurous Chlorides, $(CH_3)_2NCH(Cl)N(C_6H_5)S(O)Cl$ and $(CH_2)_5NCH(Cl)N(C_6H_5)S(O)Cl$...	267
N-[Dialkoxy(or Diphenoxy)phosphorylmethyl]-N-[organyloxycarbonyl- (or cyano)- methyl]-amidosulfurous Chlorides, $(R^1O)_2P(O)CH_2N(CH_2R^2)S(O)Cl$, $R^1 = C_2H_5$, C_6H_5 ; $R^2 = C(O)OCH_3$, $C(O)OC_2H_5$, $C(O)OCH_2C_6H_5$, $C(O)OC_6H_5$, CN	268
N-Alkyl(or Phenyl)-N-organyloxycarbonyl-amidosulfurous Chlorides, $ROC(O)N(R')S(O)Cl$, R = alkyl, aryl; R' = alkyl, phenyl	268
N-Methyl-N-[(1-(methylsulfonyl)ethylidene)aminoxycarbonyl]-amidosulfurous Chloride, $CH_3SC(CH_3)=NOC(O)N(CH_3)S(O)Cl$	270
N-Methylene-amidosulfurous Chlorides and Derivatives	271
N-Diphenylmethylene-amidosulfurous Chloride, $(C_6H_5)_2C=NS(O)Cl$	271
N-[Phenyl(p-tolyl)methylene](or Di-p-tolylmethylene)-amidosulfurous Chlorides, 4- $CH_3C_6H_4(C_6H_5)C=NS(O)Cl$, 4- $CH_3C_6H_4)_2C=NS(O)Cl$	271
Ethyl N-Chlorosulfinyl-propanimide, $C_2H_5(C_2H_5O)C=NS(O)Cl$	272
Methyl N-Chlorosulfinyl-trichloroacetimide, $Cl_3C(CH_3O)C=NS(O)Cl$	272
Methyl N-Chlorosulfinyl-benzimide, $C_6H_5(CH_3O)C=NS(O)Cl$	272
Methyl N-Chlorosulfinyl-4-chlorobenzimide, 4- $ClC_6H_4(CH_3O)C=NS(O)Cl$	273
N-Dimethylaminomethylene-amidosulfurous Chloride, $(CH_3)_2NC(H)=NS(O)Cl$..	273
N-[Chloro(dialkylamino)methylene]-amidosulfurous Chlorides, $R_2NC(Cl)=NS(O)Cl$, R = CH_3 , C_2H_5 , n- C_4H_9	273
Heterocyclesulfinyl Chlorides and Derivatives	275
1H-Imidazole-1-sulfinyl Chloride, 1, 3- $N_2C_3H_3$ -1-S(O)Cl	275
1H-Benzimidazole-1-sulfinyl Chloride, 1, 3- $N_2C_7H_5$ -1-S(O)Cl	275
1-Chlorosulfinyl-1-pyridinium Chloride or 4-Chloro-1, 4-dihydro-1-pyridinesulfinyl Chloride, $[C_5H_5N^+-1-S(O)Cl] Cl^-$ or $Cl(4-C_5H_5N-1)S(O)Cl$	276

1-(1-Chlorosulfinyl-1, 4-dihydro-4-pyridinyl)-1-pyridinium Chloride, [C ₅ H ₅ N ⁺ (4-C ₅ H ₅ N-1)S(O)Cl] Cl ⁻	276
1-Chlorosulfinyl-4-dimethylamino-1-pyridinium Chloride, [(CH ₃) ₂ N(4-C ₅ H ₄ N ⁺ -1)S(O)Cl] Cl ⁻	277
N-Methyl-N-phenylsulfonyl-amidosulfurous Chloride, C ₆ H ₅ SO ₂ N(CH ₃)S(O)Cl	277
N-(2-Chloroethyl)-N-dialkoxyphosphoryl-amidosulfurous Chlorides, (RO) ₂ P(O)N(CH ₂ CH ₂ Cl)S(O)Cl, R = C ₂ H ₅ , n-C ₃ H ₇	277
N-Phosphanylidene-amidosulfurous Chlorides	278
N-(Triphenyl-λ ⁵ -phosphanylidene)-amidosulfurous Chloride, (C ₆ H ₅) ₃ P=NS(O)Cl	278
N-[Chloro-bis(trichloromethyl)-λ ⁵ -phosphanylidene]-amidosulfurous Chloride, (Cl ₃ C) ₂ P(Cl)=NS(O)Cl	278
N-[Dichloro-diethylamino-λ ⁵ -phosphanylidene]-amidosulfurous Chloride, (C ₂ H ₅) ₂ NP(Cl) ₂ =NS(O)Cl	279
3.2.3 Amidosulfurous Bromides	280
N,N-Dimethyl-amidosulfurous Bromide, (CH ₃) ₂ NS(O)Br	280
2,2,6,6-Tetramethyl-1-piperidinesulfinyl Bromide, C(CH ₃) ₂ (CH ₂) ₃ C(CH ₃) ₂ NS(O)Br ..	280
3.2.4 Perhalogenoalkanesulfinamides	281
Trifluoromethanesulfinamides	281
Trifluoromethanesulfinamide, H ₂ NS(O)CF ₃	281
N,N-Difluoro-trifluoromethanesulfinamide, F ₂ NS(O)CF ₃	281
N-Organyl-trifluoromethanesulfinamides	281
N-Methyl-trifluoromethanesulfinamide, CH ₃ NHS(O)CF ₃	281
N-Carbonyl(or Carbamoyl)-trifluoromethanesulfinamides, RC(O)NHS(O)CF ₃ , R = CH ₃ , CH ₃ O, (CH ₃) ₂ N, (C ₂ H ₅) ₂ N, CF ₃ S(O)NH, CF ₃ SO ₂ NH	282
N,N-Dialkyl-trifluoromethanesulfinamides	283
N,N-Dimethyl(or Diethyl)-trifluoromethanesulfinamides, (CH ₃) ₂ NS(O)CF ₃ , (C ₂ H ₅) ₂ NS(O)CF ₃	283
4-Trifluoromethanesulfinyl-morpholine, O(CH ₂) ₄ NS(O)CF ₃	284
1-Trifluoromethanesulfinyl-piperidine, (CH ₂) ₅ NS(O)CF ₃	284
1,4-Bis(trifluoromethanesulfinyl)-piperazine, CF ₃ S(O)N(CH ₂) ₄ NS(O)CF ₃	285
1,4,8,11-Tetrakis(trifluoromethanesulfinyl)-1,4,8,11-tetraazacyclotetradecane, C ₁₀ H ₂₀ N ₄ -1,4,8,11-(S(O)CF ₃) ₄	285
N-Hexafluoroisopropylidene-trifluoromethanesulfinamide, (CF ₃) ₂ C=NS(O)CF ₃	285
Trifluoromethanesulfinyl Isocyanate, O=C=NS(O)CF ₃	286
N-Methyl-N-trichloromethylsulfonyl-trifluoromethanesulfinamide, CH ₃ (Cl ₃ CS)NS(O)CF ₃	287
N-Methyl-N-trifluoromethanesulfinyl-trifluoromethanesulfinamide, CF ₃ S(O)N(CH ₃)S(O)CF ₃	287
Trifluoromethanesulfinyl Azide, CF ₃ S(O)N ₃	287
N-(Trichloro-λ ⁵ -phosphanylidene)-trifluoromethanesulfinamide, Cl ₃ P=NS(O)CF ₃ ..	288
N-Trimethylsilyl-trifluoromethanesulfinamide, (CH ₃) ₃ SiNHS(O)CF ₃	289
N,N-Bis(trimethylsilyl)-trifluoromethanesulfinamide, ((CH ₃) ₃ Si) ₂ NS(O)CF ₃	289
1,3,5-Tris(trifluoromethanesulfinyl)-2,2,4,4,6,6-hexamethylcyclotrisilazane, [-Si(CH ₃) ₂ -N(S(O)CF ₃)] ₃	289
N,N-Dimethyl-dichlorofluoromethanesulfinamide, (CH ₃) ₂ NS(O)CCl ₂ F	290
Trichloromethanesulfinamides	290
N-Organyl-trichloromethanesulfinamides	290

	Page
N-Phenyl-trichloromethanesulfinamide, $C_6H_5NHS(O)CCl_3$	290
N-Carbamoyl-trichloromethanesulfinamide, $H_2NC(O)NHS(O)CCl_3$, and N-Ethoxycarbonyl-trichloromethanesulfinamide, $C_2H_5OC(O)NHS(O)CCl_3$	290
N, N-Dialkyl-trichloromethanesulfinamides	291
N, N-Dimethyl-trichloromethanesulfinamide, $(CH_3)_2NS(O)CCl_3$	291
N, N-Dibenzyl-trichloromethanesulfinamide, $(C_6H_5CH_2)_2NS(O)CCl_3$	291
4-Trichloromethanesulfinyl-morpholine, $O(CH_2)_4NS(O)CCl_3$	291
N-Benzyl-N-methyl-trichloromethanesulfinamide, $CH_3(C_6H_5CH_2)NS(O)CCl_3$	292
Trichloromethanesulfinyl Isocyanate, $O=C=NS(O)CCl_3$	292
N-p-Tolylsulfonyl-trichloromethanesulfinamide, $4-CH_3C_6H_4SO_2NHS(O)CCl_3$	292
Pentafluoroethanesulfinamides	293
N, N-Difluoro-pentafluoroethanesulfinamide, $F_2NS(O)C_2F_5$	293
4-Pentafluoroethanesulfinyl-morpholine, $O(CH_2)_4NS(O)C_2F_5$	293
4-(1-Chloro-tetrafluoroethanesulfinyl)-morpholine, $O(CH_2)_4NS(O)CFCIClF_3$	293
Heptafluoro-2-propanesulfinamides	293
N, N-Dimethyl-heptafluoro-2-propanesulfinamide, $(CH_3)_2NS(O)C_3F_7-i$	293
4-(Heptafluoro-2-propanesulfinyl)-morpholine, $O(CH_2)_4NS(O)C_3F_7-i$	294
Nonafluoro-1-butanessulfinamides	295
Nonafluoro-1-butanessulfinamide, $H_2NS(O)C_4F_9-n$, and N-Methyl-nonafluoro- 1-butanessulfinamide, $CH_3NHS(O)C_4F_9-n$	295
N-Methyl-N-trichlorosulfonyl-nonafluoro-1-butanessulfinamide, $CH_3(Cl_3CS)NS(O)C_4F_9-n$	295
Nonafluoro-1-butanessulfinyl Isocyanate, $O=C=NS(O)C_4F_9-n$	296
N-(Trichloro- λ^5 -phosphanylidene)-nonafluoro-1-butanessulfinamide, $Cl_3P=NS(O)C_4F_9-n$	296
N-Trimethylsilyl-nonafluoro-1-butanessulfinamide, $(CH_3)_3SiNHS(O)C_4F_9-n$, and N-Methyl-N-trimethylsilyl-nonafluoro-1-butanessulfinamide, $(CH_3)_3Si(CH_3)NS(O)C_4F_9-n$	296
3.2.5 Pentafluorobenzenesulfinamides	297
Pentafluorobenzenesulfinamide, $H_2NS(O)C_6F_5$	297
N, N-Dimethyl-pentafluorobenzenesulfinamide, $(CH_3)_2NS(O)C_6F_5$	297
N, N-Bis(trimethylsilyl)-pentafluorobenzenesulfinamide, $((CH_3)_3Si)_2NS(O)C_6F_5$	298
3.2.6 Amidosulfurous Acid, $H_2NS(O)OH$. Ammonium Salt of Amidosulfurous Acid, $NH_4^+ H_2NS(O)O^-$	298
3.2.7 N-Organyl-amidosulfurous Acids and Derivatives	299
N-Organyl-amidosulfurous Acids	299
N-Methyl-amidosulfurous Acid, $CH_3NHS(O)OH$	299
N-n-Butyl-amidosulfurous Acid, $n-C_4H_9NHS(O)OH$	299
N-n-Octadecyl-amidosulfurous Acid, $n-C_{18}H_{37}NHS(O)OH$	299
N-(9-Octadecenyl)-amidosulfurous Acid, $CH_3(CH_2)_7CH=CH(CH_2)_8NHS(O)OH$	299
N-(2-Hydroxyethyl)-amidosulfurous Acid, $HO(CH_2)_2NHS(O)OH$	300
N-Phenyl-amidosulfurous Acid, $C_6H_5NHS(O)OH$	300
Inner Salts of N-(2-Organylamino-ethyl)-amidosulfurous Acids	300
N-(2-Organylammonio-ethyl)-amidosulfites, $RNH_2^+(CH_2)_2NHS(O)O^-$, R = CH_3 , $n-C_4H_9$, $CH_3(CH_2)_{14}$, $CH_3(CH_2)_{15}$, $CH_3(CH_2)_{17}$, $CH_3(CH_2)_7CH=CH(CH_2)_8$, C_6H_5	300
N-(2-Diakylammonio-ethyl)-amidosulfites, $R_2NH^+(CH_2)_2NHS(O)O^-$, R = CH_3 , C_2H_5	301

	Page
N-[2-(1-Piperidinium-1-yl)-ethyl]-amidosulfite, $(\text{CH}_2)_5\text{NH}^+(\text{CH}_2)_2\text{NHS}(\text{O})\text{O}^-$	301
N-[2-(4-Morpholinium-4-yl)-ethyl]-amidosulfite, $\text{O}(\text{CH}_2)_4\text{NH}^+(\text{CH}_2)_2\text{NHS}(\text{O})\text{O}^-$	301
Salt of N-Organyl-amidosulfurous Acid	301
Sodium N-Ethyl-amidosulfite, $\text{Na}^+\text{C}_2\text{H}_5\text{NHS}(\text{O})\text{O}^-$	301
N-Organyl-amidosulfites	301
Ethyl N-Ethyl-amidosulfite, $\text{C}_2\text{H}_5\text{NHS}(\text{O})\text{OC}_2\text{H}_5$	301
Diethyl(or Diphenyl)phosphanyl N-Methyl-amidosulfites, $\text{CH}_3\text{NHS}(\text{O})\text{OR}$, R = $\text{P}(\text{C}_2\text{H}_5)_2$, $\text{P}(\text{C}_6\text{H}_5)_2$	302
Diphenylphosphanyl N-Phenyl-amidosulfite, $\text{C}_6\text{H}_5\text{NHS}(\text{O})\text{OP}(\text{C}_6\text{H}_5)_2$	302
3.2.8 N, N-Diorganyl-amidosulfurous Acids and Derivatives	302
N, N-Diorganyl-amidosulfurous Acids	302
N, N-Dimethyl(or Diethyl)-amidosulfurous Acids and N, N-Bis(2-hydroxyethyl)- amidosulfurous Acid, $\text{R}_2\text{NS}(\text{O})\text{OH}$, R = CH_3 , C_2H_5 , HOCH_2CH_2	302
1-Piperidinesulfinic Acid, $(\text{CH}_2)_5\text{NS}(\text{O})\text{OH}$	303
4-Morpholinesulfinic Acid, $\text{O}(\text{CH}_2)_4\text{NS}(\text{O})\text{OH}$	303
Salts of N, N'-Diorganyl(or N-Organylidene)-amidosulfurous Acids	304
Sodium N, N-Dimethyl-amidosulfite, $\text{Na}^+(\text{CH}_3)_2\text{NS}(\text{O})\text{O}^-$	304
Lithium or Sodium N, N-Diethyl-amidosulfites, $\text{M}^+(\text{C}_2\text{H}_5)_2\text{NS}(\text{O})\text{O}^-$, M = Li, Na	304
Lithium N-Hexafluoroisopropylidene-amidosulfite, $\text{Li}^+(\text{CF}_3)_2\text{C}=\text{NS}(\text{O})\text{O}^-$	304
Sodium or Piperidinium 1-Piperidinesulfates, $\text{M}^+(\text{CH}_2)_5\text{NS}(\text{O})\text{O}^-$, M = Na, $(\text{CH}_2)_5\text{NH}_2$	305
N-[1-(4-Diazoniophenyl)-1, 2-dihydro-2-pyridinylidene]-amidosulfite, $4-\text{N}_2\text{C}_6\text{H}_4(1-\text{C}_5\text{H}_4\text{N}-2)=\text{NS}(\text{O})\text{O}^-$	305
N, N-Diorganyl-amidosulfites and Derivatives	306
N, N-Dimethyl-amidosulfites	306
Organyl N, N-Dimethyl-amidosulfites, $(\text{CH}_3)_2\text{NS}(\text{O})\text{OR}$, R = alkyl, substituted alkyl, aryl	306
Phosphanyl(or Phosphinothioyl) N, N-Dimethyl-amidosulfites, $(\text{CH}_3)_2\text{NS}(\text{O})\text{OP}(\text{OC}_2\text{H}_5)_2$, $(\text{CH}_3)_2\text{NS}(\text{O})\text{OP}(\text{S})(\text{CH}_3)_2$, $(\text{CH}_3)_2\text{NS}(\text{O})\text{OP}(\text{S})(\text{CH}_3)(\text{OCH}_3)$	312
Trimethyltin N, N-Dimethyl-amidosulfite, $(\text{CH}_3)_2\text{NS}(\text{O})\text{OSn}(\text{CH}_3)_3$	313
Dimethylthallium N, N-Dimethyl-amidosulfite, $(\text{CH}_3)_2\text{NS}(\text{O})\text{OTl}(\text{CH}_3)_2$	313
N, N'-Dimethyl-methanesulfinimidoyl N, N-Dimethyl-amidosulfite Ion (1+) Tetrafluoroborate, $[(\text{CH}_3)_2\text{NS}(\text{O})\text{OS}(\text{CH}_3)]^+\text{N}(\text{CH}_3)_2]^+\text{BF}_4^-$	313
N, N-Diethyl-amidosulfites	313
Methyl N, N-Diethyl-amidosulfite, $(\text{C}_2\text{H}_5)_2\text{NS}(\text{O})\text{OCH}_3$	313
Ethyl N, N-Diethyl-amidosulfite, $(\text{C}_2\text{H}_5)_2\text{NS}(\text{O})\text{OC}_2\text{H}_5$	314
n-Propyl N, N-Diethyl-amidosulfite, $(\text{C}_2\text{H}_5)_2\text{NS}(\text{O})\text{OC}_3\text{H}_7$ -n	315
Fluoroalkyl N, N-Diethyl-amidosulfites, $(\text{C}_2\text{H}_5)_2\text{NS}(\text{O})\text{OCH}_2(\text{CF}_2)_n\text{H}$, n = 2, 4, 6	315
Trimethylsilyl N, N-Diethyl-amidosulfite, $(\text{C}_2\text{H}_5)_2\text{NS}(\text{O})\text{OSi}(\text{CH}_3)_3$	316
Ethyl N, N-Di-n-propyl-amidosulfite, $(\text{n-C}_3\text{H}_7)_2\text{NS}(\text{O})\text{OC}_2\text{H}_5$	316
Ethyl 1-Pyrrolidinesulfinate, $(\text{CH}_2)_4\text{NS}(\text{O})\text{OC}_2\text{H}_5$	317
1-Piperidinesulfates	317
Methyl 1-Piperidinesulfate, $(\text{CH}_2)_5\text{NS}(\text{O})\text{OCH}_3$	317
Ethyl 1-Piperidinesulfate, $(\text{CH}_2)_5\text{NS}(\text{O})\text{OC}_2\text{H}_5$	317
4-Morpholinesulfates	318
Ethyl 4-Morpholinesulfate, $\text{O}(\text{CH}_2)_4\text{NS}(\text{O})\text{OC}_2\text{H}_5$	318

	Page
2, 2, 3, 3, 4, 4, 5, 5 Octafluoropentyl 4-Morpholinesulfinate, O(CH ₂) ₄ NS(O)OCH ₂ (CF ₂) ₃ CF ₂ H	318
Perchloro(1-methylethenyl) 4-Morpholinesulfinate, O(CH ₂) ₄ NS(O)OC(CCl ₃)=CCl ₂	318
Bis(4-morpholinyl)phosphanyl 4-Morpholinesulfinate, O(CH ₂) ₄ NS(O)OP(N(CH ₂) ₄ O) ₂	319
Aryl N-Diphenoxyphosphorylmethyl-N-[ethoxycarbonyl(or cyano)methyl]- amidosulfites, (C ₆ H ₅ O) ₂ P(O)CH ₂ (R'CH ₂)NS(O)OR, R' = C(O)OC ₂ H ₅ , R = C ₆ H ₅ , C ₆ H ₄ CH ₃ -4, C ₆ H ₃ (CH ₃) ₂ -3, 4; R' = CN, R = C ₆ H ₅ , C ₆ H ₄ CH ₃ -4, C ₆ H ₃ (CH ₃) ₂ -3, 4	319
Ethyl N-Methyl-N-phenyl-amidosulfite, C ₆ H ₅ (CH ₃)NS(O)OC ₂ H ₅	320
Ethyl(or n-Propyl) N-Ethyl-N-phenyl-amidosulfites, C ₆ H ₅ (C ₂ H ₅)NS(O)OR, R = C ₂ H ₅ , n-C ₃ H ₇	320
Ethyl(or n-Propyl) N-(2-Chloroethyl)-N-aryl-amidosulfites, 4-R'C ₆ H ₄ (ClCH ₂ CH ₂)NS(O)OR, R = C ₂ H ₅ , R' = H, (CH ₃) ₂ N, CH ₃ OC(O)CH ₂ ; R = n-C ₃ H ₇ , R' = (CH ₃) ₂ N	321
Organyl N-Methyl-N-organyloxycarbonyl-amidosulfites, R'O(O)C(CH ₃)NS(O)OR ..	321
Methyl N-(4-Nitrophenoxy)sulfinyl-benzimidate, C ₆ H ₅ (CH ₃ O)C=NS(O)OC ₆ H ₄ NO ₂ -4 ..	322
2-[(1-Pyridinium)sulfinyloxy]cyclohexyl Oxide, C ₅ H ₅ N ⁺ -1-S(O)O(2-C ₆ H ₁₀ O ⁻)	322
Metal Complexes of N, N-Dialkyl-amidosulfurous Acids, R ₂ NS(O)OML _n , R = CH ₃ , ML _n = Ti(N(CH ₃) ₂)Cl ₂ , and (R ₂ NS(O)O) ₂ ML _n , R = CH ₃ , ML _n = TiO and Ti(N(CH ₃) ₂)Cl; R = C ₂ H ₅ , ML _n = VO	323
3.2.9 Ethyl N-(Triphenyl-λ ⁵ -phosphanylidene)-amidosulfite, (C ₆ H ₅) ₃ P=NS(O)OC ₂ H ₅ ..	323
3.2.10 N-Tri-n-butylstannanyl-N-organyl-amidosulfites	323
Methyl N-Tri-n-butylstannanyl-N-aryl-amidosulfites, (n-C ₄ H ₉) ₃ Sn(Ar)NS(O)OCH ₃ , Ar = C ₆ H ₅ , 4-NO ₂ C ₆ H ₄ , 4-CH ₃ C ₆ H ₄	323
Tri-n-butyltin N-Tri-n-butylstannanyl-N-alkyl(or aryl)-amidosulfites, (n-C ₄ H ₉) ₃ Sn(R)NS(O)OSn(C ₄ H ₉ -n) ₃ , R = C ₂ H ₅ , n-C ₃ H ₇ , C ₆ H ₅ , 4-CH ₃ C ₆ H ₄	324
N-Tri-n-butylstannanyl-N-p-tolylsulfonyl-amidosulfites, ((n-C ₄ H ₉) ₃ Sn)(4-CH ₃ C ₆ H ₄ SO ₂)NS(O)OR, R = CH ₃ , C ₆ H ₅ , (n-C ₄ H ₉) ₃ Sn	325
3.2.11 N-Alkyl-N-[organyloxy(or trimethylsiloxy)sulfinyl]-aminyl Radicals, RÑS(O)OR', R = C ₂ H ₅ , R' = Si(CH ₃) ₃ ; R = C ₂ H ₅ , i-C ₃ H ₇ , t-C ₄ H ₉ , c-C ₆ H ₁₁ , R' = t-C ₄ H ₉ ..	325
3.2.12 N-Organyl-N-oxy-amidosulfite Radical Ions (1-), RN(Ö)SO ₂ ⁻ , R = alkyl, alkenyl, aryl	326
3.3 Organylammonium Salts of N-Organyl-imidodisulfurous Acids, RNH ₃ ⁺ HO(O)SN(R)S(O)O ⁻ , R = HOCH ₂ CH ₂ , CH ₃ CH(OH)CH ₂ . (RNH ₃ ⁺) ₂ ⁻ O(O)SN(R)S(O)O ⁻ , R = alkyl, cyclohexyl	328
3.4 Ethyl N-Methyl-hydroxyamidosulfite, CH ₃ (HO)NS(O)OC ₂ H ₅ , and Ethyl N-Methyl-O-methyl-hydroxyamidosulfite, CH ₃ (CH ₃ O)NS(O)OC ₂ H ₅	329
3.5 Salts and Derivatives of the Hydrazine-N-sulfinic Acids	329
3.5.1 Hydrazinium Salt of the Hydrazine-N-sulfinic Acid, N ₂ H ₅ ⁺ H ₂ NNHS(O)O ⁻	329

	Page
3.5.2 Calcium Salt of the Hydrazine-N-sulfinic Acid, $\text{Ca}^{2+}(\text{H}_2\text{NNHS}(\text{O})\text{O}^-)_2$	329
3.5.3 N'-Phenyl-hydrazine-N-sulfinic Acid, $\text{C}_6\text{H}_5\text{NHNHS}(\text{O})\text{OH}$	330
3.5.4 Ethyl N, N', N'-Trimethyl-hydrazine-N-sulfinate, $(\text{CH}_3)_2\text{NN}(\text{CH}_3)\text{S}(\text{O})\text{OC}_2\text{H}_5$	330
3.5.5 N' N', N'-Trimethylhydrazinium-N-sulfinate, $(\text{CH}_3)_3\text{NNHS}(\text{O})\text{O}^\oplus$	330
3.6 S-Organyl N-Organyl- and N, N-Diorganyl-amidothiosulfites	331
3.6.1 S-Organyl N-Organyl-amidothiosulfites	331
S-(2-Acetylamino-1-propenyl) N-Phenyl-amidothiosulfite, $\text{C}_6\text{H}_5\text{NHS}(\text{O})\text{SCH}=\text{C}(\text{CH}_3)\text{NHC}(\text{O})\text{CH}_3$	331
S-(4-Methoxyphenyl) N-Phenyl-amidothiosulfite, $\text{C}_6\text{H}_5\text{NHS}(\text{O})\text{SC}_6\text{H}_4\text{OCH}_3$ -4	331
S-Phenyl N-(4-Nitrophenyl)-amidothiosulfite, $4\text{-NO}_2\text{C}_6\text{H}_4\text{NHS}(\text{O})\text{SC}_6\text{H}_5$	331
S-(4-Methoxyphenyl) N-(4-Nitrophenyl)-amidothiosulfite, $4\text{-NO}_2\text{C}_6\text{H}_4\text{NHS}(\text{O})\text{SC}_6\text{H}_4\text{OCH}_3$ -4	332
3.6.2 S-Organyl N, N-Diorganyl-amidothiosulfites	332
S-Alkyl(or Phenyl) N, N-Dimethyl-amidothiosulfites, $(\text{CH}_3)_2\text{NS}(\text{O})\text{SR}$, $\text{R} = \text{C}_2\text{H}_5$, $\text{n-C}_3\text{H}_7$, $\text{n-C}_4\text{H}_9$, $\text{C}_6\text{H}_5\text{CH}_2$, C_6H_5	332
Optically Active S- <i>tert</i> -Butyl 1-Piperidinothiosulfite, $(\text{CH}_2)_5\text{NS}(\text{O})\text{SC}_4\text{H}_9$ -t	333
Optically Active S- <i>tert</i> -Butyl 4-Morpholinothiosulfinate, $\text{O}(\text{CH}_2)_4\text{NS}(\text{O})\text{SC}_4\text{H}_9$ -t	333
S-Isopropyl 1, 3-Dioxo-1, 3-dihydro-2 H-isoindole-2-thiosulfinate, $(\text{O})_2(1, 3\text{-C}_6\text{H}_4\text{N-2})\text{S}(\text{O})\text{SC}_3\text{H}_7$ -i	333
S-Aryl N-[Methoxycarbonyl(or Cyano)methyl]-N-diphenoxyphosphorylmethyl- amidothiosulfites, $(\text{C}_6\text{H}_5\text{O})_2\text{P}(\text{O})\text{CH}_2\text{NR}'\text{S}(\text{O})\text{SR}$, $\text{R} = \text{C}_6\text{H}_4\text{OCH}_3$ -4, $\text{R}' = \text{CH}_2\text{C}(\text{O})\text{OCH}_3$; $\text{R} = \text{C}_6\text{H}_5$, $\text{R}' = \text{CH}_2\text{CN}$	334
S-Organyl N-Methyl-N-organyloxycarbonyl-amidothiosulfites, $\text{R}'\text{O}(\text{O})\text{C}(\text{CH}_3)\text{NS}(\text{O})\text{SR}$	334
3.7 Sulfurous Diamides and Derivatives	334
3.7.1 Sulfurous Diamide, $(\text{H}_2\text{N})_2\text{SO}$	334
3.7.2 Potassium Salts of the Sulfurous Diamide Ion (1-) and the Sulfurous Diamide Ion (2-), $\text{K}^+[\text{H}_2\text{NS}(\text{O})\text{NH}]^-$ and $(\text{K}^+)_2[\text{HNS}(\text{O})\text{NH}]^{2-}$	335
3.7.3 N, N, N', N'-Tetraorganyl-sulfurous Diamides and Derivatives	335
N, N, N', N'-Tetramethyl-sulfurous Diamide, $((\text{CH}_3)_2\text{N})_2\text{SO}$	336
Adducts of N, N, N', N'-Tetramethyl-sulfurous Diamide	341
$((\text{CH}_3)_2\text{N})_2\text{SO} \cdot 1.5\text{BF}_3$	341
$((\text{CH}_3)_2\text{N})_2\text{SO} \cdot \text{Al}(\text{CH}_3)_3$	341
$((\text{CH}_3)_2\text{N})_2\text{SO} \cdot \text{C}_6\text{H}_5\text{OH}$	341
Adducts of $((\text{CH}_3)_2\text{N})_2\text{SO}$ with $\text{C}_6\text{H}_5\text{NCO}$, $\text{C}_6\text{H}_5\text{NCS}$, and CS_2	342
Transition Metal Complexes of N, N, N', N'-Tetramethyl-sulfurous Diamide, $\text{MCl}_5((\text{CH}_3)_2\text{N})_2\text{SO}$, $\text{M} = \text{Nb}$, Ta	342
N, N, N', N'-Tetramethyl-sulfurous Diamide Radical Ion (1+), $[(\text{CH}_3)_2\text{N})_2\text{SO}]^{+}$	342
N, N, N', N'-Tetraethyl-sulfurous Diamide, $((\text{C}_2\text{H}_5)_2\text{N})_2\text{SO}$	342
Other N, N'-Disubstituted and N, N, N', N'-Tetrasubstituted Sulfurous Diamides	344
3.7.4 3,3'-Sulfinyl-bis(1-methyl-imidazolium) Dichloride	365
3.7.5 8,8'-Sulfinyl-bis(heptathiazocine), $(\text{S}_7\text{N})_2\text{SO}$	365

	Page
3.7.6 N, N'-Sulfinyl-bis[bromo(triphenyl- λ^5 -phosphanylidene)ammonium] Dichloride, [(C ₆ H ₅) ₃ P $\equiv$ N(Br)-S(O)-N(Br) $\equiv$ P(C ₆ H ₅) ₃] ²⁺ (Cl ⁻) ₂	366
3.7.7 Poly(sulfinyl Imide), (OSNH) _x	366
3.7.8 Poly(iminoaryleneimino-sulfinyl-iminoaryleneimino-sulfinyl), [NH-R-NH-S(O)-NH-R'-NH-S(O)] _n , R, R' = arylene	368
3.8 Phosphanesulfinamides	371
3.8.1 N-Phenyl-phenylphosphanesulfinamide, C ₆ H ₅ NHS(O)PhC ₆ H ₅	371
3.8.2 N, N-Dimethyl-diethoxy(oxo)- λ^5 -phosphanesulfinamide, (CH ₃) ₂ NS(O)P(O)(OC ₂ H ₅) ₂	371
3.8.3 N-Organysulfonyl-dialkoxy(oxo- or thioxo)- λ^5 -phosphanesulfinamides, R''SO ₂ NHS(O)P(X)(OR') ₂ , X = O, R' = CH ₃ , R'' = CH ₃ , CH ₂ Cl, C ₆ H ₄ Cl-4; X = O, R' = C ₂ H ₅ , R'' = CH ₃ ; X = S, R' = CH ₃ , R'' = CH ₂ Cl	372
4 Sulfur-Nitrogen Compounds with 4-Coordinate Sulfur	373
4.1 Amidotrifluorosulfur Compounds	373
4.1.1 Amidotrifluorosulfur, F ₃ SNH ₂	373
4.1.2 N, N-Dialkyl-amidotrifluorosulfur Compounds and Derivatives	373
N, N-Dimethyl-amidotrifluorosulfur, F ₃ SN(CH ₃) ₂	374
N, N-Diethyl-amidotrifluorosulfur, F ₃ SN(C ₂ H ₅) ₂	378
N, N-Diethyl-amido(¹⁸ F, ¹⁹ F ₂)trifluorosulfur, ¹⁸ F ¹⁹ F ₂ SN(C ₂ H ₅) ₂	381
N, N-Diisopropyl-amidotrifluorosulfur, F ₃ SN(C ₃ H ₇ -i) ₂	381
N, N-Di-n-butyl-amidotrifluorosulfur, F ₃ SN(C ₄ H ₉ -n) ₂	382
(1-Aziridinyl)trifluorosulfur, F ₃ SNCH ₂ CH ₂	382
(1-Pyrrolidinyl)trifluorosulfur, F ₃ SN(CH ₂) ₄	382
(2, 5-Dihydro-1H-pyrrol-1-yl)trifluorosulfur, F ₃ SNC ₄ H ₆	383
(1-Piperidinyl)trifluorosulfur, F ₃ SN(CH ₂) ₅	384
(4-Phenyl-1-piperidinyl)trifluorosulfur, F ₃ SN(CH ₂) ₂ CH(C ₆ H ₅)(CH ₂) ₂	386
(1, 2, 3, 4-Tetrahydro-2-isoquinolinyl)trifluorosulfur, F ₃ SNC ₉ H ₁₀	386
(4-Morpholinyl)trifluorosulfur, F ₃ SN(CH ₂) ₄ O	386
(Hexahydro-1H-azepin-1-yl)trifluorosulfur, F ₃ SN(CH ₂) ₆	389
(5, 7-Dihydro-6H-dibenz[c, e]azepin-6-yl)trifluorosulfur, F ₃ SNC ₁₄ H ₁₂	389
(3-Azabicyclo[3.2.2]non-3-yl)trifluorosulfur, F ₃ SNC ₈ H ₁₄	390
N-Trifluoromethyl-N-methyl-amidotrifluorosulfur, F ₃ SN(CH ₃)CF ₃	390
N-Pentafluoroethyl-N-methyl-amidotrifluorosulfur, F ₃ SN(CH ₃)C ₂ F ₅	391
4.1.3 N-Ethyl-N-phenyl-amidotrifluorosulfur, F ₃ SN(C ₂ H ₅)C ₆ H ₅	391
4.2 Amidodifluoro(perhalogenoalkyl)sulfur Compounds	392
4.2.1 N, N-Dimethyl-amidodifluoro(trifluoromethyl)sulfur, F ₂ (CF ₃)SN(CH ₃) ₂	392
4.2.2 (4-Morpholinyl)difluoro(pentafluoroethyl)sulfur, F ₂ (C ₂ F ₅)SN(CH ₂) ₄ O	393
4.2.3 (4-Morpholinyl)difluoro(1-chloro-tetrafluoroethyl)sulfur, F ₂ (CF ₃ CFCl)SN(CH ₂) ₄ O	393
4.2.4 N, N-Dimethyl-amidodifluoro(heptafluoroisopropyl)sulfur, F ₂ (i-C ₃ F ₇)SN(CH ₃) ₂ ..	393

	Page
4.2.5 N,N-Diethyl-amidodifluoro(heptafluoroisopropyl)sulfur, $F_2(i-C_3F_7)SN(C_2H_5)_2$. . .	394
4.2.6 (4-Morpholinyl)difluoro(heptafluoroisopropyl)sulfur, $F_2(i-C_3F_7)SN(CH_2)_4O$	394
4.3 Amidodifluoro(alkan(or alken)olato)sulfur Compounds	395
4.3.1 N,N-Dialkyl-amidodifluoro(polyfluoroalkanolato)sulfur Compounds, $CHF_2(CF_2)_nCH_2OS(F_2)NR_2$, $R_2 = (CH_3)_2$, $(C_2H_5)_2$, $(CH_2)_5$, $(CH_2)_4O$, $n = 1, 3, 5$	395
4.3.2 (4-Morpholinyl)difluoro(1, 1, 3, 3, 3-pentachloro-1-propen-2-olato)sulfur, $Cl_2C=C(CCl_3)OS(F_2)N(CH_2)_4O$	397
4.4 Diamidodifluorosulfur Compounds	397
4.4.1 N,N,N',N'-Tetraalkyl-diamidodifluorosulfur Compounds, $F_2S(NR_2)_2$, $R_2 = (CH_3)_2$, $(C_2H_5)_2$, $(CH_2)_5$, $(CH_2)_4O$, and $F_2S(NR_1)(NR_2)$, $R_1 = (CH_3)_2$, $(C_2H_5)_2$, $(CH_2)_5$; $R_2 = (C_2H_5)_2$, $(CH_2)_5$, $(CH_2)_4O$	397
4.4.2 N,N,N',N'-Tetramethyl-diamidodifluorosulfur, $F_2S(N(CH_3)_2)_2$	397
4.4.3 Other N,N,N',N'-Tetraalkyl-diamidodifluorosulfur Compounds, $F_2S(NR_2)_2$, $R_2 = (C_2H_5)_2$, $(CH_2)_5$, $(CH_2)_4O$, and $F_2S(NR_1)(NR_2)$, $R_1 = (CH_3)_2$, $(C_2H_5)_2$, $(CH_2)_5$; $R_2 = (C_2H_5)_2$, $(CH_2)_5$, $(CH_2)_4O$	398
4.5 Diamidodichlorosulfur Compound, N,N,N',N'-Tetramethyl- diamidodichlorosulfur, $Cl_2S(N(CH_3)_2)_2$	400
4.6 Diamidochloro(trifluoromethyl)sulfur Compounds, N,N,N',N'-Tetraalkyldi- amidochloro(trifluoromethyl)sulfur Compounds, $Cl(CF_3)S(NR_2)_2$, $NR_2 = N(CH_3)_2$, $N(C_2H_5)_2$, $N(CH_2)_5$, $N(CH_2)_4O$, $NCH(CH_3)(CH_2)_3CHCH_3$, $NC(CH_3)_2(CH_2)_3C(CH_3)_2$, $NCH(CH_3)CH_2OCH_2CHCH_3$; $(NR_2)_2 = -N(CH_3)(CH_2)_2(CH_3)N-$	401
4.7 N,N-Diethyl-amidofluorobis(polyfluoroalkanolato)sulfur Compounds, $(CHF_2(CF_2)_nCH_2O)_2S(F)N(C_2H_5)_2$, $n = 3, 5$	401
4.8 N,N-Diethyl-amidotris(polyfluoroalkanolato)sulfur Compounds, $(CHF_2(CF_2)_nCH_2O)_3SN(C_2H_5)_2$, $n = 3, 5$	404
4.9 N,N,N',N'-Tetramethyl-N'',N'''-bis(p-tolylsulfonyl)-N'',N'''-bis(trimethylstannanyl)- tetraamidosulfur, $((CH_3)_2N)_2S(N(SO_2C_6H_4CH_3-4)(Sn(CH_3)_3))_2$	405
Formula Index	406
Physical Constants and Conversion Factors	485