

List of Contents

| | Page |
|---|------|
| Acknowledgments | ii |
| List of Contents | iii |
| List of Figures | viii |
| List of Tables | xi |
| | |
| Chapter 1 General introduction | 1 |
| 1.1 Garlic | 1 |
| 1.2 Garlic production and trade | 1 |
| 1.3 Agronomic practices of garlic | 2 |
| 1.4 Garlic nutrition and main bioactive compounds | 3 |
| 1.5 Potential health benefits of garlic | 4 |
| 1.6 Post-harvest of garlic | 5 |
| 1.7 Convective drying and quality of dried garlic | 5 |
| 1.8 Packaging and storage of dried garlic | 6 |
| 1.9 Problem statements | 7 |
| 1.10 Objectives and outline of thesis | 8 |
| References | 10 |
| | |
| Chapter 2 Assessment of phenolic profile, allicin content and inhibitory potential against α-amylase and α-glucosidase on conventional and organic garlic (<i>Allium sativum</i> L.) | 15 |
| Abstract | 16 |
| 2.1 Introduction | 16 |
| 2.2 Materials and Methods | 18 |
| 2.2.1 Material for testing | 18 |
| 2.2.2 Chemical reagents utilized | 20 |
| 2.2.3 Preparation of garlic extract | 21 |
| 2.2.4 Phenolic compounds determination | 21 |
| 2.2.5 Total phenolic content determination | 21 |

List of Contents

| | Page |
|---|-------------|
| 2.2.6 Allicin determination | 22 |
| 2.2.7 Antioxidant activity determination | 22 |
| 2.2.8 α -amylase inhibition determination | 22 |
| 2.2.9 α -glucosidase inhibition determination | 23 |
| 2.2.10 Statistical analysis | 24 |
| 2.3 Results and Discussion | 24 |
| 2.3.1 Phenolic acids and flavonoids contents in different garlic cultivars | 24 |
| 2.3.2 Allicin content | 29 |
| 2.3.3 Antioxidant activity | 32 |
| 2.3.4 α -amylase and α -glucosidase inhibition | 34 |
| 2.3.5 The influence of garlic varieties and agronomic practices | 36 |
| 2.3.6 Correlation between phenolic compounds and bioactivities | 40 |
| 2.4 Conclusions | 40 |
| References | 41 |
| Chapter 3 Influence of hot-air drying methods on the phenolic compounds /allicin content, antioxidant activity and α-amylase/α-glucosidase inhibition of garlic (<i>Allium sativum</i> L.) | 46 |
| Abstract | 47 |
| 3.1 Introduction | 47 |
| 3.2 Materials and methods | 49 |
| 3.2.1 Plant material | 49 |
| 3.2.2 Chemicals | 49 |
| 3.2.3 Sample preparation | 49 |
| 3.2.4 Drying experiment | 50 |
| 3.2.5 Determination of moisture content | 51 |
| 3.2.6 Determination of total phenolic content | 52 |
| 3.2.7 Determination of phenolic acids | 52 |
| 3.2.8 Determination of allicin | 53 |

List of Contents

| | Page |
|--|---------------|
| 3.2.9 Antioxidant activity evaluation (DPPH assay) | 53 |
| 3.2.10 α -amylase inhibition evaluation | 54 |
| 3.2.11 α -glucosidase inhibition evaluation | 55 |
| 3.2.12 Statistical analysis | 55 |
| 3.3 Results and discussion | 56 |
| 3.3.1 Effect of drying conditions on moisture content | 57 |
| 3.3.2 Effect of drying conditions on total phenolic content | 59 |
| 3.3.3 Effect of drying conditions on phenolic compounds | 60 |
| 3.3.4 Effect of drying conditions on allicin | 63 |
| 3.3.5 Effect of drying conditions on antioxidant activity | 64 |
| 3.3.6 Effect of drying conditions on α -amylase and α -glucosidase inhibition | 64 |
| 3.3.7 Correlations between phenolic compounds and bioactive activities | 65 |
| 3.4 Conclusions | 68 |
| References | 69 |
| Chapter 4 Influence of Food-Packaging Materials and Shelf-Life Conditions on Dried Garlic (<i>Allium sativum</i> L.) Concerning Quality and Stability of Allicin/Phenolic Content | 74 |
| Abstract | 75 |
| 4.1 Introduction | 75 |
| 4.2 Materials and Methods | 77 |
| 4.2.1 Plant Material | 77 |
| 4.2.2 Packaging Materials | 77 |
| 4.2.3 Chemicals | 78 |
| 4.2.4 Drying, Packaging and Storage of Dried Garlic | 79 |
| 4.2.5 Analysis of Packaging Materials | 79 |
| 4.2.5.1 Thickness | 79 |
| 4.2.5.2 Water Vapour Transmission Rate | 79 |
| 4.2.5.3 Oxygen Transmission Rate | 80 |

List of Contents

| | Page |
|--|-------------|
| 4.2.6 Quality Analysis of Dried Garlic | 80 |
| 4.2.6.1 Moisture Content Determination | 80 |
| 4.2.6.2 Water Activity | 80 |
| 4.2.6.3 Non-enzymatic Browning Determination | 80 |
| 4.2.6.4 Aqueous Extraction of Dried Garlic | 81 |
| 4.2.6.5 Determination of Allicin of Dried Garlic | 81 |
| 4.2.6.6 Determination of Phenolic Acids of Dried Garlic | 82 |
| 4.2.6.7 Determination of Thermal Kinetics Parameters | 82 |
| 4.2.7 Statistical Analysis | 83 |
| 4.3 Results and Discussion | 84 |
| 4.3.1 Characteristics of Packaging Materials | 84 |
| 4.3.2 Dried Garlic Quality | 85 |
| 4.3.3 Moisture Content | 87 |
| 4.3.4 Water Activity | 88 |
| 4.3.5 Non-enzymatic Browning | 88 |
| 4.3.6 Influence of Packaging, Time, Temperature and Its Interactions on Quality Characters | 90 |
| 4.3.7 Stability of Allicin and Phenolic Acid Compounds | 91 |
| 4.3.8 Kinetic of Non-enzymatic Browning | 94 |
| 4.4 Conclusions | 97 |
| References | 98 |
| Chapter 5 General discussion | 103 |
| 5.1 Discussion | 103 |
| 5.2 Phenolic compounds in garlic | 104 |
| 5.3 Allicin in garlic | 105 |
| 5.4 Influence of garlic varieties and agronomic practices | 107 |
| 5.5 Impact of convective drying and storage on bioactive compounds in dried garlic | 107 |

List of Contents

| | Page |
|---|------|
| 5.6 Impact of packaging and storage conditions on quality characteristics and bioactive compounds in dried garlic | 109 |
| 5.7 Relationships between phenolic compounds and antioxidant activity | 109 |
| 5.8 Relationships between phenolic compounds and α -amylase and α -glucosidase inhibition | 110 |
| References | 113 |
| Chapter 6 Conclusions | 116 |
| Summary | 117 |
| Zusammenfassung | 120 |
| Curriculum Vitae | 123 |
| Publications | 124 |
| Affidavit | 126 |