

1	Introduction	1
1.1	Antibiotics	2
1.2	Actinomycetes and Secondary Metabolism	4
1.3	Activation of Antibiotic Biosynthetic Gene Clusters	5
1.4	SARP Regulators	7
1.5	Aim of the Study	8
2	Material and Methods	11
2.1	Material	11
2.1.1	Microorganisms	11
2.1.2	Vectors and Plasmids	16
2.1.3	Oligonucleotides	16
2.1.4	Media	17
2.1.5	Buffers	19
2.1.6	Antibiotics	19
2.1.7	Solutions for SDS Polyacrylamide Gel Electrophoresis (SDS-PAGE) and Bandshift Assay	20
2.1.8	Enzymes, Markers, Kits, and Other Material	21
2.1.8.1	Enzymes	21
2.1.8.2	DNA and Protein Marker	21
2.1.8.3	Kits	21
2.1.8.4	Other Material	22
2.2	Methods	22
2.2.1	Bioinformatic Analyses	22
2.2.2	Cultivation and Storage of Microorganisms	22

2.2.2.1	Cultivation and Preservation of <i>E. coli</i>	22
2.2.2.2	Cultivation and Preservation of <i>Streptomyces</i> ...	23
2.2.3	<i>In vitro</i> Manipulation and Analysis of DNA	23
2.2.3.1	Isolation of Plasmid DNA from <i>E. coli</i>	23
2.2.3.2	Digestion of DNA with Restriction Endonucleases	24
2.2.3.3	Analysis of DNA Fragments by Agarose Gel Electrophoresis	24
2.2.3.4	Purification of DNA Fragments from Agarose Gel	24
2.2.3.5	Ligation of DNA Fragment with Cloning Vector	25
2.2.4	DNA Transfer to Microorganisms	25
2.2.4.1	Preparation of Competent Cells of <i>E. coli</i>	25
2.2.4.2	Transformation of <i>E. coli</i> with CaCl ₂ Method ...	25
2.2.4.3	Preparation of Protoplasts of Actinomycetes	25
2.2.4.4	Protoplast Transformation	26
2.2.4.5	Conjugation of Actinomycetes	27
2.2.5	Cultivation of Actinomycetes for Secondary Metabolite Production and Compound Extraction	27
2.2.6	Bioactivity Assays	29
2.2.6.1	<i>E. coli</i> Bioassays	29
2.2.6.2	<i>M. luteus</i> Bioassays	29
2.2.6.3	<i>Botrytis Cinerea</i> Bioassays	29
2.2.6.4	<i>Saccharomyces Cerevisiae</i> Bioassays	29
2.2.7	High Performance Liquid Chromatography (HPLC) Analysis	30
2.2.8	Sodium Dodecyl Sulfate (SDS)—Polyacrylamide Gel Electrophoresis (PAGE)	30
2.2.9	Electrophoretic Mobility Shift Assays (EMSAs)	31
3	Results	33
3.1	Construction of conjugatable, replicative pGM1190/ <i>papR2</i> overexpression plasmids	33
3.2	Verification of pGM1190-derived <i>papR2</i> overexpression constructs in regulator mutants of <i>S. coelicolor</i> A3(2)	35
3.3	Bioinformatic prioritization of strains for <i>papR2</i> expression	40
3.4	Generated <i>papR2</i> overexpression strains	42

3.4.1	Actinomycetes strains that did not show <i>papR2</i> -specific activity	43
3.4.2	<i>Streptomyces</i> sp. TÛ4128	45
3.4.3	<i>Streptomyces</i> sp. DSM 40976	48
3.4.4	<i>Kitasatospora niigatensis</i> DSM 44781	50
3.4.5	<i>Streptomyces platensis</i> DSM 40041	52
3.4.6	<i>Streptomyces ambofaciens</i> DSM 40697	58
3.4.7	<i>Streptomyces</i> sp. TÛ4106	61
3.5	The modified PapR2 protein causes a shift of the <i>papR1</i> promoter	66
4	Discussion	71
	References	77