

CONTENTS	PAGE
CHAPTER 1 GENERAL INTRODUCTION	12
CHAPTER 2 MOSSES IN ASH COPPICES	19
CHAPTER 3 MOSSES IN BEECH FORESTS	44
CHAPTER 4 MOSSES IN LARCH FORESTS	71
CHAPTER 5 MOSSES ON FREE STANDING TREES	89
CHAPTER 6 MOSSES ON THATCHED ROOFS	101
CHAPTER 7 MOSSES ON CONCRETE BUNKERS	119
CHAPTER 8 MOSSES IN HEATHLANDS	142
CHAPTER 9 EXPERIMENTS ON MOSSES	152
CHAPTER 10 GENERAL DISCUSSION AND CONCLUSIONS	179
SUMMARY	189
RÉSUMÉ	195
SAMENVATTING	202
REFERENCES	208
APPENDICES	218

CHAPTER 1 GENERAL INTRODUCTION

1.1	Scope of research	12
1.2	Background	13
	-Atmospheric deposition	
	-Substratum	
	-Management	
	-Succession	
1.3	Choice of areas and substrates	16
1.4	Experiments	18
1.5	Methods	18

CHAPTER 2 MOSSES IN ASH COPPICES

2.1	Introduction	19
2.2	Ash coppices as a habitat for mosses	19
	-Epiphytic bryophyte flora	
	-Terrestrial flora	
2.3	The ash trunk as phorophyte	21
2.4	Synsystematics and ecology of the moss vegetation	22
	- <i>Anomodonto-Isothecietum</i> Lippmaa 1935	
	-Ecology	
2.5	Earlier bryological research in ash coppices	23
	-Introduction	
	-Barkman 1942-1952	
	-Dirkse 1974	
	-Other research	
2.6	Methods and selection of the research area	25
	-Selection of the research area	
	-Methods	
2.7	Results	25
	-Introduction	
	-Repetition of the relevés of Barkman: Krengenbos, Oostkapelle, Raaphorst, Zalkerbos, Fazantenbos, Sterreschans and Guntherstein, Mariënwaard, Kromme Rijn area	
	-Repetition of the investigations of Dirkse	
2.8	Influence of man on the moss flora in ash coppices	32
	-Acidification	
	-Eutrophication	
	-Pesticides	

-Management

2.9	Discussion of the changes in the epiphytic bryophyte flora in ash coppices	34
	-Since Barkman 1942-1952	
	-Since Dirkse 1974	
2.10	Comparison of <i>Anomodonto-Isothecietum</i> in ash coppices in the Kromme Rijn area with elsewhere in The Netherlands	42
2.11	Nature value of ash coppices and recommendations for management	43

CHAPTER 3 MOSSES IN BEECH FORESTS

3.1	Introduction	44
3.2	Beech forests as a habitat for mosses	45
	-Open stands	
	-Dense stands	
	-Mixed stands	
	-Terrestrial moss flora	
3.3	The beech tree as phorophyte	46
	-Introduction	
	-Raintracks	
	-Saptracks	
	-Rugged bark and badly growing trees	
	-Rotten logs and tree stumps	
3.4	Synsystematics	49
	-Introduction	
	-The epiphytic bryophyte associations:	
	<i>Mnio horni-Isothecietum myosuroidis</i> Barkm. 1958	
	<i>Scopario-Hypnetum filiformis</i>	
	(Von Krusenstjerna 1945) Barkm. 1958	
	<i>Antitrichietum-curtipendulae</i> Frey et Ochsner 1926	
	<i>Ulotetum bruchii</i> Barkm. 1958	
	<i>Leucobryo-Tetrarhietum</i> Barkm. 1958	
	<i>Dicrano-Aulacomnietum</i> Barkm. 1958	
3.5	Earlier bryological research in beech forests	51
	-Introduction	
	-Barkman 1951	
	-Reijnders & Reijnders 1961-1962	
	-Other research	
3.6	Methods and definition of the research area	52
	-Selection of the research areas	
	-Definition of the epiphytes	
	-Methods	

3.7 Results	54
-Introduction	
-Speulder- and Sprielderbos	
-Putterbos	
-Elspeeterbos	
-Gortelse bos	
-Vierhousterbos	
-Leuvenumse bos	
-Hoog Soerense bos	
-Relevés of the epiphytic moss vegetation	
3.8 Influence of man on the moss flora in beech forests	59
-Introduction	
-Acidification and eutrophication	
-Forestrial management	
3.9 Discussion of the changes in the epiphytic moss flora in the Speulder- and Sprielderbos since 1951	60
-Introduction	
-Decline in species	
-Increase in species	
Short remarks about the ecology of some species	65
-Introduction	
- <i>Neckera complanata</i> (Hedw.) Hüb.	
- <i>Neckera pumila</i> Hedw.	
- <i>Orthotrichum stramineum</i> Hornsch. ex Brid.	
- <i>Zygodon conoideus</i> (Dicks.) Hook. et Tayl. and	
- <i>Z. viridissimus</i> (Dicks.) Brid.	
- <i>Frullania dilatata</i> (L.) Dum. and	
<i>F. tamarisci</i> (L.) Dum.	
- <i>Orthodontium lineare</i> Schwägr.	
3.10 Comparison of Speulder- and Sprielderbos with other beech forests in The Veluwe	67
3.11 Nature value of beech forests and recommendations for management	69

CHAPTER 4 MOSSES IN LARCH FORESTS

4.1 Introduction	71
4.2 Larch forests as a habitat for mosses	72
-Introduction	
-Shrubs and herbs	
- <i>Molinia caerulea</i> and <i>Deschampsia flexuosa</i>	
-The role of shelter	
4.3 Synsystematics	73
-Introduction	
-Syntaxonomic units	

4.4	Earlier bryological research	74
	-Introduction	
	-Stapelveld 1954	
	-Volkers 1980	
4.5	Methods and definition of the research area	75
	-Selection of research areas	
	-Definition of the minimum relevé area	
	-Methods	
4.6	Results	77
	-Introduction	
	-Larch forests in Drente	
	-Larch forests in other provinces	
	-Changes between 1954 and 1980	
	-Changes between 1980 and 1990	
4.7	Influence of man on the moss flora in larch forests	81
	-Introduction	
	-Acidification, eutrophication and water-level lowering	
	-Forestrial management	
4.8	Discussion of the changes in the moss flora in the Drenthian larch forests from 1954 onwards	82
	-Introduction	
	-Increase in species	
	-Decline in species	
	Short remarks about the ecology of some species	85
	- <i>Aulacomnium palustre</i> (Hedw.) Schwgr.	
	- <i>Brachythecium oedipodium</i> (Mitt.) Jaeg.	
	- <i>Dicranum bonjeanii</i> De Not.	
	- <i>Drepanocladus fluitans</i> (Hedw.) Warnst. and	
	- <i>Calliergon stramineum</i> (Brid.) Kindb.	
	- <i>Eurhynchium striatum</i> (Hedw.) Schimp.	
	- <i>Hylocomium splendens</i> (Hedw.) Schimp.	
	- <i>Leptodontium flexifolium</i> (With.) Hampe	
	- <i>Pleurozium schreberi</i> (Brid.) Mitt.	
	- <i>Ptilium crista-castrensis</i> (Hedw.) De Not.	
4.9	Comparison of Drenthian larch forests with forests in other provinces	87
4.10	Nature value of larch forests and recommendations for management	88

CHAPTER 5 MOSSES ON FREE STANDING TREES

5.1	Introduction	89
5.2	Free standing trees as a habitat for mosses	89
	-Pollard willows	
	-Elms	
5.3	Synsystematics	90
	- <i>Bryo-Aulacomnietum</i> Barkm. 1958	
	- <i>Tortuletum latifoliae</i> (von Hübschmann 1952) Barkm. 1958	
	- <i>Phyllantho-Tortuletum laevipilae</i> Barkm. 1958	
5.4	Earlier bryological research	91
	-Barkman 1950/1951	
	-Nannenga-Bremekamp 1952	
	-Carrière and Van der Werf 1975	
5.5	Methods and definition of the research area	92
	-Selection of the research areas	
	-Methods	
	-Data analyses	
5.6	Results	92
	-Repetition of the investigation of Nannenga-Bremekamp	
	-Repetition of the investigations of Barkman	
5.7	Influence of man on the moss flora on free standing trees	98
	-Introduction	
	-Management of pollard willows	
	-Dutch elm disease	
5.8	Discussion of the changes in the moss flora on free standing trees	99
	-Introduction	
	-Causes of the decline of the <i>Phyllantho- Tortuletum laevipilae</i> in The Netherlands	

CHAPTER 6 MOSSES ON THATCHED ROOFS

6.1	Introduction	101
6.2	Thatched roofs as a habitat for mosses	102
	-Age of the roof	
	-Exposure and shade	
	-The role of the ridge	
	-Geography	
	-Acidity	

6.3 Succession and synsystematics	105
-Introduction	
-Frahm 1972	
6.4 Earlier bryological research on thatched roofs	108
-Ringelberg-Giesen 1959	
-van Alphen 1973	
-De Graaf 1973	
6.5 Methods and selection of the research area	110
-Selection of the research area	
-Methods	
6.6 Results	111
-Repetition of the research from 1958 and 1973	
-New research in 1988	
6.7 Discussion of the changes in the moss flora on thatched roofs in Drente from 1958 onwards	113
-Introduction	
-Discussion of the species	
6.8 Recommendations for management	117

CHAPTER 7 MOSSES ON CONCRETE BUNKERS

7.1 Introduction	119
7.2 Bunkers as a habitat for mosses	120
-Introduction	
-Unshaded bunkers	
Influence of orientation	
The roof of the bunker	
-Partly shaded bunkers	
-Bunkers in woodlands	
-Succession	
7.3 Synsystematics	124
-Epilithic moss associations	
-International character	
7.4 Earlier bryological research	126
-Introduction	
-Slagter 1973	
-Greven 1973	
7.5 Methods and selection of the research objects	126
-Selection of the research objects	
-Methods	

7.6 Results	128
-Reinvestigation of the bunkers examined in 1973: Fortification of Vechten Fortification of De Gagel Fortification of Ruigenhoek Bunkers near Utrecht and Muiderberg	
-Research on bunkers of the Nieuwe Hollandse Water- linie	
7.7 Influence of man on the epilithic moss flora	136
-Plantations	
-Air pollution	
-Slurry from intensive livestock	
-Removal of bunkers	
7.8 Discussion	137
-Changes from 1973 onwards	
Short remarks about the ecology of some species	
7.9 Nature value of concrete bunkers	141

CHAPTER 8 MOSSES IN HEATHLANDS

8.1 Introduction	142
8.2 Distribution, ecology and management of <i>Campylopus brevipilus</i> Bruch et Schimp.	144
-Occurrence in Europe	
-Occurrence in The Netherlands	
-New records	
-Ecology	
-Synsystematics	
-Impact of ammonia	
-Management and nature conservation	
8.3 Distribution and ecology of <i>Dicranum spurium</i> Hedw.	150
-Ecology and occurrence in The Netherlands	

CHAPTER 9 EXPERIMENTS ON MOSSES

9.1 Introduction	152
9.2 Fumigation experiments with SO₂, NH₃, O₃ and CO₂	153
-Introduction	
-Material and methods	
-Results	
Fumigation experiments in 1987	
Fumigation experiments in 1989	
Fumigation experiments in 1990	
Fumigation experiments in 1991	

-Discussion	161
Experiences from the fumigation experiments	
-Sensitivity to SO ₂	
-Sensitivity to NH ₃	
-Sensitivity to O ₃	
Relations with investigations in the field	
Concentration time models	
9.3 Artificial rain experiment with (NH₄)₂SO₄	168
-Introduction	
-Material and methods	
-Results	
-Discussion	
9.4 Transplanting experiments	172
-Introduction	
-Material and methods	
-Results	
-Discussion	

CHAPTER 10 GENERAL DISCUSSION AND CONCLUSIONS

10.1 Introduction	179
10.2 Extinct species	179
10.3 Declining species	180
10.4 Additions to the Dutch moss flora	182
10.5 Increasing species	183
10.6 Qualitative changes in the moss flora	184
10.7 Conclusions	186

SUMMARY	189
----------------	------------

RÉSUMÉ	195
---------------	------------

SAMENVATTING	202
---------------------	------------

REFERENCES	208
-------------------	------------

APPENDICES	218
-------------------	------------