

Contents

- 209 Introduction, *R. C. Liebermann and C. H. Sondergeld*
- 211 Reflections on the career of Edward Schreiber, *R. C. Liebermann and W. A. Bassett*
- 215 Publications of Edward Schreiber

Rocks and Rock Properties

- 221 Experimental simulation of plagioclase diagenesis at *P-T* conditions of 3.5 km burial depth, *S. L. Karner and B. C. Schreiber*
- 249 A new exploration tool: Quantitative core characterization, *C. H. Sondergeld and C. S. Rai*
- 269 Quasi-static poroelastic parameters in rock and their geophysical applications, *H. F. Wang*
- 287 Controls on sonic velocity in carbonates, *F. S. Anselmetti and G. P. Eberli*

Acoustic Studies of the Elasticity and Equation of State of Minerals

- 327 Accuracy in measurements and the temperature and volume dependence of thermoelastic parameters, *O. L. Anderson and D. G. Isaak*
- 341 A new ultrasonic interferometer for the determination of equation of state parameters of sub-millimeter single crystals, *H. A. Spetzler, G. Chen, S. Whitehead and I. C. Getting*
- 379 Performance of the complete travel-time equation of state at simultaneous high pressure and temperature, *H. A. Spetzler and A. Yoneda*
- 393 The elastic properties of single-crystal fayalite as determined by dynamical measurement techniques, *D. G. Isaak, E. K. Graham, J. D. Bass and H. Wang*

- 415 Effects of cation disordering in a natural MgAl_2O_4 spinel observed by rectangular parallelepiped ultrasonic resonance and Raman measurements, *H. Cynn, O. L. Anderson and M. Nicol*
- 445 A high-pressure, high-temperature apparatus for studies of seismic wave dispersion and attenuation, *I. Jackson and M. S. Paterson*
- 467 Hot pressing of polycrystals of high-pressure phases of mantle minerals in multi-anvil apparatus, *G. D. Gwanmesia, B. Li and R. C. Liebermann*

Diamond-anvil Cell Experiments

- 487 Hydrothermal studies in a new diamond anvil cell up to 10 GPa and from -190°C to 1200°C , *W. A. Bassett, A. H. Shen, M. Bucknum and I.-M. Chou*
- 497 Thermal analysis in the laser-heated diamond anvil cell, *J. S. Sweeney and D. L. Heinz*
- 509 Deviatoric stress in a diamond anvil cell using synchrotron radiation with two diffraction geometries, *T.-C. Wu and W. A. Bassett*

Rheological Investigations

- 523 Improvements to Griggs-type apparatus for mechanical testing at high pressures and temperatures, *T. N. Tingle, H. W. Green II, T. E. Young and T. A. Koczyński*
- 545 The strength and rheology of commercial tungsten carbide cermets used in high-pressure apparatus, *I. C. Gettings, G. Chen and J. A. Brown*
- 579 The large volume multi-anvil press as a high P - T deformation apparatus, *G. Y. Bussod, T. Katsura and D. C. Rubie*
- 601 The use of sintered diamond anvils in the MA8 type high-pressure apparatus, *T. Kondo, H. Sawamoto, A. Yoneda, M. Kato, A. Matsumuro, T. Yagi and T. Kikegawa*

Advances in High-pressure Calorimetry, Diffusion, Sealing and Calibration

- 615 Differential scanning calorimetry in a piston-cylinder apparatus: Design and calibration, *R. P. Rapp and A. Navrotsky*

- 631 A thin film approach for producing mineral diffusion couples, *C. S. Schwandt, R. T. Cygan and H. R. Westrich*
- 643 Determination of phase transition pressures of ZnTe under quasihydrostatic conditions, *K. Kusaba, L. Galois, Y. Wang, M. T. Vaughan and D. J. Weidner*
- 653 An improved sealing system for triaxial sample columns, *T. Koczynski and E. Scholz*