

Valery P. Shibaev Lui Lam
Editors

Liquid Crystalline and Mesomorphic Polymers

With 199 Illustrations



Springer-Verlag

New York Berlin Heidelberg London Paris
Tokyo Hong Kong Barcelona Budapest

Contents

Preface	v
Contributors	xv
1 Molecular Theory of Cholesteric Polymers	1
<i>M.A. Osipov</i>	
1.1 Introduction	1
1.2 Elementary Models for Chiral Molecules	3
1.3 Chiral Anisotropic Interaction Between Macromolecules in the Solvent	5
1.3.1 Model Potentials	5
1.3.2 Solvent Effect on the Chiral Intermolecular Interaction	7
1.4 Statistical Theory of Cholesteric Ordering	10
1.4.1 General Theory	10
1.4.2 Temperature and Solvent Effect on the Cholesteric Pitch in Polypeptide Solutions	14
1.4.3 Cholesteric Ordering in Biopolymer Solutions	17
1.4.4 Influence of Solvent Chirality on the Cholesteric Ordering	19
1.5 Influence of Molecular Flexibility on the Cholesteric Ordering in Polymer Solutions	21
References	23
2 Structure of Thermotropic Main-Chain Polymers	26
<i>A.H. Windle</i>	
2.1 Introduction	26
2.1.1 Scope	26
2.1.2 Main-Chain Mesogenic Systems	26
2.2 Molecular Architecture	30

2.2.1	Theoretical Background	30
2.2.2	Architecture of Isolated Polymer Molecules	31
2.2.3	Persistence Length as a Critical Parameter	34
2.2.4	Kuhn Chains	38
2.2.5	Change in Chain Parameters in the Nematic Phase	40
2.2.6	Microstructural Considerations Involving Nematic Polymers	41
2.3	Levels of Order in Mesophases of Main-Chain Liquid Polymers	46
2.3.1	Classification for Polymers	46
2.3.2	Aspects of Chain Structure	47
2.3.3	Basis for Classification	50
2.3.4	Mesophases Formed by Successive Shear Disorder of the Crystal	51
2.3.5	Mesophases Formed by Paracrystalline Disorder in One Lateral Dimension	57
2.3.6	Mesophases Resulting from Paracrystalline Disorder in the Two (Lateral) Dimensions, and Translational Melting in Two Dimensions	65
2.3.7	Audit of Possible Combinations	71
2.3.8	Occurrence of Mesophase Structures	71
2.3.9	Disruption of Order along the Chain Axis	73
	References	74
3	Molecular Architecture and Structure of Thermotropic Liquid Crystal Polymers with Mesogenic Side Groups	77
	<i>V.P. Shibaev, Ya.S. Freidzon, and S.G. Kostromin</i>	
3.1	Introduction	77
3.2	Molecular Architecture of Liquid Crystal Polymers	79
3.3	Specific Features of Comb-Shaped Polymers Associated with Their Macromolecular Nature	84
3.4	Mesophase Types of Comb-Shaped Liquid Crystal Polymers. Problems of Classification	91
3.5	Effect of Mesophase Type on the Structure of Polymers Oriented by Uniaxial Drawing	98
3.5.1	Nematic Polymers	100
3.5.2	Smectic Polymers	102
3.6	Placement of the Main-Chain in Smectic and Nematic Phases of Comb-Shaped Liquid Crystal Polymers	103
3.7	Structure of Cholesteric Polymers	108
3.7.1	Structure of Cholesterol-Containing Homopolymers	108
3.7.2	Structure of Cholesterol-Containing Copolymers	113
	References	115

4 Phase Behavior of High- and Low-Molar-Mass Liquid Crystal Mixtures	121
<i>F. Hardouin, G. Sigaud, and M.F. Achard</i>	
4.1 Introduction	121
4.2 Binary Mixtures of Low-Molar-Mass Mesogens	124
4.3 Mixtures of a Liquid Crystalline Polymer with a Low-Molar-Mass Liquid Crystal	129
4.3.1 Miscibility Properties	130
4.3.2 Other Nonideal Behaviors	140
4.4 Conclusions	142
References	144
5 Polymer-Dispersed Liquid Crystal Films	149
<i>G.P. Montgomery, Jr., G.W. Smith, and N.A. Vaz</i>	
5.1 Introduction	149
5.2 Film Structure and Operation	150
5.3 Film Formation: General Aspects	153
5.3.1 Emulsification—NCAP Films	153
5.3.2 Phase Separation—Polymer-Dispersed Liquid Crystal Films	153
5.4 Polymer-Dispersed Liquid Crystal Formation: Polymer-Induced Phase Separation Systems	155
5.4.1 Formation Model	155
5.4.2 Experimental Studies of Polymer-Dispersed Liquid Crystal Formation	157
5.4.3 Concluding Remarks Regarding Polymer-Dispersed Liquid Crystal Formation	163
5.5 Materials Selection	163
5.5.1 Refractive Indices	163
5.5.2 Solubility of Liquid Crystal in Matrix	167
5.5.3 Operating Temperature Range	168
5.5.4 Environmental Stability	168
5.6 Film Fabrication and Morphology	169
5.6.1 Ultraviolet-Curing Conditions	169
5.6.2 Droplet Size Distribution	171
5.6.3 Color	171
5.7 Electrooptic Properties	172
5.7.1 Refractive Indices and Film Transmittance	172
5.7.2 Transmittance versus Voltage	174
5.7.3 Response Times	177
5.7.4 Spectral Transmittance Characteristics	179
5.8 Light Scattering	180
5.8.1 Theoretical Treatments	180
5.8.2 Angle-Dependent Light Scattering Measurements	181

5.8.3	Transmittance Measurements	183
5.8.4	Droplet Size Effects	186
5.8.5	Concluding Remarks Regarding Light Scattering	186
5.9	Final Comments	187
	References	188
6	Nuclear Magnetic Resonance Spectroscopy of Thermotropic Liquid Crystalline Polymers	193
	<i>L. Stroganov</i>	
6.1	Introduction	193
6.2	Thermotropic Liquid Crystalline Polymers with Mesogenic Groups in the Main Chain	194
6.2.1	^1H and ^2H Nuclear Magnetic Resonance in Fast Motion Limit	194
6.2.2	Multipulse Dynamic Nuclear Magnetic Resonance	197
6.2.3	Molecular Dynamics	198
6.2.4	Orientational Ordering	200
6.2.5	Biphase Region	208
6.2.6	Macroscopic Ordering	212
6.3	Liquid Crystalline Polymers with Mesogenic Groups in the Side Chains	215
6.3.1	Molecular Dynamics and Ordering in the Glassy State	215
6.3.2	Ordering and Dynamics in Liquid Crystalline Phases above the Glass Transition Temperature	219
6.3.3	Biphase Region	222
6.3.4	Macroscopic Ordering	223
	References	228
7	Mesophase of Graphitizable Carbons	231
	<i>H. Marsh and M.A. Diez</i>	
7.1	Introduction	231
7.2	Discotic Nematic Liquid Crystals	233
7.3	Formation of the Mesophase	236
7.4	Structure in the Mesophase	239
7.5	Growth and Coalescence	242
7.6	Formation of Anisotropic Carbons	244
7.7	Factors Influencing the Formation of Anisotropic Carbons	247
7.7.1	Chemical Factors	247
7.7.2	Physical Factors	250
7.8	Graphitization	251
7.9	Industrial Relevance of Mesophase: Discotic, Aromatic, and Nematic Liquid Crystals	252
7.9.1	Delayed Coking	252
7.9.2	Metallurgical Coke	253

7.9.3	Carbon Fibers	253
7.9.4	Graphite Production	253
7.9.5	Carbon Blacks	254
	References	254
8	Mesophase State of Polyorganophosphazenes	258
	<i>V.G. Kulichikhin, E.M. Antipov, E.K. Borisenkova, and D.R. Tur</i>	
8.1	Introduction	258
8.2	Thermodynamics and Structure of Polyorganophosphazenes	259
8.3	Relaxation Transitions of Poly- <i>bis</i> -Trifluoroethoxyphosphazenes	267
8.4	Properties of Diluted Solutions of Poly- <i>bis</i> -Fluoroalkoxyphosphazenes	270
8.5	Rheological Properties of Concentrated Poly- <i>bis</i> -Trifluoroethoxyphosphazene Solutions	273
8.6	Rheological Properties of Poly- <i>bis</i> -Fluoroalkoxyphosphazenes in the Mesophase State	281
8.7	Polymer Blends on a Base of Poly- <i>bis</i> -Trifluoroethoxyphosphazene	287
8.8	Conclusions	293
	References	294
9	Chiral Nematic Mesophases of Lyotropic and Thermotropic Cellulose Derivatives	298
	<i>D.G. Gray and B.R. Harkness</i>	
9.1	Mesophase Formation	298
9.2	Mesophases of Cellulose Derivatives	300
9.3	Chiral Nematic Properties	302
9.3.1	Theories of the Chiral Nematic State	302
9.3.2	Chiral Nematic Properties of Cellulose Derivatives	305
9.3.3	Reversal of Handedness of Chiral Nematic Cellulosics	307
9.4	Circular Dichroism and Induced Circular Dichroism	310
9.5	Chiroptical Properties of Specifically Substituted Cellulose Derivatives	312
9.6	Concluding Remarks	318
	References	320
10	Bowlics	324
	<i>L. Lam</i>	
10.1	Introduction	324
10.2	The First Paper	327
10.3	Bowlic Monomers	331
10.3.1	The Molecules	331

10.3.2	Mesophases and Phase Transitions	333
10.3.3	Physical Properties	335
10.3.4	Bowlic Nematics in Electric Fields	336
10.3.5	Bowlic Langmuir Films	338
10.4	Bowlic Polymers	340
10.4.1	The Discrete Model for Dilute Solutions	340
10.4.2	The Worm-Like Model for Bowlic Nematic Polymers	346
10.4.3	Ultrahigh T_c Bowlic Superconductors	349
10.5	Conclusions	350
	References	351
	Index	354