

Contents

Acknowledgements	i
Zusammenfassung	iii
Abstract	v
Publication List	vii
Nomenclature	xii
1 Introduction	1
1.1 State of Research: In-Cylinder Soot Modeling	2
1.2 Outline and Achievements	3
2 Modeling Framework	5
2.1 Governing Equations	5
2.2 Dispersed Liquid Phase Model	8
2.2.1 Droplet Drag and Evaporation Model	8
2.2.2 Primary Breakup Model	9
2.2.3 Secondary Breakup Model	10
2.3 Soot Model	13
2.3.1 Description of Soot Particles	13
2.3.2 Number Density Function	14
2.3.3 Soot Inception	14
2.3.4 Surface Reactions	15
2.3.5 Dimerization	18
2.3.6 Coagulation	18
2.3.7 Hybrid Method of Moments Model	20
2.4 Large Eddy Simulation	22
2.4.1 Filtered Governing Equations	23

2.4.2	Numerical Errors in LES	24
2.4.3	Subfilter Stress and Scalar Flux Models	25
2.4.4	Subfilter Scalar Variance and Dissipation Rate Model	28
2.5	Non-Premixed Combustion Modeling	29
2.5.1	Filtered Density Function	30
2.5.2	Transported FDF Methods	31
2.5.3	Mixture Fraction-Based Models	31
3	Importance of Consistent Transport Modeling	36
3.1	Theory and Model Derivation	36
3.1.1	Laminar Non-Premixed Flamelet Equation	36
3.1.2	Non-Premixed Flamelet Model for Turbulent Flows	38
3.1.3	Flow Parameter Models	39
3.1.4	Conditional Curvature	41
3.2	GCFP Model Application	42
3.2.1	Numerical Evaluation of the GCFP Model	43
3.2.2	Further Models & Numerical Methods	44
3.2.3	DNS Configuration	44
3.2.4	Simulation Results	46
3.3	Chapter Summary	50
4	Local Consistent Flow Parameters Model	52
4.1	Theory and Model Derivation	53
4.1.1	Turbulent Spray Flamelet Equation	53
4.1.2	LCFP Model	55
4.2	Spray LES Model	64
4.2.1	Consistent Flow Subfilter Closure	64
4.2.2	Consistent Spray Subfilter Model	66
4.3	LCFP Model Application	70
4.3.1	Application Case and Simulation Setup	70
4.3.2	Numerical Methods	71
4.3.3	Spray LES Model Validation	72
4.3.4	LCFP Model Realizability	76
4.3.5	Local Conditional Flow Parameters	78
4.4	Chapter Summary	83
5	Effect of Numerical Errors on Scalar Mass Conservation	85
5.1	Assessment of Numerical Errors	85
5.2	Model Application	86
5.2.1	Scalar Mass Conservation Errors	87

5.2.2	Scalar Convection Scheme Variation	88
5.2.3	Mixture Fraction Grid Sensitivity	93
5.3	Chapter Summary	94
6	Engine Model Demonstration	96
6.1	Fuel Candidates	96
6.2	Engine Simulation Case	97
6.3	Engine-Specific Models & Simulation Setup	99
6.4	Engine Simulation Results	103
6.4.1	In-Cylinder Spray and Combustion	103
6.4.2	Soot Mass Conservation Error	106
6.4.3	Fuel Effect on Soot Formation	108
6.5	Chapter Summary	118
7	Concluding Remarks	120
Appendix A	Detailed Model Derivation	124
Appendix A.1	Fine-Grained FDF Concept	124
Appendix A.1.1	Properties of the Dirac Delta Function	124
Appendix A.1.2	Properties of the Fine-Grained FDF	126
Appendix A.2	Turbulent Spray Flamelet Equation	128
Appendix A.3	Consistent Mixing Model	133
Appendix A.3.1	Mixture Fraction FDF Transport Equation	133
Appendix A.3.2	Consistent Conditional Flow Parameters	138
Appendix B	Engine LES Results	143
Bibliography		150