

TABLE OF CONTENTS

SECTION 1

INTRODUCTION	1
1. Organization of the guide.	2
2. Accuracy of the EISPACK subroutines.	4

SECTION 2

HOW TO USE EISPACK	5
1. Recommended basic paths in EISPACK	8
1.1 All eigenvalues and corresponding eigenvectors of a complex general matrix	14
1.2 All eigenvalues of a complex general matrix.	15
1.3 All eigenvalues and selected eigenvectors of a complex general matrix	16
1.4 All eigenvalues and corresponding eigenvectors of a complex Hermitian matrix	18
1.5 All eigenvalues of a complex Hermitian matrix.	20
1.6 Some eigenvalues and corresponding eigenvectors of a complex Hermitian matrix	21
1.7 Some eigenvalues of a complex Hermitian matrix	23
1.8 All eigenvalues and corresponding eigenvectors of a real general matrix	25
1.9 All eigenvalues of a real general matrix	27
1.10 All eigenvalues and selected eigenvectors of a real general matrix	28
1.11 All eigenvalues and corresponding eigenvectors of a real symmetric matrix	30
1.12 All eigenvalues of a real symmetric matrix	31
1.13 Some eigenvalues and corresponding eigenvectors of a real symmetric matrix	32
1.14 Some eigenvalues of a real symmetric matrix.	34
1.15 All eigenvalues and corresponding eigenvectors of a real symmetric tridiagonal matrix	36
1.16 All eigenvalues of a real symmetric tridiagonal matrix . . .	38
1.17 Some eigenvalues and corresponding eigenvectors of a real symmetric tridiagonal matrix	40

VI

1.18	Some eigenvalues of a real symmetric tridiagonal matrix. . .	42
1.19	All eigenvalues and corresponding eigenvectors of a special real tridiagonal matrix.	44
1.20	All eigenvalues of a special real tridiagonal matrix	46
1.21	Some eigenvalues and corresponding eigenvectors of a special real tridiagonal matrix.	48
1.22	Some eigenvalues of a special real tridiagonal matrix. . . .	50
2.	Variations of the recommended EISPACK paths.	52
2.1	Non-balancing of complex and real general matrices	53
2.2	Orthogonal reduction transformations to Hessenberg form. . .	56
2.3	The implicit and explicit QL algorithms.	59
2.4	The rational QR algorithm for finding a few extreme eigenvalues.	62
2.5	The use of TSTURM as an alternate to BISECT-TINVIT	65
3.	Additional information and examples.	68
3.1	Selecting the eigenvectors of real and complex general matrices	69
3.2	Unpacking the eigenvectors of a real general matrix.	73
3.3	The EPS1 parameter	76
3.4	Relative efficiencies of computing partial and complete eigensystems	80
3.5	Determination of the signs of the eigenvalues.	83
3.6	Orthogonal similarity reduction of a real matrix to quasi- triangular form.	85
3.7	Additional facilities of the EISPAC control program.	87
3.8	Non-zero values of IERR.	95
3.9	Examples illustrating the use of the EISPACK subroutines and the control program	98

SECTION 3

VALIDATION OF EISPACK.	107
--------------------------------	-----

SECTION 4

EXECUTION TIMES FOR EISPACK.	110
1. Tables of execution times.	111

VII

2. Repeatability and reliability of the measured execution times. . .	124
3. Dependence of the execution times upon the matrix.	125
4. Extrapolation of timing results to other machines and compilers. .	128
5. The sample matrices for the timing results	129

SECTION 5

CERTIFICATION AND AVAILABILITY OF EISPACK.	134
--	-----

SECTION 6

DIFFERENCES BETWEEN THE EISPACK SUBROUTINES AND THE HANDBOOK ALGOL PROCEDURES	138
--	-----

SECTION 7

DOCUMENTATION AND SOURCE LISTINGS.	143
1. EISPACK subroutines.	145
2. EISPAC control program	366