

Contents

Foreword *xvii*

Preface *xix*

1	Protecting Group Strategies in Carbohydrate Chemistry	1
	<i>Anne G. Volbeda, Gijs A. van der Marel, and Jeroen D. C. Codée</i>	
1.1	Discriminating Different Functionalities on a Carbohydrate Ring	1
1.2	Strategies for an (Oligo)saccharide Synthesis Campaign	5
1.3	Reactivity and Stereochemistry	7
1.4	Protecting Groups in Automated Synthesis	14
1.5	Summary and Outlook	20
	Abbreviations	23
	References	24
2	Protecting Groups at the Primary Position of Carbohydrates	29
	<i>Marion Donnier-Maréchal, Sébastien Vidal, and Michele Fiore</i>	
2.1	Introduction	29
2.2	Selective Primary Hydroxyl Group Protection	30
2.2.1	Trityl Ethers	30
2.2.2	Silyl Ethers	32
2.2.3	Regioselective 6-O-Sulfonylation	37
2.2.4	Regioselective 6-O-Acylation	39
2.2.4.1	Chemical Methods	39
2.2.4.2	Chemoenzymatic Methods	39
2.3	Selective Primary Hydroxyl Group Deprotection	45
2.3.1	Regioselective 6-O-Desilylation	45
2.3.2	Regioselective 6-O-Deacylation	48
2.3.2.1	Chemical Methods	48
2.3.2.2	Chemoenzymatic Methods	49
2.3.3	Regioselective 6-O-Debenzylation	52
2.4	Regioselective Transformations at the Primary Position	53
2.4.1	Halogenation	53
2.4.2	Oxidation to the Carboxylic Acid	53
2.4.3	Oxidation to the Aldehyde	58
2.5	Summary and Conclusions	59
2.6	Experimental Section	59

2.6.1	Typical Experimental Procedure for Regioselective Silylation [23] (Table 2.3, Entry 21)	59
2.6.2	Typical Experimental Procedure for Desilylation [52] (Table 2.4, Entry 46)	60
	Abbreviations	60
	References	61
3	Protecting Groups at the Secondary Positions of Carbohydrates	69
	<i>Sébastien Vidal and Peter G. Goekjian</i>	
3.1	Introduction	69
3.1.1	Regioselectivity	69
3.1.2	Temporary or Persistent Protecting Groups: Orthogonality	70
3.1.3	Anchimeric Participation in the Control of the Anomeric Configuration	70
3.1.4	Protecting Group Migration	71
3.2	The Major Protecting Group Motifs	72
3.2.1	Benzyl and Substituted Benzyl Ethers	72
3.2.1.1	Benzyl Ethers	72
3.2.1.2	<i>p</i> -Methoxybenzyl Ethers (PMB)	82
3.2.2	Silyl Ethers	82
3.2.3	Esters	83
3.2.3.1	Simple Ester Protecting Groups	87
3.2.3.2	Triggered Ester Protecting Groups	91
3.2.4	Other Protecting Groups	93
3.3	Conclusion	95
3.4	Experimental Section	95
3.4.1	Phenyl 2,3-Di- <i>O</i> -benzyl-4,6- <i>O</i> -benzylidene- α -D-glucopyranosyl- [(1 $\rightarrow$ 4)-2,3,6-tri- <i>O</i> -benzyl- α -D-glucopyranosyl] ₄ -(1 $\rightarrow$ 4)-2,3,6-tri- <i>O</i> - benzyl-1-thio- β -D-glucopyranoside [27]	95
3.4.2	5-Azidopentyl 2- <i>O</i> -acetyl-4,6- <i>O</i> -benzylidene- β -D-mannopyranosyl- (1 $\rightarrow$ 4)- <i>O</i> -(3,6-di- <i>O</i> -benzyl-2-deoxy-2-phthalimido- β -D- glucopyranosyl)-(1 $\rightarrow$ 4)- <i>O</i> -3,6-di- <i>O</i> -benzyl-2-deoxy-2- phthalimido- β -D-glucopyranoside [169]	95
	Abbreviations	96
	References	97
4	Regioselective Protection at the Secondary Positions of Carbohydrates with Acyclic Protecting Groups	109
	<i>Peter G. Goekjian and Sébastien Vidal</i>	
4.1	Introduction	109
4.2	Regioselective Protections at the 2-Position	110
4.2.1	Glucose	110
4.2.1.1	Monoprotection at O-2 of Glucopyranoside 2,3-Diols	110
4.2.1.2	Monoprotection at O-2 of Glucopyranoside 2,3,4-Triols and 2,3,4,6-Tetraols	115
4.2.2	Mannose	117
4.2.2.1	Benzyl and Substituted Benzyl Ethers	117

4.2.2.2	Esters	117
4.2.2.3	Silyl Ethers	119
4.2.3	Galactose	119
4.2.3.1	Silyl Ethers	119
4.2.3.2	Benzyl Ethers	119
4.2.3.3	Esters	119
4.2.4	Other Monosaccharides	120
4.3	Regioselective Protections at the 3-Position	122
4.3.1	Glucose	122
4.3.1.1	Silyl Ethers	122
4.3.1.2	Other Ethers	122
4.3.1.3	Esters	122
4.3.2	Mannose	125
4.3.2.1	Monoprotection at O-3 of Mannopyranoside 2,3-Diols	125
4.3.2.2	Monoprotection at O-3 of Mannopyranoside 2,3,4-Triols and 2,3,4,6-Tetraols	128
4.3.3	Galactose	129
4.3.3.1	Silyl and Substituted Benzyl Ethers	129
4.3.3.2	Esters	129
4.3.4	Other Sugars	130
4.4	Regioselective Protections at the 4-Position	130
4.5	Regioselective <i>bis</i> -Protection of the 2,6-, 3,6-, and 4,6-Positions of Hexopyranoside Tetraols	130
4.5.1	Glucose	131
4.5.2	Mannose	133
4.5.3	Galactose	134
4.6	Regioselective Mono-deprotection of Peracetyl and Perbenzyl Monosaccharides	134
4.7	Summary and Conclusions	135
4.8	Experimental Section	136
4.8.1	Typical Experimental Procedure for Tin-acetal-mediated Regioselective 3-O-Benzylation [101] REF (Table 4.7, Entry 74)	136
4.8.2	Typical Experimental Procedure for Regioselective 2-O-Debenzylation of Perbenzyl Methyl Glucopyranoside [187] (Table 4.11, Entry 135)	136
	Abbreviations	137
	References	138
5	Protecting Groups at the Anomeric Position of Carbohydrates	145
	<i>Chadamas Sakonsinsiri and W. Bruce Turnbull</i>	
5.1	Introduction	145
5.2	O-alkyl and O-aryl Glycosides	146
5.3	Glycosyl Esters	151
5.4	Cyclic Acetals, Ketals, and Orthoesters	155
5.5	Silyl Ethers	157
5.6	S-glycosyl and N-glycosyl Derivatives	158
5.7	Concluding Remarks	162

5.8	Example Experimental Procedures	164
5.8.1	Synthesis of a <i>p</i> -Methoxyphenyl Glycoside [16]	164
5.8.2	Synthesis of a <i>N,O</i> -dimethyloxyamine- <i>N</i> -glycoside [82]	164
5.8.3	Synthesis of a Thexyldimethylsilyl Glycoside [61]	165
	Abbreviations	165
	References	166
6	<i>N</i>-protecting Groups for 2-Amino-2-deoxy-glycosides	169
	<i>Sébastien Vidal</i>	
6.1	Introduction	169
6.2	<i>N</i> -acyl-based Protecting Groups	171
6.2.1	Acetyl Protecting Group	171
6.2.2	Trichloroacetamido Protecting Group (TCA)	173
6.2.3	Trifluoroacetyl Protecting Group (TFA)	174
6.3	Imido-based Protecting Groups	175
6.3.1	Phthaloyl Protecting Group (Phth)	175
6.3.2	Dichlorophthaloyl Protecting Group (DCP)	176
6.3.3	Tetrachlorophthaloyl Protecting Group (TCP)	177
6.3.4	Other Imido-based Protecting Groups (Dts, DTG, DPM, and DMM)	177
6.4	Carbamate-based Protecting Groups	179
6.4.1	2,2,2-Trichloroethoxycarbonyl Protecting Group (Troc)	179
6.4.2	Benzylloxycarbonyl Protecting Group (Cbz or Z)	180
6.4.3	Allyloxycarbonyl Protecting Group (Alloc)	181
6.4.4	<i>t</i> -Butoxycarbonyl Protecting Group (Boc)	181
6.4.5	9-Fluorenylmethoxycarbonyl Protecting Group (Fmoc)	183
6.4.6	2,3-Oxazolidinone Protecting Group	183
6.5	Imine- or Enamine-based Protecting Groups	185
6.5.1	<i>N</i> -arylidene Protecting Groups	185
6.5.2	4,4-Dimethyl-2,6-dioxocyclohexylidenemethyl (Ddm) and 4,4-Dimethyl-2,6-dioxocyclohexylideneethyl (Dde)	186
6.5.3	(1,3-Dimethyl-2,4,6-trioxypyrimidine-5-ylidene)methyl (DTPM)	187
6.6	2-Deoxy-2-azido Derivatives as a Protecting Group	187
6.7	From Glycals to 2-Azido Intermediates	188
6.8	From Glycals to 2-Sulfonamido Intermediates	190
6.9	Summary and Conclusions	191
6.10	Experimental Section	191
6.10.1	1,3,4,6-Tetra- <i>O</i> -acetyl-2-phthalimido-2-deoxy- β -D-glucopyranose [211]	191
6.10.2	2-Acetamido-1,3-di- <i>O</i> -acetyl-4,6- <i>O</i> -benzylidene-2-deoxy-D-glucopyranose [79]	192
	Abbreviations	192
	References	193

7	One-pot Multistep Regioselective Protection of Carbohydrates Catalyzed by Acids	201
	<i>Jean-Marie Beau, Yann Bourdreux, Guillaume Despras, Alexandra Gouasmat, Géraldine San Jose, Dominique Urban, and Boris Vauzeilles</i>	
7.1	Introduction	201
7.2	Examples of Early Developments of the One-pot Multistep Regioselective Hydroxyl Protection of Carbohydrates	202
7.3	One-pot Multistep Methods from Silylated Substrates	204
7.3.1	Catalysis by Copper Triflate	204
7.3.2	Catalysis by Trimethylsilyltriflate	207
7.3.2.1	Glucopyranosides	207
7.3.2.2	Mannopyranosides	207
7.3.3	One-pot Catalysis with Other Glycopyranosides	210
7.3.4	Catalysis by Iron(III) Chloride Hexahydrate	211
7.3.5	Catalysis by Triflic Acid on Molecular Sieves	214
7.4	One-pot Multistep Methods Catalyzed by Copper Triflate on Unprotected Sugars	216
7.5	Other One-pot Multistep Methods Catalyzed by Acids	216
7.6	Conclusions and Outlook	220
7.7	Experimental Procedures	220
7.7.1	General Procedure for the Preparation of Compounds 3,9–11 [6]	220
7.7.2	Procedure for the Preparation of Phenyl 2- <i>O</i> -acetyl-3- <i>O</i> -benzyl-4,6- <i>O</i> -benzylidene-1-thio- β -D-glucopyranoside 19 [27]	220
7.7.3	Procedure for the Preparation of 3,3'-di- <i>O</i> -benzyl-4,6;4',6'-di- <i>O</i> -benzylidene- α,α -D-trehalose 54 [44a]	221
7.7.4	General Procedure for the Tandem Acetalation/Benzylation; Preparation of <i>tert</i> -butyldimethylsilyl 3- <i>O</i> -benzyl-4,6- <i>O</i> -benzylidene-2-deoxy-2-trifluoroacetamido- β -D-glucopyranoside 62c [51]	221
	Acknowledgments	221
	Abbreviations	222
	References	222
8	Acyl Migrations in Carbohydrate Chemistry	227
	<i>Filip S. Ekholm and Reko Leino</i>	
8.1	Introduction	227
8.2	Mechanism and Migration Kinetics	228
8.3	Acyl Group Migration – Synthetic Applications	230
8.3.1	Traditional Synthetic Applications	230
8.3.2	Directed Evolution of Acyl Migrations	234
8.3.3	Protecting Group Manipulation – Acyl Migration	235
8.4	Summary and Conclusions	238
8.5	Selected Experimental Procedures	239
	Abbreviations	239
	References	240

9	<i>De Novo</i> Asymmetric Synthesis of Oligosaccharides Using Atom-less Protecting Groups	243
	<i>Debarpita Ray and George A. O'Doherty</i>	
9.1	Introduction	243
9.2	Atom-less Protecting Groups	244
9.3	<i>De Novo</i> Approach to Carbohydrates	244
9.4	O'Doherty Approach to Carbohydrates	246
9.4.1	The Achmatowicz Approach to the <i>De Novo</i> Synthesis of Pyranoses	246
9.4.2	Palladium-catalyzed Glycosylation of Pyranoses	253
9.4.3	Unnatural Oligosaccharides	253
9.4.4	Natural Oligosaccharides	259
9.5	Conclusion	273
9.6	Experimentals [3]	273
9.6.1	Benzyl 2,3-Dideoxy-4,6-bis- <i>O</i> -[(2 <i>R</i> ,6 <i>S</i>)-6-[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-5,6-dihydro-5-oxo-2 <i>H</i> -pyran-2-yl]- <i>L</i> -erythro-hex-2-enopyranoside (136)	273
9.6.2	Benzyl <i>O</i> -2,3-Dideoxy-6- <i>O</i> -[(1,1-dimethylethyl)dimethylsilyl]- α - <i>L</i> -erythro-hex-2-enopyranosyl-(1 $\rightarrow$ 4)- <i>O</i> -[2,3-dideoxy-6- <i>O</i> -[(1,1-dimethylethyl)dimethylsilyl]- α - <i>L</i> -erythro-hex-2-enopyranosyl-(1 $\rightarrow$ 6)]-2,3-dideoxy- <i>L</i> -erythro-hex-2-enopyranoside (77)	274
9.6.3	Benzyl <i>O</i> -2,3-Dideoxy- α - <i>L</i> -erythro-hex-2-enopyranosyl-(1 $\rightarrow$ 4)- <i>O</i> -[2,3-dideoxy- α - <i>L</i> -erythro-hex-2-enopyranosyl-(1 $\rightarrow$ 6)]-2,3-dideoxy- <i>L</i> -erythro-hex-2-enopyranoside (78)	275
9.6.4	Benzyl <i>O</i> -2,3-Dideoxy-4,6-bis- <i>O</i> -[(2 <i>R</i> ,6 <i>S</i>)-6-[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-5,6-dihydro-5-oxo-2 <i>H</i> -pyran-2-yl]- α - <i>L</i> -erythro-hex-2-enopyranosyl-(1 $\rightarrow$ 4)- <i>O</i> -[2,3-dideoxy-4,6-bis- <i>O</i> -[(2 <i>R</i> ,6 <i>S</i>)-6-[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-5,6-dihydro-5-oxo-2 <i>H</i> -pyran-2-yl]- α - <i>L</i> -erythro-hex-2-enopyranosyl-(1 $\rightarrow$ 6)]-2,3-dideoxy- <i>L</i> -erythro-hex-2-enopyranoside (79)	275
9.6.5	(2 <i>S</i> ,3 <i>R</i> ,6 <i>R</i>)-6-(((2 <i>S</i> ,3 <i>R</i> ,6 <i>R</i>)-6-(((2 <i>S</i> ,3 <i>R</i> ,6 <i>R</i>)-6-(Benzyloxy)-2-(((2 <i>R</i> ,5 <i>R</i> ,6 <i>S</i>)-5-(((2 <i>R</i> ,5 <i>R</i> ,6 <i>S</i>)-6-(((<i>tert</i> -butyldimethylsilyl)oxy)methyl)-5-hydroxy-5,6-dihydro-2 <i>H</i> -pyran-2-yl)oxy)-6-(((2 <i>R</i> ,5 <i>R</i> ,6 <i>S</i>)-6-(((<i>tert</i> -butyldimethylsilyl)oxy)methyl)-5-hydroxy-5,6-dihydro-2 <i>H</i> -pyran-2-yl)oxy)methyl)-5,6-dihydro-2 <i>H</i> -pyran-2-yl)oxy)methyl)-3,6-dihydro-2 <i>H</i> -pyran-3-yl)oxy)-2-(((2 <i>R</i> ,5 <i>R</i> ,6 <i>S</i>)-6-(((<i>tert</i> -butyldimethylsilyl)oxy)methyl)-5-hydroxy-5,6-dihydro-2 <i>H</i> -pyran-2-yl)oxy)methyl)-3,6-dihydro-2 <i>H</i> -pyran-3-yl)oxy)-2-(((<i>tert</i> -butyldimethylsilyl)oxy)methyl)-3,6-dihydro-2 <i>H</i> -pyran-3-ol (137)	276
9.6.6	Benzyl <i>O</i> -6- <i>O</i> -[(1,1-dimethylethyl)dimethylsilyl]- α - <i>L</i> -mannopyranosyl-(1 $\rightarrow$ 4)- <i>O</i> -[6- <i>O</i> -[(1,1-dimethylethyl)dimethylsilyl]- α - <i>L</i> -mannopyranosyl-(1 $\rightarrow$ 6)]- <i>O</i> - α - <i>L</i> -mannopyranosyl-(1 $\rightarrow$ 4)- <i>O</i> -[6- <i>O</i> -[(1,1-dimethylethyl)dimethylsilyl]- α - <i>L</i> -mannopyranosyl-(1 $\rightarrow$ 4)- <i>O</i> -[6- <i>O</i> -[(1,1-dimethylethyl)dimethylsilyl]- α - <i>L</i> -mannopyranosyl-(1 $\rightarrow$ 6)]- α - <i>L</i> -mannopyranosyl-(1 $\rightarrow$ 6)]- α - <i>L</i> -mannopyranoside (80)	277
	Abbreviations	278
	References	279

10	Protecting Group Strategies for Sialic Acid Derivatives	283
	<i>Harsha Amarasekara, Szymon Buda, Appi R. Mandhapati, and David Crich</i>	
10.1	Introduction	283
10.2	Protection of the Carboxylate Group	283
10.2.1	Methyl Ester Formation	283
10.2.2	Functionalized Ester Formation	285
10.2.3	Thioesterification	286
10.2.4	Amide Formation	286
10.2.5	Lactonization	287
10.2.6	Lactam Formation	288
10.2.7	Other Cyclic Derivatives	288
10.3	Protection of Amine Function	289
10.3.1	Amide Cleavage	289
10.3.2	Amine Protection with Acyclic Groups	290
10.3.3	Dual Protection of O4 and N5 as the Oxazolidinone and <i>N</i> -Acetyloxazolidinone	292
10.3.4	Dual Protection of O7 and N5 as an Oxazinone	294
10.4	Selective Protection of Alcohols	294
10.4.1	Acylation and Alkylation	294
10.4.2	Alkylation	295
10.4.3	Silylation	295
10.4.4	Selective Acetal Formation and Manipulation	295
10.4.5	Silylene Acetal Formation and Manipulation	299
10.4.6	Acetate Migration	300
10.4.7	Acetylation and Desilylation of Per- <i>O</i> -silyl Ethers	300
10.5	Access to Protected Sialic Acid Derivatives by Total Synthesis	301
10.6	Access to Protected Sialic Acid Derivatives by Chemoenzymatic Synthesis	301
10.7	Preparation of Methyl (methyl 5-acetamido-3,5-dideoxy- β -glycero- β -D-galacto-non-2-ulopyranosid)onate [20, 22, 104]	301
	Abbreviations	302
	References	302
11	Strategies Toward Protection of 1,2- and 1,3-Diols in Carbohydrate Chemistry	307
	<i>Marie Schuler and Arnaud Tatibouët</i>	
11.1	Introduction	307
11.2	Protection as Cyclic Acetals	307
11.2.1	Aliphatic Acetals	307
11.2.1.1	Methylene	307
11.2.1.2	Phenylsulfonylethylidene (PSE): $\text{PhSO}_2\text{CH}_2\text{CH}_2\text{CH}(\text{OR})_2$	308
11.2.1.3	Cycloalkylidene (Cyclopentyl- and Cyclohexyl-)	309
11.2.1.4	Isopropylidene (Acetonide)	310
11.2.2	1,2-Acetals: Dispiroketal (Spoke), Cyclohexane-1,2-diacetal (CDA), and Butane-1,2-diacetal (BDA)	312
11.2.3	Aromatic Acetals	314
11.2.3.1	Benzylidene Acetals	314

11.2.3.2	<i>p</i> -Methoxybenzylidene Acetals	315
11.2.3.3	Halobenzylidene Acetals	316
11.2.3.4	Nitrobenzylidene Acetals	317
11.2.3.5	Polyaromatic Methylene Acetals	319
11.3	Protection as Orthoesters	320
11.3.1	Methoxy-, Ethoxymethylene Orthoesters	321
11.3.2	1-Methoxy, 1-Ethoxyethylidene and α -Methoxy, α -Ethoxybenzylidene Ortho Esters	322
11.3.3	Methylidene Ortho Ester	323
11.4	Silylene Acetals as Protecting Groups	324
11.4.1	Di- <i>t</i> -butylsilylene DTBS (OR) ₂	324
11.4.2	Methylene 1,3-bis-Diisopropylsilanyl Group	326
11.4.3	1,1,4,4-Tetraphenyl-1,4-disilabuta-1,4-diyl group (SIBA)	326
11.4.4	1,1,3,3-Tetraisopropylidisiloxane-1,3-diyl (TIPDS) Group	326
11.4.5	1,1,3,3-Tetramethyldisiloxane-1,3-diyl Group	327
11.5	Cyclic Carbonate	327
11.6	Summary and Conclusions	329
11.7	Experimental Part: Procedure for Regioselective and Reductive Benzylidene Opening Synthesis of Methyl 2,3,4-Tri- <i>O</i> -benzyl- α -D-glucopyranoside	329
	Abbreviations	329
	References	330

12	Protecting Group Strategies Toward Glycofuranoses	337
	<i>Vincent Ferrières, Laurent Legentil, and Loïc Lemiègre</i>	
12.1	Introduction	337
12.2	What About Chemistry Without Protecting Groups?	338
12.2.1	Special Reactivity at the Anomeric Center	338
12.2.1.1	Fischer Glycosylation	338
12.2.1.2	1- <i>O</i> -alkylation of Galactose	340
12.2.1.3	Furanolactones	341
12.2.2	Direct Protection of Hexoses by Acetalization	341
12.2.2.1	Preparation of Glucofuranoside Ketals	342
12.2.2.2	Preparation of Mannofuranose Ketals	344
12.2.2.3	Preparation of Galactofuranose Ketals	345
12.2.2.4	Preparation of Other Furanoside Ketals	346
12.2.2.5	Selective Deprotection of Furanose Ketals	348
12.2.3	Direct Acylation	348
12.2.4	Direct Silylation	351
12.3	Protecting Group Interconversion	353
12.3.1	Selective Acylation and Deacylation	353
12.3.1.1	Chemical Methods	353
12.3.1.2	Chemoenzymatic Methods	354
12.3.2	The Silyl Groups	357
12.4	Multistep Synthesis of Some Furanosyl-containing Glycosides and Conjugates	358

12.4.1	The Galactono-1,4-lactone as a Key Substrate	359
12.4.2	Synthesis of 1,2- <i>cis</i> -Furanosides	359
12.4.2.1	Intramolecular Aglycon Delivery (IAD)	359
12.4.2.2	Synthesis of Agelagalastatin	360
12.4.2.3	Epoxide Opening	360
12.5	The Striking Ring Contraction Strategy	362
12.5.1	An Enzymatic Pathway: The Unprecedented Mechanism from the Mutase	362
12.5.2	Chemical Approaches	363
12.5.2.1	From 1,4-Anhydrogalactopyranose	363
12.5.2.2	The Role of Sulfate Groups	364
12.6	Conclusion Strategy for Synthesizing 4-Amino-4-deoxy and 4-Deoxy-4-thio-aldose Derivatives	364
	Abbreviations	364
	References	366
13	Cyclodextrin Chemistry via Selective Protecting Group Manipulations	371
	<i>Juan M. Benito and José M. García Fernández</i>	
13.1	Introduction	371
13.1.1	Structure–Reactivity Interplay in Native CDs	372
13.2	Per- <i>O</i> -protection of Cyclodextrins	373
13.3	Face-selective Differentiation: Primary vs Secondary Hydroxyl Protection	374
13.3.1	Strategies Toward Regioselective Protection of All Hydroxyls at the Primary Rim	374
13.3.2	Strategies Toward Full Protection of Hydroxyls at the Secondary Rim	375
13.3.2.1	Strategies Toward Full Protection of Secondary Hydroxyls	375
13.3.2.2	Strategies Toward Differentiation Between Secondary Hydroxyls	377
13.4	Single Hydroxyl Protection Strategies	379
13.4.1	(Regio)selective Protection of a Primary Hydroxyl Group	379
13.4.2	(Regio)selective Protection of a Secondary Hydroxyl Group	381
13.5	Concerted Protection of Hydroxyl Sets (Pairs or Triads)	381
13.5.1	Concerted Protection of Primary Hydroxyl Sets	381
13.5.2	Concerted Protection of Secondary Hydroxyl Sets	383
13.6	Regioselective Deprotection of Symmetric Cyclodextrins	384
13.6.1	The DIBALH Scalpel: Concerted DIBALH-Promoted Primary Rim Debenzylations	384
13.6.2	Regioselective DIBALH-Promoted Primary Rim Desilylation	387
13.6.3	DIBALH-Promoted Regioselective Demethylation of Secondary Hydroxyl Pairs	387
13.7	Summary and Conclusions	388
13.8	Experimental Procedures	388
13.8.1	<i>O</i> -TBDMS Protection at the Primary Rim of α -, β -, and γ CD	388
13.8.2	Regioselective Per-(<i>O</i> -2, <i>O</i> -6)-allylation of α -, β -, and γ CD	389
13.8.3	Regioselective Per-(<i>O</i> -2)-methylation of α - and β CD	389

13.8.4	Regioselective <i>bis</i> (Debenzylation) at the Primary Rim of Per-O-benzylated α and β CD	389
	Abbreviations	389
	References	390
14	Protecting Group Strategies Toward Sulfated Glycosaminoglycans	395
	<i>Hélène Ledru, Pascal Matton, Jean-Maurice Mallet, and Chrystel Lopin-Bon</i>	
14.1	Introduction	395
14.2	O- and N-sulfation in Glycosaminoglycan Glycosaminoglycans Synthesis	397
14.3	Protecting Group Strategies for the Synthesis of Sulfated Oligosaccharides of the Proteoglycans Linkage Region	397
14.3.1	Sulfations via a 4,6-Diol Precursor	397
14.3.2	Sulfations via Temporary Protection on Specific Positions	399
14.4	Protecting Group Strategy for the Synthesis of Chondroitin Sulfate	403
14.4.1	Sulfation at Position 4 or/and 6 of the GalN: Synthesis of CS-A, -C, and -E	403
14.4.1.1	4- or 6-Sulfation from a Single 4,6-Diol	403
14.4.1.2	4- or 6-Sulfation After Reductive Ring Opening of 4,6-Benzylidene Acetal	405
14.4.1.3	4- or 6-Sulfation from Temporary Protecting Groups	410
14.4.2	Sulfation at Position 2 or 3 of the GlcA and 4 and/or 6 of the GalN: Synthesis of CS-D, -K, -L, and -M	412
14.5	Protecting Groups in Heparin and HS Synthesis	415
14.6	Summary and Conclusions	419
14.7	Experimental Part: Procedure for Regioselective 6-O-benzoylation Followed by 4-Sulfation, an Example of the Synthesis of Disaccharide 31 [18]	419
	Abbreviations	420
	References	421
15	Applications of Fluorous and Ionic Liquid Tags in Oligosaccharide Synthesis	423
	<i>Imke Sittel and M. Carmen Galan</i>	
15.1	Introduction	423
15.2	Fluorous Supports	424
15.2.1	Ether-linked FTags	426
15.2.2	Ester-linked FTags	430
15.2.3	Difluorous Tagged Strategies	431
15.2.4	Carbamate FTags	433
15.2.5	Silyl Ether FTags	434
15.2.6	Phosphate FTags	435
15.3	Ionic Liquid Supports	436
15.3.1	Ester-linked ITags at the C-4 and C-6 Position	437
15.3.2	Ether-linked ITags at the Anomeric Position	441
15.3.3	ITag-assisted Chemoenzymatic Oligosaccharide Synthesis	445

- 15.3.3.1 Synthesis of 3-(Perfluorooctyl)propanyloxybutenyl-4-*O*-benzyl-3-*O*-levulinyl-6-*O*-(4-*O*-benzyl-6-*O*-*t*-butyldiphenylsilyl-3-*O*-levulinyl-2-*O*-pivaloyl- α -D-mannopyranoside)-2-*O*-pivaloyl- α -D-mannopyranoside [15a] 446
- 15.3.3.2 Synthesis of 3-(3-Methylimidazolium)-propyl 2,3,4-tri-*O*-benzoyl-6-*O*-(2,3,4-tri-*O*-benzoyl-6-*O*-triisopropylsilyl- β -D-glucopyranosyl)- β -D-glucopyranoside trifluoromethanesulfonate [34] 447
- 15.4 Conclusions 447
- Abbreviations 447
- References 448

16 Orthogonally Protected Building Blocks for Automated Glycan Assembly 451

Fabian Pfrengle and Peter H. Seeberger

- 16.1 Introduction 451
- 16.2 Protecting Groups 452
 - 16.2.1 Permanent Protecting Groups 453
 - 16.2.1.1 Participating Protecting Groups 453
 - 16.2.1.2 Nonparticipating Protecting Groups 453
 - 16.2.1.3 Cyclic Protecting Groups 456
 - 16.2.2 Temporary Protecting Groups 456
 - 16.2.2.1 Participating Protecting Groups 457
 - 16.2.2.2 Nonparticipating Protecting Groups 458
 - 16.2.2.3 Colorimetric Protecting Groups for Monitoring Reaction Progress 459
- 16.2.3 Capping of Free Hydroxyl Groups During Glycan Assembly 459
- 16.3 General Strategy for the Design of Orthogonally Protected Building Blocks 460
- 16.4 “Approved Building Blocks” for Automated Glycan Assembly 461
- 16.5 Solid-phase Syntheses of Mammalian, Microbial, and Plant Oligosaccharides 464
- 16.6 Chances, Challenges, and Commercialization of Automated Glycan Assembly 467
- Abbreviations 469
- References 470

17 Kilogram-scale Production of Synthetic Heparin Analogs: Some Chemical Considerations 473

Patrick Trouilleux, Pierre Potier, and Pierre-Alexandre Driguez

- 17.1 Introduction 473
- 17.2 Kilogram Synthesis of Heparin Building Blocks 474
 - 17.2.1 General Considerations 474
 - 17.2.1.1 Development and Production of Synthetic Heparin Analogs 474
 - 17.2.1.2 New Synthetic Oligosaccharides with Neutralizable Antithrombotic Activities 475
 - 17.2.3 Retrosynthetic Analysis 476
 - 17.2.4 Synthesis of Idrabiotaparinux and Hexadecasaccharide 2 478

17.2.4.1	Synthesis of GlcN ^V –GlcUA ^{IV} –Glc ^{III} –IdoUA ^{II} –Glc ^I Precursors	478
17.2.4.2	Synthesis of GlcN ^V Unit Precursor 14	482
17.2.4.3	Synthesis of the Key Disaccharidic Building Block 21	482
17.2.4.4	Synthesis of Tetrasaccharide 26	484
17.2.4.5	Elongation of the Spacer	485
17.2.4.6	Synthesis of the Dodecasaccharide Glycosyl Donor 29	485
17.2.4.7	Final Glycosylation and Conjugation with Biotin	485
17.3	Experimental Section	487
17.3.1	General Conditions for 1,6-Anhydro Acetolysis	487
17.3.2	General Conditions for Anomeric Deacetylation	487
17.3.3	General Conditions for Trichloroacetimidate Formation	487
17.3.4	General Conditions for Glycosylation with Trichloroacetimidate	488
17.3.5	General Conditions for Glycosylation with Thioglycoside	488
17.3.6	General Conditions for Delevulinoylations	488
17.3.7	General Conditions for Transesterifications (Zemplén)	488
17.3.8	General Conditions for O-sulfonations	489
17.3.9	General Conditions for Uronate Saponification	489
17.3.10	General Conditions for the Catalytic Hydrogenolysis	489
17.4	Summary and Conclusions	489
	Abbreviations	489
	References	490

Index	493
--------------	------------