

| | | |
|----------|---|----------|
| 1 | Phosphines and Related Tervalent Phosphorus Systems | 1 |
| | <i>Piet W. N. M. van Leeuwen</i> | |
| 1.1 | Introduction | 1 |
| 1.1.1 | History | 1 |
| 1.1.2 | Alternative Ligands | 2 |
| 1.1.3 | Aim of the Chapter | 2 |
| 1.2 | Synthesis of Phosphorus Ligands | 3 |
| 1.2.1 | Introduction | 3 |
| 1.2.2 | Nucleophilic Substitution by Carbanions at $P^{\delta+}$ | 3 |
| 1.2.3 | Phosphorus–Carbon Bond Cleavage and Phosphido Anion Preparation | 7 |
| 1.2.4 | Phosphido Anions as Nucleophiles | 9 |
| 1.2.5 | P–H Addition to Unsaturates | 12 |
| 1.2.6 | Reduction of Phosphine Oxides and Sulfides | 13 |
| 1.2.7 | X/Y-Substitution at Phosphorus | 14 |
| 1.2.8 | Aryl-X in Metal-Catalyzed Cross-Coupling | 15 |
| 1.2.9 | Quaternization and Reduction | 16 |
| 1.2.10 | The Use of $R_2PCH_2^-$ Anions in Phosphine Synthesis | 16 |
| 1.3 | Ligand Properties | 18 |
| 1.3.1 | Electronic Properties | 18 |
| 1.3.2 | Steric Properties | 20 |
| 1.3.3 | The Bite Angle of Bidentate Ligands | 22 |
| 1.3.4 | Chirality | 25 |
| 1.3.4.1 | P-Stereogenic or P-Chiral Ligands | 25 |
| 1.3.4.2 | Chiral Backbone | 27 |
| 1.3.4.3 | Chiral Substituents at Phosphorus | 27 |
| 1.3.4.4 | Axial Asymmetry or Atropisomery | 27 |
| 1.3.4.5 | Spiro Diphosphines | 28 |
| 1.3.4.6 | Planar Asymmetry | 28 |
| 1.3.4.7 | Helical Symmetry | 29 |
| 1.4 | Rhodium-Catalyzed Hydroformylation with Xantphos-Type Ligands | 29 |
| 1.4.1 | Introduction | 29 |

| | | |
|---------|--|----|
| 1.4.2 | Monophosphines, Characterization Studies, and Diphosphines | 30 |
| 1.5 | Cross-Coupling Catalysis with Mono- and Bidentate Phosphines | 33 |
| 1.5.1 | Introduction and Simplified Mechanism | 33 |
| 1.5.2 | Oxidative Addition | 34 |
| 1.5.3 | Transmetallation | 37 |
| 1.5.4 | Reductive Elimination | 37 |
| 1.6 | Decomposition Reactions | 43 |
| 1.6.1 | Phosphine Decomposition | 43 |
| 1.6.1.1 | Phosphine Oxidation | 43 |
| 1.6.1.2 | P–C Cleavage of Ligands | 44 |
| 1.6.2 | Phosphite Decomposition | 47 |
| | References | 50 |

2 Recent Developments in Phosphonium Chemistry 59

Mathieu Berchel and Paul-Alain Jaffrès

| | | |
|---------|---|-----|
| 2.1 | Introduction | 59 |
| 2.2 | Synthesis of Phosphonium Salts | 60 |
| 2.3 | Phosphonium Salts as a Tool for Organic Synthesis | 70 |
| 2.3.1 | Phosphonium Salts as Ionic Liquids | 70 |
| 2.3.2 | Phase Transfer Catalysis (PTC) | 74 |
| 2.3.3 | Coupling Agent for Peptide Synthesis | 78 |
| 2.4 | Phosphonium Salts for Biological and Medical Applications | 84 |
| 2.4.1 | Targeting Mitochondria | 84 |
| 2.4.1.1 | Anticancer Drugs | 86 |
| 2.4.1.2 | Imaging Agents | 90 |
| 2.4.2 | Phosphonium Salts for Nucleic Acid Delivery | 92 |
| 2.4.3 | Phosphonium Salts as Antimicrobial Agents | 96 |
| 2.5 | Conclusion | 102 |
| | References | 103 |

3 Phosphorus Ylides and Related Compounds 113

Alejandro Presa Soto and Joaquín García-Álvarez

| | | |
|---------|--|-----|
| 3.1 | Introduction | 113 |
| 3.2 | Preparation of Phosphorus Ylides | 115 |
| 3.2.1 | Synthesis of Phosphorus Ylides from Phosphonium Salts | 116 |
| 3.2.2 | One-Pot Three-component Reactions of Phosphines, Dialkyl Acetylenedicarboxylates, and Various Organic Nucleophiles | 121 |
| 3.2.3 | Other Methodologies for the Synthesis of Phosphorus Ylides | 125 |
| 3.3 | Applications of Phosphorus Ylides in Organic Synthesis | 130 |
| 3.3.1 | Wittig Reaction | 130 |
| 3.3.1.1 | Application of Wittig Reaction in Cyclization Processes | 133 |
| 3.3.1.2 | Application of Wittig Reaction in Tandem Processes | 135 |
| 3.3.1.3 | Application of Wittig Reaction in Total Synthesis of Natural Products | 140 |
| 3.3.1.4 | Wittig Reactions with Nonstabilized Ylides | 142 |

- 3.3.1.5 Application of Wittig Reaction in Nonconventional Solvents or Under Solvent-free Conditions 144
- 3.3.2 Other Organic Reactions of Phosphorus Ylides 146
- 3.4 Conclusions 148
- Acknowledgments 148
- References 148

4 Low-Coordinate Phosphorus Compounds with Phosphaorganic Multiple Bond Systems 163

Dietrich Gudat

- 4.1 Introduction 163
- 4.2 General Considerations on Structure and Bonding of PC Multiple Bond Systems 165
 - 4.2.1 Bonding and Stability 165
 - 4.2.2 Structural and Spectroscopic Data 169
- 4.3 Synthetic Approaches 171
 - 4.3.1 Acyclic Phosphaalkenes 171
 - 4.3.2 Phosphaalkynes 174
 - 4.3.3 Delocalized Ring Systems: Phosphinines and Phospholides 175
- 4.4 Reactivity 177
 - 4.4.1 Addition and Cycloaddition Reactions 177
 - 4.4.2 Reactions with Electrophiles 179
 - 4.4.3 Reactions with Nucleophiles 180
 - 4.4.4 Oxidation, Reduction, and Metathesis 181
 - 4.4.5 Metal Coordination 181
- 4.5 Applications of Phosphorus–Carbon Multiple Bond Systems 184
 - 4.5.1 PC Multiple Bond Systems in π -Conjugated Materials 184
 - 4.5.2 Oligomerization of PC Multiple Bond Systems: Building Rings and Cages 188
 - 4.5.3 Polymeric Materials from PC Multiple Bond Systems 192
 - 4.5.4 Chiral Phosphorus-Containing Multiple Bond Systems 195
 - 4.5.5 PC Multiple Bond Systems in Coordination Chemistry and Catalysis 198
 - 4.5.6 PC Multiple Bond Systems for Nanoparticle Stabilization and Surface Functionalization 206
- References 209

5 Pentacoordinate Phosphorus Compounds 219

Masaaki Yoshifuji

- 5.1 History of Pentacoordinate Phosphorus Compounds 219
- 5.2 Preparation of Pentacoordinate Phosphorus Compounds 221
- 5.3 Structure of Trigonal Bipyramid and Square Pyramid 228
- 5.4 Interconversion of Pentacoordinate Phosphorus Compounds 229
- 5.5 Apicophilicity 232
- 5.6 Hydrolysis of Phosphate Esters 233
- References 235

| | | |
|----------|--|------------|
| 6 | Hexacoordinate Phosphorus Compounds | 239 |
| | <i>Masaaki Yoshifuji</i> | |
| 6.1 | Preparation and Structure of Hexacoordinate Phosphorus Compounds | 239 |
| 6.2 | Stereochemistry of Hexacoordinate Phosphorus Compounds | 241 |
| 6.3 | Hexacoordinate Compounds with Intramolecular Coordination | 242 |
| 6.4 | Theoretical Studies on Hexacoordinate Phosphorus Compounds | 245 |
| 6.5 | Hexacoordinate Phosphates as Counter Anions for Complex Ligands | 245 |
| | References | 247 |
| | | |
| 7 | Methods for the Introduction of the Phosphonate Moiety into Complex Organic Molecules | 249 |
| | <i>Wouter Debrouwer, Iris Wauters, and Christian V. Stevens</i> | |
| 7.1 | Introduction | 250 |
| 7.2 | P—C (sp ³) Bond Formation | 252 |
| 7.2.1 | Michaelis–Arbuzov Reaction | 252 |
| 7.2.2 | Abramov Reaction | 254 |
| 7.2.3 | Michaelis–Becker Reaction | 254 |
| 7.2.4 | Pudovik Reaction | 254 |
| 7.2.5 | Kabachnik–Fields Reaction | 256 |
| 7.2.6 | Transition-metal-Catalyzed Coupling Reactions | 257 |
| 7.2.7 | Hydrophosphonylation of Unsaturated C—C Bonds | 258 |
| 7.2.7.1 | Palladium-Catalyzed Hydrophosphonylation | 258 |
| 7.2.7.2 | Rhodium-Catalyzed Hydrophosphonylation | 259 |
| 7.2.7.3 | Manganese-Catalyzed Hydrophosphonylation | 260 |
| 7.2.7.4 | Michael Addition | 261 |
| 7.3 | P—C (sp ²) Bond Formation | 261 |
| 7.3.1 | Michaelis–Arbuzov Reaction | 261 |
| 7.3.2 | Transition-metal-Catalyzed Coupling Reactions | 264 |
| 7.3.2.1 | Palladium-Catalyzed Coupling | 264 |
| 7.3.2.2 | Copper-Catalyzed Coupling | 271 |
| 7.3.2.3 | Nickel-Catalyzed Coupling | 272 |
| 7.3.3 | Hydrophosphonylation | 273 |
| 7.3.4 | Other Methods | 275 |
| 7.3.4.1 | Insertion of Phosphonylated Zirconacycles into Alkynes | 275 |
| 7.3.4.2 | Derivatization of Alkynylphosphonates | 276 |
| 7.3.4.3 | Electrophilic Phosphorus Reagents | 276 |
| 7.3.4.4 | Radical Trapping with Trialkyl Phosphites | 277 |
| 7.3.4.5 | Electrochemical Synthesis of Organophosphorus Compounds | 277 |
| 7.3.4.6 | Horner–Wadsworth–Emmons Approach | 278 |
| 7.4 | P—C (sp) Bond Formation | 278 |
| 7.4.1 | Michaelis–Arbuzov Reaction | 278 |
| 7.4.2 | Electrophilic Phosphorus Reagents | 279 |
| 7.4.2.1 | Grignard Reagents | 279 |
| 7.4.2.2 | Lithiated Reagents | 280 |
| 7.4.2.3 | Other Metal Acetylides | 280 |

| | | |
|----------|---|------------|
| 7.4.3 | Transition-metal-Catalyzed Coupling Reactions | 281 |
| 7.4.3.1 | Copper-Catalyzed Coupling | 281 |
| 7.4.3.2 | Palladium-Catalyzed Coupling | 283 |
| 7.4.4 | Other Methods | 284 |
| 7.4.4.1 | Isomerization of Allenylphosphonates | 284 |
| 7.4.4.2 | Heating of Selenoxides | 285 |
| 7.5 | Conclusion | 285 |
| | References | 286 |
| 8 | Phosphorus Heterocycles | 295 |
| | <i>Viktor Iaroshenko and Satenik Mkrtchyan</i> | |
| 8.1 | Introduction | 295 |
| 8.2 | Five-Membered Phosphorus Heterocycles | 296 |
| 8.3 | Five-Membered Phosphorus Heterocycles with One Phosphorus Atom: 1 <i>H</i> -Phospholes and Fused Aromatic Systems Containing Phosphole Ring | 296 |
| 8.4 | Aromaticity of 1 <i>H</i> -Phospholes and 1 <i>H</i> -Phosphole-Containing Heterocyclic Systems | 303 |
| 8.5 | 1 <i>H</i> -Phospholes | 305 |
| 8.6 | Synthesis of 1 <i>H</i> -Phospholes Following [4+1] and [2+2+1] Synthetic Strategies | 307 |
| 8.7 | Synthesis of Phospholes by [3+2] Cyclization Reaction | 312 |
| 8.8 | Synthesis of 1 <i>H</i> -Phospholes by Intramolecular Cyclization Reactions | 312 |
| 8.9 | Synthesis of Phosphorus-Containing Porphyrin Hybrids | 316 |
| 8.10 | Fused Heterocycles with 1 <i>H</i> -Phosphole Structural Fragment | 317 |
| 8.11 | Synthesis-Fused 1 <i>H</i> -Phospholes Following [4+1] and [2+2+1] Synthetic Strategies | 320 |
| 8.12 | Synthesis of Fused Phospholes Following [3+2] Synthetic Strategies | 324 |
| 8.13 | Synthesis of Fused Phospholes Following Intramolecular Cyclization Strategies | 329 |
| 8.14 | Application of C—H Bond Activation Protocols for the Synthesis of Benzo[<i>b</i>]phosphindoles via Intramolecular Cyclization | 339 |
| 8.15 | Synthesis of π -Conjugated Benzo[<i>b</i>]phosphindoles Following [2+2+2] Cycloaddition Synthetic Strategy | 341 |
| 8.16 | Five-Membered Phosphorus Heterocycles with One Heteroatom | 342 |
| 8.16.1 | 1,2- and 1,3-Heterophospholes: General Overview | 342 |
| 8.17 | Synthesis of 1,2- and 1,3-Heterophospholes: General Overview | 345 |
| 8.18 | 1,2-Azaphospholes | 347 |
| 8.18.1 | Synthesis of 1,2-Azaphospholes Following [4+1] Synthetic Strategies | 347 |
| 8.19 | Synthesis of 1,2-Azaphospholes Following [3+2] Synthetic Strategies | 351 |
| 8.20 | Synthesis of Fused 1,2-Azaphospholes via Intramolecular Cyclization Strategy | 353 |

| | | |
|--------|--|-----|
| 8.21 | Synthesis of 1,2-Oxophospholes, 1,2-Thiaphosphols, and 1,2-Selenophosphols | 356 |
| 8.22 | 1,3-Azaphospholes | 359 |
| 8.22.1 | Synthesis of 1,3-Azaphosphole Following [4+1] Synthetic Strategies | 359 |
| 8.23 | Synthesis of 1,3-Azaphospholes by Intramolecular Cyclization Reactions | 362 |
| 8.24 | Synthesis of 1,3-Oxaphospholes, 1,3-Thiaphospholes, and 1,3-Selenophospholes | 365 |
| 8.25 | Six-Membered Phosphorus Heterocycles | 372 |
| 8.26 | Phosphenines: General Overview | 372 |
| 8.27 | Synthesis of λ^3 - and λ^5 -Phosphenines: General Overview | 376 |
| 8.28 | Synthesis of Phosphenines Following [5+1] Synthetic Strategy | 378 |
| 8.29 | Synthesis of Phosphenines Following [4+2] Synthetic Strategy | 381 |
| 8.30 | Synthesis of Phosphenines from Phospholes | 388 |
| 8.31 | Synthesis of Phosphenines Following 1,6-Electrocyclization Strategy | 393 |
| 8.32 | Synthesis of Fused λ^3 - and λ^5 -Phosphenines: General Overview | 396 |
| 8.33 | Synthesis of Fused Phosphenines Following [4+2] Synthetic Strategy | 397 |
| 8.34 | Synthesis of Fused Phosphenines by Intramolecular Cyclization | 400 |
| 8.35 | Synthesis of Fused Phosphenines Following [5+1] Synthetic Strategy | 401 |
| 8.36 | Six-Membered Phosphorus Heterocycles with One Heteroatom | 404 |
| 8.37 | Synthesis 1,2-, 1,3-, and 1,4-Heterophosphenines | 408 |
| 8.38 | 1,2-Azaphosphenines | 408 |
| 8.39 | Synthesis of 1,2-Azaphosphenines Following [3+1+1+1] Synthetic Strategy | 409 |
| 8.40 | Synthesis of 1,2-Azaphosphenines Following [3+3] Synthetic Strategy | 414 |
| 8.41 | Synthesis of 1,2-Azaphosphenines Following [3+2+1] Synthetic Strategies | 414 |
| 8.42 | Synthesis of 1,2-Azaphosphenines Following [5+1] Synthetic Strategies | 414 |
| 8.43 | Synthesis of 1,2-Azaphosphenines Following [4+2] Synthetic Strategies | 415 |
| 8.44 | Synthesis of 1,2-Azaphosphenines Following Intramolecular Cyclization Strategies | 417 |
| 8.45 | 1,3-Azaphosphenines | 419 |
| 8.46 | Synthesis of 1,3-Azaphosphenines Following [5+1] Synthetic Strategy | 419 |
| 8.47 | Synthesis of 1,3-Azaphosphenines Following [4+2] Synthetic Strategies | 419 |
| 8.48 | 1,4-Azaphosphenines | 421 |
| 8.49 | Oxygen- and Sulfur-Containing Heterophosphenines | 424 |
| 8.50 | Application and Synthesis of Phosphorine Systems | 429 |
| 8.51 | Application and Synthesis of 1,4-Phosphasilene System | 432 |

| | | |
|----------|---|------------|
| 8.52 | Synthesis of Germanium- and Tin-Containing Heterophosphinines | 437 |
| | References | 441 |
| 9 | Modern Aspects of ^{31}P NMR Spectroscopy | 457 |
| | <i>David S. Glueck</i> | |
| 9.1 | Introduction | 457 |
| 9.1.1 | Properties of the ^{31}P NMR Nucleus and Experimental Details | 457 |
| 9.1.2 | ^{31}P NMR Chemical Shifts | 458 |
| 9.1.3 | Coupling Constants | 458 |
| 9.1.4 | What is New About This Review | 459 |
| 9.2 | Chemical Shifts | 459 |
| 9.2.1 | Chemical Shifts for Common Organophosphorus Compounds | 459 |
| 9.2.2 | ^{31}P NMR Chemical Shifts for Organophosphorus Heterocycles | 459 |
| 9.2.3 | Beyond the Normal Chemical Shift Range | 459 |
| 9.2.4 | Isotope Shifts | 460 |
| 9.2.5 | From Chemical Shifts to Structure and Bonding | 460 |
| 9.2.6 | Prediction of ^{31}P NMR Chemical Shifts | 462 |
| 9.2.6.1 | Structural Assignment Assisted by Computation of ^{31}P NMR Chemical Shifts | 463 |
| 9.3 | Coupling Constants | 464 |
| 9.3.1 | P–H Couplings | 464 |
| 9.3.1.1 | $^1J_{\text{PH}}$ | 464 |
| 9.3.1.2 | Conformational Effects on $^3J_{\text{PH}}$ | 464 |
| 9.3.2 | P–P Couplings | 466 |
| 9.3.3 | P–Se Couplings: Lewis Base Strength | 468 |
| 9.3.4 | P–Pt Couplings: <i>Trans</i> Influence | 469 |
| 9.4 | Two-Dimensional (2D) ^{31}P NMR Techniques | 469 |
| 9.4.1 | Connectivity via 2D Correlation Experiments | 470 |
| 9.4.1.1 | Correlation Spectroscopy (COSY) | 470 |
| 9.4.1.2 | Semiconstant time COSY | 470 |
| 9.4.1.3 | Heteronuclear Multiple-Quantum Correlation Spectroscopy (HMQC) | 470 |
| 9.4.2 | Intramolecular Distances via ^{31}P – ^1H Heteronuclear Overhauser Enhancement Spectroscopy (HOESY) | 471 |
| 9.5 | Analytical Methods | 471 |
| 9.5.1 | Quantification by ^{31}P NMR Integration | 472 |
| 9.5.2 | Direct Analysis of Organophosphorus Compounds | 472 |
| 9.5.3 | Indirect Analysis via Derivatization of Analytes with Organophosphorus Compounds | 473 |
| 9.5.4 | ^{31}P NMR Spectroscopic Probes | 474 |
| 9.5.4.1 | Measurement of Enantiomeric or Diastereomeric Purity of Chiral Phosphines | 474 |
| 9.5.4.2 | Phosphorus Labels for Measuring Enantiomeric Purity | 475 |
| 9.5.5 | Spectroscopic Probes for Lewis Acidity | 475 |
| 9.6 | Diffusion-Ordered NMR Spectroscopy (DOSY) | 476 |
| 9.6.1 | DOSY Analysis of Organophosphorus Compounds | 476 |

| | | |
|-----------|--|------------|
| 9.6.1.1 | Hydrogen Bonding to Phosphine Oxides | 476 |
| 9.6.1.2 | Ion Pairing | 477 |
| 9.6.1.3 | Monomer or Dimer? | 477 |
| 9.6.1.4 | Polymer Characterization | 477 |
| 9.6.1.5 | Quantitative Determination of Molecular Size or Formula Weight | 477 |
| 9.6.2 | DOSY Analysis of Phosphorus-Tagged Analytes | 478 |
| 9.6.2.1 | Phosphitylation of Small Molecules | 478 |
| 9.6.2.2 | Phosphorus-Labeled Biomolecules | 479 |
| 9.7 | Solid-State (SS) ^{31}P NMR | 479 |
| 9.7.1 | Probes of Solid-State Structure and Reactivity | 479 |
| 9.7.1.1 | Anchoring Phosphines to Solid Supports | 479 |
| 9.7.1.2 | Reactions on Surfaces: Sarin | 480 |
| 9.7.1.3 | Spectroscopic Probe of Solid Acids | 480 |
| 9.7.2 | Solid-State vs Solution Structure | 481 |
| 9.7.2.1 | PPh_3Cl_2 | 481 |
| 9.7.2.2 | Pt-phosphaalkene Coordination Mode | 481 |
| 9.7.2.3 | A Ru-Pyrrolato Complex: Monomer or Dimer? | 481 |
| 9.7.3 | Structure and Bonding | 482 |
| 9.7.3.1 | P-B Interactions in Phosphine-Borane-Frustrated Lewis Pairs | 482 |
| 9.7.3.2 | Ti=P Multiple Bonding in a Phosphinidene Complex | 482 |
| 9.7.3.3 | Distance Information from Transferred Echo Double Resonance (TEDOR) | 483 |
| 9.8 | Physical and Chemical Processes of Organophosphorus Compounds | 483 |
| 9.8.1 | Dynamic Processes | 483 |
| 9.8.1.1 | Restricted Rotation | 483 |
| 9.8.1.2 | Pyramidal Inversion | 484 |
| 9.8.1.3 | Pseudorotation | 484 |
| 9.8.2 | Chemical Exchange | 485 |
| 9.8.2.1 | Tautomerization | 485 |
| 9.8.2.2 | Te Exchange in Phosphine Tellurides | 487 |
| 9.8.2.3 | Phosphine Dissociation | 487 |
| 9.9 | Identification of Intermediates and Monitoring Their Reactivity | 488 |
| 9.9.1 | Reaction of a Triarylphosphine with Oxygen | 488 |
| 9.9.2 | Phosphonium Intermediates in Asymmetric Appel Oxidation | 488 |
| 9.9.3 | Enhanced ^{31}P NMR Spectra via <i>para</i> -Hydrogen-Induced Polarization (PHIP) | 489 |
| 9.10 | Conclusion | 490 |
| | Acknowledgment | 490 |
| | References | 490 |
| 10 | Phosphorus in Chemical Biology and Medicinal Chemistry | 499 |
| | <i>Marlon Vincent V. Duro, Dana Mustafa, Boris A. Kashemirov, and Charles E. McKenna</i> | |
| 10.1 | Phosphorus and Life: An Introduction | 499 |

| | | |
|--------|--|-----|
| 10.2 | Unnatural Nucleotides as Chemical Tools in Biology | 500 |
| 10.2.1 | Base-Modified Nucleoside Triphosphates | 501 |
| 10.2.2 | Modifications Within the Triphosphate | 504 |
| 10.2.3 | Modifications at the Terminal Phosphate | 514 |
| 10.3 | Prodrugs of Nucleoside Phosphates and Phosphonates | 516 |
| 10.3.1 | Approaches for Nucleoside Monophosph(on)ates | 517 |
| 10.3.2 | Prodrugs of Nucleoside Di- and Triphosphates | 521 |
| 10.4 | Synthesis and Medical Applications of Bisphosphonates | 522 |
| 10.4.1 | Pharmacologically Active Bisphosphonates (and Phosphonocarboxylates) | 523 |
| 10.4.2 | Synthesis of Bisphosphonates | 524 |
| 10.4.3 | Bisphosphonates in Medical Imaging and Drug Delivery | 527 |
| 10.4.4 | Lipophilic Bisphosphonates | 529 |
| 10.4.5 | Benefits and Risks of Bisphosphonate Therapies | 530 |
| 10.5 | Conclusion: The Future of Phosphorus in Chemical Biology and Medicinal Chemistry | 531 |
| | References | 531 |

| | | |
|-----------|---|------------|
| 11 | Future Trends in Organophosphorus Chemistry | 545 |
| | <i>Shin-ichi Kawaguchi and Akiya Ogawa</i> | |
| 11.1 | Introduction | 545 |
| 11.2 | Facile C—P Bond Formation Methods | 545 |
| 11.2.1 | Addition Reactions of Phosphorus Compounds to Unsaturated Bonds | 545 |
| 11.2.2 | Cross-coupling Reactions of Phosphorus Compounds | 550 |
| 11.3 | Utilization of Organophosphorus Compounds | 551 |
| 11.3.1 | Frustrated Lewis Pairs | 551 |
| 11.3.2 | Ionic Liquids | 552 |
| 11.3.3 | Fluorinated Phosphine Ligands | 552 |
| | References | 553 |

| | |
|--------------|------------|
| Index | 557 |
|--------------|------------|