

Contents

1	Introduction	1
1.1	Edible Oils	1
1.1.1	Introduction	1
1.1.2	Constituents of Edible Oils	1
1.1.3	Methods of Analysis of Main Edible Oil Constituents	5
1.1.4	Detection of Adulteration	7
1.2	Olive Oil	8
1.2.1	Legal Classification of Olive Oil	8
1.2.2	Sensory Assessment of Virgin Olive Oils	10
1.2.3	Genetic Varieties	12
1.2.4	Geographical Origin	14
1.2.5	Oxidation Compounds from Olive Oil	14
1.3	Analytical Techniques	17
1.3.1	CEC	17
1.3.2	LC	20
1.3.3	Chromatographic Parameters	21
1.3.4	IR Spectroscopy	23
1.3.5	MS	26
1.3.6	Electronic Olfactometry	30
1.3.7	Data Statistical Treatment	33
	References	38
2	Objectives and Work Plan	45
3	Materials and Methods	47
3.1	Reagents and Materials	47
3.1.1	Standards	47
3.1.2	Solvents	47
3.1.3	Monomers, Crosslinkers and Initiators	48
3.1.4	Other Reagents	48

3.2	Samples.	48
3.3	Sample Preparation.	49
3.3.1	Ts.	49
3.3.2	Sterols and Alcohols.	49
3.3.3	Amino Acids.	50
3.3.4	Oil Treatment for Direct Infusion MS.	51
3.3.5	Phenolic Compounds.	51
3.3.6	Elimination of EVOO Phenolic Compounds.	52
3.3.7	Fatty Acids.	52
3.3.8	OFAs.	52
3.3.9	Other Analytical Parameters.	53
3.4	Column Treatment.	53
3.4.1	Column Conditioning.	53
3.4.2	Monolithic Column Preparation.	54
3.5	Instrumentation and Working Conditions.	54
3.5.1	CEC.	54
3.5.2	Nano-LC.	55
3.5.3	UPLC-MS.	55
3.5.4	FTIR Spectroscopy.	56
3.5.5	Direct Infusion MS.	57
3.5.6	GC.	58
3.5.7	HPLC-UV-Vis and HPLC-MS.	58
3.5.8	Electronic Nose.	60
3.5.9	OSI.	62
3.6	Sensory Analysis.	63
3.7	Treatment of Variables for Statistical Analysis.	63
	References.	64

4	Development of Methods for the Determination of Ts, T₃s and Sterols in Vegetable Oils.	67
4.1	Determination of Ts by CEC Using Methacrylate Monolithic Columns.	67
4.1.1	Influence of Pore Size.	67
4.1.2	Influence of Mobile Phase Composition.	69
4.1.3	Quantitation Studies and Application to Real Samples.	70
4.2	Determination of Ts and T ₃ s by Nano-LC Using a Silica Monolithic Column.	74
4.2.1	Optimization of the Separation Conditions.	74
4.2.2	Quantitation Studies and Application to Real Samples.	76
4.3	Methacrylate Monolithic Columns for Nano-LC Determination of Ts and T ₃ s.	77
4.3.1	Influence of Mobile Phase Composition.	79

4.3.2	Quantitation Studies and Application to Real Samples	80
4.4	Determination of Sterols by CEC Using Methacrylate Monolithic Columns	83
4.4.1	Optimization of the Separation Conditions	83
4.4.2	Quantitation Studies and Application to Real Samples	89
4.5	Determination of Sterols by UPLC-MS	91
4.5.1	Optimization of the Separation Conditions	92
4.5.2	Quantitation Studies and Application to Real Samples	94
	References	101
5	Development of Methods for the Classification of Vegetable Oils According to Their Botanical Origin	105
5.1	Classification Using FTIR Spectroscopy Data	105
5.1.1	Data Treatment and Construction of Data Matrices . . .	105
5.1.2	Construction of LDA Models	107
5.1.3	Use of MLR to Determine EVOO Adulteration	109
5.2	Classification Using Sterol Profiles Established by Direct Infusion MS	111
5.2.1	Selection and Normalization of the Variables	112
5.2.2	Construction of Data Matrices and LDA Models	113
5.3	Classification Using Alcoholic Fraction Profiles Established by HPLC-MS	117
5.3.1	Optimization of the Esterification Procedure	117
5.3.2	Optimization of the Separation Conditions	119
5.3.3	Construction of Data Matrices and LDA Models	120
5.4	Classification Using Amino Acid Profiles Established by Direct Infusion MS	124
5.4.1	MS Amino Acid Profiles	124
5.4.2	Construction of Data Matrices and LDA Models	124
5.5	Classification Using Amino Acid Profiles Established by HPLC-UV-Vis	130
5.5.1	HPLC-UV-Vis Amino Acid Profiles	131
5.5.2	Construction of Data Matrices and LDA Models	132
	References	135
6	Development of Methods for Olive Oil Quality Evaluation	137
6.1	Classification of Olive Oils According to Their Quality Grade Using Fatty Acid Profiles Obtained by Direct Infusion MS . . .	137
6.1.1	Ms Fatty Acid Profiles	137
6.1.2	Construction of Data Matrices and LDA Models	139
6.1.3	Evaluation of Binary Mixtures of Olive Oils of Different Quality Grade	140

6.2	Electronic Nose Applied to Defect Detection and Quantitation in Olive Oils and Comparison with Sensory Panel Data	142
6.2.1	Establishment of the Sensory Threshold by Trained Panelists	142
6.2.2	Classification of Oils Containing VOO Defects According to Their Sensory Threshold as Established by a Sensory Panel	146
6.2.3	Prediction of Defect Percentage in Sunflower Oil by Electronic Nose Followed by MLR Data Analysis	148
	References	150
7	Development of Methods for the Classification of EVOOs According to Their Genetic Variety	151
7.1	Classification Using FTIR Spectroscopy Data	151
7.1.1	Data Treatment and Construction of Data Matrices	151
7.1.2	Construction of LDA Models	153
7.2	Classification Using Fatty Acid and Phenolic Compound Profiles Established by Direct Infusion MS	156
7.2.1	Construction of Data Matrices and LDA Models	157
7.3	Classification Using Sterol Profiles Established by HPLC-MS	161
7.3.1	Optimization of the Separation Conditions	162
7.3.2	Construction of Data Matrices and LDA Models	163
7.4	Classification Using Sterol Profiles Established by UPLC-MS	166
7.4.1	Construction of Data Matrices and LDA Models	168
7.4.2	Determination of Sterols in Real Samples	173
	References	173
8	Development of Methods for the Classification of EVOOs According to Their Geographical Origin	175
8.1	Classification Using Phenolic Compound Profiles Obtained by CEC	175
8.1.1	Construction of the Monolithic Columns and Optimization of the Separation Conditions	175
8.1.2	Characterization of the Phenolic Compound Profiles	177
8.1.3	Construction of Data Matrices and LDA Models	179
	References	181
9	Development of Methods for the Evaluation of Olive Oil Oxidation	183
9.1	Study of Chemical Changes Produced in VOOs with Different Phenolic Content During an Accelerated Ageing Treatment	183
9.1.1	Evaluation of the Phenolic Content	184
9.1.2	Phenolic Compound Transformation in EV1 Samples	

	During the Accelerated Ageing Treatment.	187
9.2	Evaluation of the Oxidative Status of VOOs with Different Phenolic Content by Direct Infusion MS.	192
9.2.1	MS Analysis and Selection of the Variables	193
9.2.2	Construction of Data Matrices and LDA Models	194
9.3	MOS Sensors for Monitoring of Oxidative Status Evolution and Sensory Analysis of VOOs with Different Phenolic Contents.	198
9.3.1	Construction of Data Matrices and LDA Models	199
9.3.2	Sensory Analysis and Evaluation of the Constructed LDA Model	200
9.4	Prediction of OFA Concentration in VOOs Using MOS Sensors and MLR.	203
9.4.1	OFA Content.	203
9.4.2	Construction of Data Matrices and MLR Models	205
9.5	Prediction of OFA Concentration in VOOs Using FTIR and MLR.	208
9.5.1	Description of FTIR Spectra and Construction of Data Matrices and MLR Models	208
	References	211
10	General Conclusions.	213
10.1	Development of Methods for the Determination of Ts and T ₃ s in Vegetable Oils	213
10.2	Development of Methods for the Determination of Sterols in Vegetable Oils.	214
10.3	Development of Methods for the Classification of Vegetable Oils According to Their Botanical Origin.	215
10.4	Development of Methods for Olive Oil Quality Evaluation	215
10.5	Development of Methods for the Classification of EVOOs According to Their Genetic Variety	216
10.6	Development of Methods for the Classification of EVOOs According to Their Geographical Origin	217
10.7	Development of Methods for the Evaluation of Olive Oil Oxidation	217