

Contents

1	Introduction	1
	References	4
2	Light-Scattering and -Absorption of Nanoparticles	5
2.1	Introduction	5
2.2	Quasi-Static Approximation	6
2.2.1	Derivation of the Polarizability	6
2.2.2	QSA for Nano Spheroids.	10
2.2.3	QSA for Coated Spheroids	12
2.2.4	Extension for Gold Nanorods.	13
2.3	Mie-Theory	15
2.3.1	Mie Theory for Coated Spheres	17
2.4	Numerical Methods.	18
2.4.1	Discrete Dipole Approximation	18
2.4.2	Boundary Element Method	19
2.5	Results Obtained by Theory and Simulations.	20
2.5.1	Resonance Dependency on Shape of the Particles	20
2.5.2	Resonance Dependency on Material	21
2.5.3	Resonance Dependency on Embedding Refractive Index.	23
2.5.4	Resonance Dependency on Water Temperature	25
2.5.5	Influence of a Substrate	26
2.5.6	Comparison of Scattering Cross-Sections	29
2.5.7	Resonance Dependency on Interparticle Distance of Spheres	31
2.5.8	Optical Response of a Dimer.	33
	References	36

3	Synthesis of Nanoparticles	39
3.1	Gold Nanorods	39
3.2	Silver Coated Gold Nanorods	40
3.2.1	Coating on a Substrate for Single Particle Observation	41
3.3	Synthesis of Gold Nanorattles	42
3.3.1	Chemical Procedure	42
3.4	Synthesis of Silver Samples	43
3.4.1	Synthesis of Silver Nanocubes	43
3.4.2	Synthesis of Silver Nanorods	44
3.4.3	Synthesis of Silver Nanotriangles	44
	References	44
4	Analytical Methods	47
4.1	Ensemble Spectra	47
4.2	Darkfield Microscopy	49
4.3	Transmission Electron Microscopy	50
4.4	Size Measurements by Dynamic Light Scattering	51
	References	53
5	Novel Setups	55
5.1	The Fast Single-Particle Spectroscopy (FastSPS) Setup	56
5.2	The Polarization Resolved Spectroscopy (RotPOL) Setup	59
5.2.1	First Results Obtained With RotPOL	63
5.3	Conclusion	65
	References	68
6	Single Gold Nanoparticle Growth Monitored in situ	71
6.1	Introduction	71
6.2	Investigation with the FastSPS Setup	72
6.2.1	Comparison Experimental of Data with Theory	76
6.3	Polarization Anisotropy Investigation with RotPOL Setup	79
6.4	Conclusions	79
	References	79
7	Protein-Membrane Interaction	81
7.1	Introduction	81
7.2	Sensor Platform Based on Gold Nanorods	82
7.2.1	Creation of Lipid Membranes on Substrates	83
7.3	FastSPS Measurements	84
7.3.1	Experimental and Measurement Procedure	84
7.3.2	Statistics	86
7.3.3	Comparison with Theory	86
7.4	Influence of a Small Spacer in the Membrane	87

7.5	Conclusion	88
	References	89
8	The Optimal Aspect Ratio for Plasmonic Bio-Sensing	91
8.1	Introduction	91
8.2	Plasmon Sensor Quality	92
8.3	Description of Calculation Methods	94
8.4	Results	94
8.4.1	Experimental Results	96
8.5	Discussion	97
8.6	Conclusion.	101
	References	101
9	Increasing Nanoparticles' Refractive Index Sensitivity	103
9.1	Introduction	104
9.2	Silver Coating Reduces Single Particle Linewidth	105
9.3	Nanorattles Show an Increase of Plasmon Sensitivity	106
9.3.1	Ensemble Measurement.	107
9.3.2	Measurement on Single Particle Level	108
9.4	Conclusion.	109
	References	110
10	Plasmonic Focusing Reduces Ensemble Linewidth	113
10.1	Introduction	113
10.2	Explanation of the Plasmonic Focusing Effect	114
10.3	Single Particle Observation During Coating Process	115
10.4	Change of the Plasmon-Shape Relation	117
10.5	Deduction of the Single Particle Linewidth	118
10.6	Conclusion.	119
	References	119
11	Self Calibrating Nano-Ruler	121
11.1	Introduction	122
11.2	Theory on Refractive Index Changes	122
11.3	Single Particle Measurements.	125
11.4	Size-Measurements by DLS.	129
11.5	Conclusion.	130
	References	131
12	Summary	133
	Author Biography	135