
Contents

| | | |
|----------|---|-----------|
| 1 | Introduction | 1 |
| 1.1 | Overview of Approaches to Model Contact Problems | 1 |
| 1.2 | Discussion – Why Covariant Approach? | 13 |
| 1.3 | On Geometrical Approaches in Contact Mechanics | 17 |
| 1.4 | Goals and Structure of the Book | 17 |
| 1.4.1 | Structure of the Current Book | 18 |
| 2 | Differential Geometry of Surfaces and Curves | 25 |
| 2.1 | Definition of the Surface and Its Geometrical Characteristics | 25 |
| 2.1.1 | The Fundamental Tensors and Property of the Surface | 26 |
| 2.1.2 | Study the Local Surface Structure | 28 |
| 2.1.3 | Differential Operations in the Surface Coordinate System | 31 |
| 2.2 | Definition of the Curve in 3D and Its Geometrical Characteristics | 33 |
| 2.2.1 | Definition of a Local Coordinate (Serret-Frenet) System. Serret-Frenet Formulas | 34 |
| 3 | Closest Point Projection Procedure and Corresponding Curvilinear Coordinate System | 35 |
| 3.1 | Closest Point Projection Procedure for Arbitrary Surfaces | 35 |
| 3.1.1 | Formulation of the Closest Point Projection Procedure in Geometrical Terms | 38 |
| 3.1.2 | Proximity Criteria for Different Surfaces | 41 |
| 3.2 | Solvability of the CPP Procedure for Surfaces – Allowable and Non-Allowable Domains | 44 |
| 3.2.1 | Reduction to 2D Plane Geometry – Solvability Criteria and Uniqueness | 44 |

| | | |
|----------|--|-----------|
| 3.2.2 | Proximity Domain for Globally C^0 -Continuous Surface in 3D | 47 |
| 3.2.3 | Reference Example: Projection Domain for a Hyperbolical Surface | 49 |
| 3.3 | Closest Point Projection Procedure for Point-To-Curve Projection and Corresponding Projection Domain | 50 |
| 3.4 | Closest Point Projection Procedure for Curve-To-Curve Contact and Definition of Local Coordinate Systems | 53 |
| 3.4.1 | Definition of a Local Coordinate System Attached to a Curve | 55 |
| 3.4.2 | Analysis of Uniqueness and Existence of Solutions for the CPP: Definition of a Projection Domain | 56 |
| 3.4.3 | Computational Issues of the CPP Procedure | 62 |
| 4 | Geometry and Kinematics of Contact | 63 |
| 4.1 | Kinematics of the Surface-To-Surface Interaction | 63 |
| 4.1.1 | Local Surface Coordinate System | 64 |
| 4.1.2 | Spatial Curvilinear Local Coordinate System and Its Characteristics | 64 |
| 4.1.3 | Measure of Contact Interaction for Surface-To-Surface Contact | 66 |
| 4.1.4 | Spatial Basis Vectors and Metric Tensor | 66 |
| 4.1.5 | Motion of a Slave Point | 71 |
| 4.1.6 | Geometrical Interpretation of Covariant Derivative and Numerical Realization | 74 |
| 4.1.7 | Variation $\delta\xi^3$ and Its Linearization | 77 |
| 4.1.8 | Variation $\delta\xi^i$ and Its Linearization | 79 |
| 4.2 | Kinematics of 2D Contact Interaction | 83 |
| 4.2.1 | Closest Point Projection Procedure and Corresponding Coordinate System | 84 |
| 4.2.2 | 2D Contact Kinematics | 91 |
| 4.2.3 | Linearization of Variations $\delta\zeta$ and $\delta\xi$ | 92 |
| 4.3 | Kinematics of Segment (Deformable)-To-Analytical (Rigid) Surfaces Contact (STAS) – Two Strategies | 95 |
| 4.3.1 | Rigid Surface Is a “Slave” Surface | 95 |
| 4.3.2 | Rigid Surface Is a “Master” Surface | 97 |
| 4.3.3 | Surfaces Allowing a Closed Form Solution for the Penetration | 98 |
| 4.4 | Kinematics of Point-To-Curve Interaction | 105 |
| 4.5 | Kinematics of Curve-To-Curve Interaction | 107 |
| 4.5.1 | Development of Beam-To-Beam and Edge-To-Edge Contact | 108 |
| 4.5.2 | Measures of Contact Interaction | 109 |
| 4.5.3 | Rates and Variations of Measures for Contact Interaction | 112 |

| | | |
|----------|--|------------|
| 4.5.4 | Linearization in a Covariant Form of Variations for Contact Measures | 113 |
| 4.6 | Kinematics of the Curve-To-Rigid-Surface Interaction | 115 |
| 5 | Weak Formulation of Contact Conditions | 119 |
| 5.1 | Weak Formulation of the Surface-To-Surface Contact | 119 |
| 5.2 | Weak Formulation of 2D Contact Interaction | 122 |
| 5.3 | Weak Formulation for Point-To-Curve Contact | 122 |
| 5.4 | Weak Formulation for Curve-To-Curve Contact | 123 |
| 5.5 | Weak Formulation for Curve-To-Rigid Surface Contact | 127 |
| 5.6 | Nitsche and Lagrangian Formulations of Non-Frictional Contact Problems | 128 |
| 5.6.1 | Choice of the Lagrange Multiplier Set μ | 130 |
| 5.6.2 | Physical Meaning of the Non-penetration Terms | 130 |
| 5.6.3 | Types of the Nitsche Approach | 132 |
| 6 | Contact Constraints and Constitutive Equations for Contact Traction | 135 |
| 6.1 | Surface-To-Surface Contact – Non-Frictional Case and Isotropic Coulomb's Frictional Case | 136 |
| 6.1.1 | Contact Constraints for Normal Contact Conditions | 136 |
| 6.1.2 | Tangential Contact Conditions. Evolution Equations | 138 |
| 6.1.3 | Return-Mapping Scheme for the Real Tangential Traction | 140 |
| 6.1.4 | Integration of Evolution Equations. Geometrical Interpretation of the Return-Mapping Scheme | 142 |
| 6.2 | Generalization of Coulomb Friction Law into Complex Contact Interface Law | 143 |
| 6.2.1 | Vector Form of the Isotropic Equations | 143 |
| 6.2.2 | General Interface Model | 144 |
| 6.2.3 | Anisotropic Yield Function | 146 |
| 6.2.4 | Tensor Representations for Anisotropy | 148 |
| 6.3 | Derivation of the Anisotropic Adhesion-Friction Contact Problem via the Principle of Maximum Dissipation | 156 |
| 6.3.1 | Continuous Formulation | 157 |
| 6.3.2 | Incremental Formulation | 158 |
| 6.3.3 | Specification of Initial Conditions for the Return-Mapping Scheme | 161 |
| 6.3.4 | Derivation of the Sliding Incremental Displacement $\Delta \xi^{sl}$ and Update Scheme for the History Variables | 161 |
| 6.3.5 | Computational Aspects for Further Implementation Considering Nonlinear and Constant Tensors | 163 |

| | | |
|----------|--|------------|
| 6.3.6 | Geometrical Interpretation of the Solution Process... | 164 |
| 6.3.7 | Rheological Model of the Orthotropic Adhesion-Friction Problem | 167 |
| 6.4 | Analysis of Various Models for Anisotropic Friction and Adhesion | 168 |
| 6.4.1 | Orthotropic Coulomb Friction Law | 169 |
| 6.4.2 | Model for Orthotropic Contact Interfaces Including Both Adhesion and Friction | 171 |
| 6.4.3 | Recovering Circular Motion for Polar Orthotropy | 172 |
| 6.5 | 2D Contact Problems – Evolution Equations for Contact Tractions | 173 |
| 6.6 | Constitutive Equations for Point-To-Curve Contact Interaction | 174 |
| 6.7 | Curve-To-Curve Contact – Constitutive Equations for Contact Tractions | 175 |
| 6.7.1 | Normal Contact. Specification of Constitutive Laws for the Traction N Coupled with Contact Constraints for the Variable r | 176 |
| 6.7.2 | Tangential Contact. Specification of Constitutive Laws for Tractions T_I Coupled with Contact Constraints for the Variables s_I | 178 |
| 6.7.3 | Rotational Contact. Specification of a Constitutive Law for the Rotational Moment M_I Coupled with Contact Constraints for the Variables φ_I | 180 |
| 6.8 | Curve-To-Curve Contact: Rate of Contact Forces in a Covariant Form | 181 |
| 6.8.1 | Covariant Form for Sticking | 182 |
| 6.8.2 | Covariant Form for Sliding | 182 |
| 6.9 | Curve-To-Rigid Surface Contact – Transformation of the Contact Forces | 182 |
| 7 | Linearization of the Weak Forms – Tangent Matrices in a Covariant Form | 185 |
| 7.1 | Linearization of the Weak Form for the Surface-To-Surface Contact | 185 |
| 7.1.1 | Linearization of the Normal Contact Part δW_c^N | 187 |
| 7.1.2 | Tangent Matrices for the Normal Contact Part δW_c^N | 188 |
| 7.1.3 | Linearization of the Tangential Contact Part δW_c^T – Case of Sticking | 190 |
| 7.1.4 | Linearization of the Tangential Contact Part δW_c^T – Case of Sliding | 192 |
| 7.2 | Linearization of the Weak Form for the 2D Case | 194 |
| 7.2.1 | Tangent Matrix for the Normal Part | 195 |
| 7.2.2 | Tangent Matrix for the Tangential Part | 196 |

| | | |
|----------|--|------------|
| 7.3 | Linearization of the Weak Form for the Surface-To-Surface Contact – Case of Coupled Anisotropic Adhesion-Friction Interfaces | 197 |
| 7.3.1 | Linearization of the Tangential Part δW_c^T | 198 |
| 7.4 | Linearization of the Weak Form for Point-To-Curve Interaction | 202 |
| 7.5 | Linearization of the Weak Form for Curve-To-Curve Contact | 202 |
| 7.5.1 | First Part, Representing Geometrical Nonlinearity | 203 |
| 7.5.2 | Constitutive Part for Sticking | 204 |
| 7.5.3 | Constitutive Part for Tangential Sliding | 205 |
| 7.5.4 | Linearized Part for Rotational Sliding | 206 |
| 7.6 | Linearization of the Weak Form for Curve-To-Rigid Surface Contact | 207 |
| 8 | Surface-To-Surface Contact – Various Aspects for Implementations within the Finite Element Method | 209 |
| 8.1 | Finite Element Discretization for Various Contact Approaches – NTS, STS and STAS Contact Elements | 209 |
| 8.1.1 | Node-To-Segment (NTS) Contact Approach | 210 |
| 8.1.2 | Segment-To-Segment (STS) Contact Approach | 211 |
| 8.1.3 | Segment-To-Analytical Surface (STAS) Contact Approach | 213 |
| 8.2 | Various Approximations of Contact Surfaces Defined by Finite Elements | 214 |
| 8.2.1 | Quadrilateral Segment with Linear Approximation | 214 |
| 8.2.2 | Closed Form Solution for CPP Procedure for Linear Segment | 214 |
| 8.2.3 | Quadrilateral Segment with Quadratic Lagrangian Approximation | 216 |
| 8.2.4 | Surface Smoothing Techniques in a Covariant Approach | 217 |
| 8.3 | Non Frictional Contact Analysis: Node-To-Segment Approach | 230 |
| 8.3.1 | Bending of a Beam over a Rigid Cylinder | 231 |
| 8.3.2 | Bending of a Beam over a Rigid Sphere | 234 |
| 8.3.3 | Discussion | 234 |
| 8.4 | Non Frictional Contact Analysis: Large Penetration Algorithm | 235 |
| 8.4.1 | Large Penetration Algorithm – General Considerations | 236 |
| 8.4.2 | Numerical Examples | 239 |
| 8.4.3 | Wedge Plate Indented into Cantilever Plate | 239 |
| 8.4.4 | Semicircular Plate Indented into Rectangular Plate | 241 |

| | | |
|----------|--|------------|
| 8.4.5 | Bending of a Beam over a Rigid Cylinder | 243 |
| 8.4.6 | Bending of a Beam over a Rigid Sphere | 246 |
| 8.4.7 | Discussion | 249 |
| 8.5 | Frictional Contact Analysis: Node-To-Segment Approach . . . | 249 |
| 8.5.1 | Global Solution Scheme. Summary of the Results . . . | 250 |
| 8.5.2 | Sliding of a Block. Linear Approximation of the Contact Surfaces. Two Types of a Frictional Contact Problem | 250 |
| 8.5.3 | Sliding of a Block. Quadratical Approximation of the Contact Surfaces | 257 |
| 8.5.4 | Discussion | 262 |
| 8.6 | Computation of Contact Integrals – Mortar Type Contact | 263 |
| 8.6.1 | Convergence Test for the Integration Algorithm: Computation of the Energy Associated with the Penalty Functional | 264 |
| 8.6.2 | Integration Schemes with Subdomains | 265 |
| 8.7 | Segment-To-Segment (Mortar) Approach: Analysis of the Patch Test | 268 |
| 8.7.1 | Classical Contact Patch Test – Linear Approximations | 269 |
| 8.7.2 | Contact Patch Test with Smooth Surfaces | 271 |
| 8.8 | Segment-To-Analytical Surface (STAS) Approach: Various Applications | 272 |
| 8.8.1 | Large Sliding on a Rigid Parabolic Cylinder | 273 |
| 8.8.2 | Free Bending of a Metal Sheet on Two Cylinders . . . | 275 |
| 8.8.3 | Deep Drawing of a Cylindrical Pot – Combination of STAS Contact Elements | 281 |
| 8.8.4 | Deep Drawing – Test for the Quality of Shell Elements as Well as for the Quality of the Contact Algorithm | 282 |
| 8.8.5 | Discussion | 286 |
| 8.9 | Implementation of the Nitsche Approache | 287 |
| 8.9.1 | Gauss Point-Wise Substituted Formulation | 287 |
| 8.9.2 | Bubnov-Galerkin-Wise Partial Substituted Formulation | 288 |
| 8.9.3 | Numerical Example | 289 |
| 9 | Special Case of Implementation – Reduction into 2D Case | 293 |
| 9.1 | Finite Element Implementation of 2D Contact Interaction | 293 |
| 9.1.1 | Linear NTS Contact Element | 294 |
| 9.1.2 | Closed Form Solution for CPP Procedure | 295 |
| 9.1.3 | Return-Mapping Scheme – 2D Case | 296 |

| | | |
|--------|--|------------|
| 9.1.4 | Treatment of Special Cases | 297 |
| 9.1.5 | Update of the Sliding Displacements in the Case of Reversible Loading | 298 |
| 9.1.6 | Crossing an Element Boundary – Continuous Integration Scheme | 299 |
| 9.1.7 | Remarks on Additional Developments | 300 |
| 9.2 | Frictional Contact Analysis: Requirements of Special Algorithms | 304 |
| 9.2.1 | Sliding of a Block. Linear Approximation of the Contact Surfaces. Reversible Loading Process | 304 |
| 9.2.2 | Drawing of an Elastic Strip into a Channel with Sharp Corners | 308 |
| 9.3 | Discussion | 313 |
| 10 | Implementation of Contact Algorithms with High Order FE | 315 |
| 10.1 | Introduction | 315 |
| 10.2 | Finite Element Implementation of High Order Contact FE | 317 |
| 10.2.1 | Computation of Contact Integrals | 319 |
| 10.2.2 | Contact Layer - Rigid Surface (CLRS) Finite Element | 319 |
| 10.2.3 | Contact Layer - Contact Layer (CLCL) Finite Element | 320 |
| 10.2.4 | Lagrange Multiplier Method for Normal Traction | 322 |
| 10.2.5 | Global Solution Scheme | 323 |
| 10.3 | Numerical Examples for High Order Contact Layer Finite Elements | 323 |
| 10.3.1 | Loading Case 1. Contact Zone within One Element | 325 |
| 10.3.2 | Loading Case 2. Contact Zone within Several Elements | 326 |
| 10.3.3 | Discussion | 329 |
| 11 | Anisotropic Adhesion-Friction Models – Some Particular Details of Implementation and Numerical Examples | 331 |
| 11.1 | Introduction | 331 |
| 11.1.1 | Various Models for Friction | 331 |
| 11.1.2 | Available Finite Element Models | 333 |
| 11.2 | Examples of the Finite Element Implementation of the Coupled Anisotropic Adhesion-Friction Model | 334 |
| 11.2.1 | Point-to-Analytical Surface Contact Element. Linear Surface Approximation of a Deformable Body | 335 |

| | | |
|-----------|---|------------|
| 11.2.2 | Point-to-Analytical Surface Contact Element. Arbitrary Surface Approximation of the Deformable Body | 336 |
| 11.2.3 | Node-to-Segment Approach. Deformable Anisotropic Contact Surface | 337 |
| 11.3 | Numerical Examples Illustrating Effects of the Coupled Anisotropic Adhesion-Friction Model | 339 |
| 11.3.1 | Linear Constant Orthotropy on the Plane | 339 |
| 11.3.2 | Polar Orthotropy on a Plane. Large Displacement Problem..... | 347 |
| 11.3.3 | Spiral Orthotropy on the Cylinder | 351 |
| 11.3.4 | Discussion | 355 |
| 11.4 | Symmetrization of Various Friction Models Based on an Augmented Lagrangian Approach | 355 |
| 11.4.1 | Structure of Matrices after the Linearization Process | 356 |
| 11.4.2 | Augmented Lagrangian Method and Symmetric Uzawa Algorithm | 358 |
| 11.5 | Numerical Examples for Augmented Lagrangian Method ... | 362 |
| 11.5.1 | Small Sliding Problem. Constant Orthotropy..... | 363 |
| 11.5.2 | Large Sliding Problem. Polar Orthotropy | 363 |
| 11.5.3 | Discussion | 364 |
| 12 | Experimental Validations of the Coupled Anisotropic Adhesion-Friction Model | 367 |
| 12.1 | Introduction | 367 |
| 12.2 | Experimental Investigation | 368 |
| 12.2.1 | Experimental Setup | 369 |
| 12.2.2 | Experimental Results | 370 |
| 12.3 | Calibration of Parameters for Different Models | 372 |
| 12.3.1 | Case 1 | 373 |
| 12.3.2 | Case 2 | 373 |
| 12.3.3 | Case 3 | 374 |
| 12.3.4 | Case 4 | 374 |
| 12.3.5 | Case 5 | 375 |
| 12.3.6 | Calibration of the Theoretical Curve by Extremal Values | 378 |
| 12.4 | Discussion | 379 |
| 13 | Various Aspects of Implementation of the Curve-To-Curve Contact Model | 381 |
| 13.1 | General Structure of Tangent Matrices for CTC Contact ... | 381 |
| 13.1.1 | Tangent Matrix for the Normal Force N | 382 |
| 13.1.2 | Tangent Matrices for Tangential Sticking | 383 |
| 13.1.3 | Tangent Matrices for Tangential Sliding | 383 |

| | | |
|-----------|--|------------|
| 13.1.4 | Tangent Matrices for Rotational Sticking | 383 |
| 13.1.5 | Tangent Matrices for Rotational Sliding | 383 |
| 13.2 | Residual Vector | 384 |
| 13.2.1 | Part for Normal Interaction | 384 |
| 13.2.2 | Part for Tangential Interaction | 384 |
| 13.2.3 | Part for Moment (Rotational) Interaction | 385 |
| 13.3 | Combination with Various Finite Element Models of the Continuum for Curve-To-Curve Contact | 385 |
| 13.3.1 | Implementation of Curve-To-Curve Contact Algorithm – Linear Element for Edge-to-Edge Contact | 385 |
| 13.3.2 | Combination of Finite Beam Elements with the Curve-To-Curve Contact Algorithm | 389 |
| 13.3.3 | Development of Special “Solid-Beam” Elements for Beam-to-Beam Contact | 391 |
| 13.4 | Numerical Examples for Curve-To-Curve Contact | 393 |
| 13.4.1 | Bending of a Flexible Beam by a Rigid Beam. Non Frictional Case | 394 |
| 13.4.2 | Analysis of Contact for Intersecting Beams | 398 |
| 13.4.3 | Discussion | 405 |
| 13.4.4 | Bending of a Flexible Beam by a Rigid Beam – Comparison of Three Finite Element Models | 405 |
| 13.4.5 | Contact between Rings | 408 |
| 13.4.6 | Tying of a Knot | 409 |
| 13.4.7 | Discussion | 412 |
| 14 | Frictional Interaction of a Spiral Rope and a Cylinder – 3D-Generalization of the Euler-Eytelwein Formula Considering Pitch | 413 |
| 14.1 | Equilibrium Equations for the Rope in Space | 413 |
| 14.2 | Solution of the Equilibrium Equation for a Spiral Line (Helix) | 416 |
| 14.3 | Conclusions | 422 |
| | References | 423 |
| | List of Languages | 437 |
| | Index | 439 |