

Contents

Foreword *xiii*

Preface *xvii*

1	Aromaticity and Antiaromaticity in Nanographenes: An Overview	1
	<i>Albert Artigas and Miquel Solà</i>	
1.1	Introduction	1
1.2	Global and Local Aromaticity	2
1.3	Methods to Quantify Aromaticity	6
1.3.1	Energetic Descriptors of Aromaticity	7
1.3.2	Electronic Descriptors of Aromaticity	9
1.3.3	Geometric Descriptors of Aromaticity	13
1.3.4	Magnetic Descriptors of Aromaticity	14
1.4	The Analysis of Aromaticity in Nanographene Systems	20
1.5	Concluding Remarks	23
	Acknowledgments	24
	References	24
2	Covalent Patterned Functionalization of Graphene	31
	<i>Tao Wei and Andreas Hirsch</i>	
2.1	Introduction	31
2.2	Substrate-Mediated Chemical Patterning	33
2.3	Tip-Induced Patterned Functionalization	35
2.4	Lithography-assisted Molecular Engineering	37
2.5	Laser Writing	44
2.6	Conclusion	50
	References	51
3	Nanographenes by Bottom-up Approach: The Scholl Reaction	55
	<i>Daniel T. Gryko, Wojciech D. Petrykowski, and Krzysztof J. Kochanowski</i>	
3.1	Introduction	55
3.2	Planar Nanographenes	56

3.3	Heterocyclic Analogs of Planar Nanographenes	63
3.4	Nonplanar, Curved, and Twisted Nanographenes	66
3.5	Heterocyclic Analogs of Nonplanar Nanographenes	71
3.6	Surface-assisted (cyclo)Dehydration	74
3.7	Summary and Outlook	76
	Acknowledgment	77
	References	77
4	Racemization Barriers in Chiral Molecular Nanographenes	83
	<i>Jesús M. Fernández-García, Patricia Izquierdo-García, Salvatore Filippone, and Nazario Martín</i>	
4.1	Introduction	83
4.2	Structural Motifs for Chirality in Nanographenes	84
4.2.1	Gaussian Curvature	85
4.2.2	Helicenes	85
4.2.3	Rolling	86
4.2.4	Strain	87
4.3	Classification of Chiral Molecular NGs According to Their Isomerization Barriers	87
4.4	Flexible Nanographenes (<5 kcal mol ⁻¹)	87
4.5	Nanographenes with Spectroscopically Detectable Chirality (5–20 kcal mol ⁻¹)	89
4.6	Isolable Nanographenes (20–35 kcal mol ⁻¹)	90
4.7	Rigid Nanographenes (>35 kcal mol ⁻¹)	93
4.8	Enantioselective Synthesis of Rigid Molecular Nanographenes	95
4.9	Conclusion	98
	References	99
5	Synthesis of Helicenes	105
	<i>Irena G. Stará and Ivo Starý</i>	
5.1	Introduction	105
5.2	Characteristics of Helicenes	106
5.3	Synthetic Methodologies	107
5.3.1	Photocyclodehydrogenation of 1,2-Diaryl Olefins or Arenes	107
5.3.2	Oxidative Aromatic Coupling: Scholl Reaction	111
5.3.3	Transition Metal-Catalyzed [2 + 2 + 2] Cycloisomerization of π -Electron Systems	111
5.3.4	Diels–Alder Cycloaddition of Aromatic Vinylethers with <i>p</i> -Benzoquinone	117
5.3.5	Transition Metal-Catalyzed Hydroarylation of Alkynes	119
5.3.6	Other Synthetic Approaches	120
5.4	Advanced Helicene Architectures	123
5.5	Summary and Outlook	137
	Acknowledgment	137
	References	137

6	Carbon Nanobelt History and Chemistry	149
	<i>Hiroki Shudo, Daiki Imoto, Akiko Yagi, and Kenichiro Itami</i>	
6.1	Introduction	149
6.2	Synthetic Attempts to CNBs	151
6.2.1	Some Synthetic Attempts to Cyclacenes	151
6.2.2	CNBs Observed by Mass Spectroscopy	152
6.2.3	Top-Down Approach to CNBs	152
6.3	Synthesis of CNBs	153
6.4	Synthesis of Related Aromatic Nanobelts	154
6.5	Synthesis of Topological Aromatic Nanobelts	157
6.6	Conclusion	159
	References	159
7	Negatively Curved Nanographenes	163
	<i>Ka Man Cheung and Qian Miao</i>	
7.1	Introduction	163
7.2	Negatively Curved Nanographenes Containing Seven-Membered Rings	164
7.2.1	Incorporation of Seven-Membered Rings at an Early Stage of Synthesis	165
7.2.2	Formation of Seven-Membered Rings at a Late Stage of the Synthesis	168
7.3	Negatively Curved Nanographenes Containing Eight-Membered Rings	174
7.3.1	Incorporation of Eight-Membered Rings at an Early Synthetic Stage	175
7.3.2	Formation of Eight-Membered Rings at the Final Step of Synthesis	179
7.4	Structures and Stereochemical Dynamics and Properties	181
7.5	Negatively Curved Molecular Nanocarbons Beyond Nanographenes and Bottom-up Approaches to Carbon Schwarzites	184
7.6	Conclusion and Outlook	186
	References	188
8	From PAH-based Cyclophanes to Nanographenophanes	193
	<i>Parinaz Salari and Graham J. Bodwell</i>	
8.1	Introduction	193
8.2	Synthetic Considerations	197
8.3	Pentacenophanes (C ₂₂)	199
8.4	Indeno[2,3- <i>b</i>]triphenylenophanes (C ₂₅)	201
8.5	Dibenzo[<i>c,l</i>]chrysenophanes (C ₂₆)	203
8.6	Dibenzo[<i>f,j</i>]picenophanes (C ₃₀) and Tetrabenz[<i>a,c,h,j</i>]anthracenes (C ₃₀)	205
8.7	Teropyrenophanes (C ₃₆)	207
8.8	A π -Extended Azacorannulenophane (C ₃₆ N)	211
8.9	Hexabenzocoronophanes (C ₄₂)	213
8.10	<i>hept</i> -Hexabenzocoronophanes (C ₄₃)	217

8.11	Summary and Outlook	218
	References	219
9	Bilayer and Multilayer Nanographenes: Synthesis and Properties	223
	<i>Patricia Izquierdo-García, Juan Lión-Villar, Jesús M. Fernández-García, and Nazario Martín</i>	
9.1	Introduction	223
9.2	Van der Waals Molecular Nanographenes	225
9.3	Bilayers from Fused Radicals	230
9.4	Covalently Linked Bilayers	232
9.5	Conclusions	238
	References	239
10	Large π-Extended Carbon Nanorings: From Syntheses to Properties	243
	<i>Jinyi Wang, Dapeng Lu, and Pingwu Du</i>	
10.1	Introduction	243
10.1.1	Carbon Nanorings with Inserted Six-Membered Ring-Based PAHs	244
10.1.1.1	With Inserted Naphthalene(s)	244
10.1.1.2	With Inserted Anthracene(s) or Phenanthrene(s)	247
10.1.1.3	With Inserted Pyrene(s) or Perylene(s)	248
10.1.1.4	With Inserted Other PAHs	249
10.1.2	Carbon Nanorings Consisting Solely of PAHs	252
10.1.2.1	Consisting Solely of Naphthalenes	253
10.1.2.2	Consisting Solely of Anthracenes, Pyrenes, or Chrysenes	254
10.1.2.3	Consisting Solely of Other PAHs	255
10.1.3	CPP-based Oligomers and Polymers	258
10.1.4	Conclusions and Outlook	261
	References	262
11	Nanographenes with Multiple Zigzag Edges	267
	<i>Ya Zou and Jishan Wu</i>	
11.1	Introduction	267
11.2	<i>Peri</i> -Acenes	268
11.3	Triangular Nanographenes	275
11.4	<i>Peri</i> -acenoacenes	278
11.5	Circumarenes	279
11.6	Conclusion	283
	References	285
12	Synthesis of Graphene Nanoribbons, Nanographenes, and Fused Aromatic Networks Through the Formation of Pyrazine Rings	289
	<i>Felix Hernández-Culebras and Aurelio Mateo-Alonso</i>	
12.1	Introduction	289

12.2	Graphene Nanoribbons and Nanographenes	289
12.3	Fused Aromatic Networks	293
12.4	Conclusions	300
	References	300
13	Conjugated Nanohoops: Synthesis, Properties, and Applications	303
	<i>Birgit Esser, Philipp Seitz, Andrej Weber, and Jan S. Wössner</i>	
13.1	Introduction	303
13.2	Synthetic Strategies to Conjugated Nanohoops	303
13.2.1	Pt-, Ni-, or Au-Mediated Macrocyclizations in the Synthesis of Nanohoops	304
13.2.2	Synthesis of Conjugated Nanohoops via Kinked Precursors to π -System Panels	307
13.3	Properties of Conjugated Nanohoops	309
13.3.1	Optoelectronic Properties	309
13.3.2	Chirality	311
13.3.3	Host–Guest Chemistry	311
13.3.4	Solid-State Structures	313
13.4	Applications of Conjugated Nanohoops	314
13.4.1	Organic Electronics	314
13.4.2	Bottom-up Synthesis of Carbon Nanotubes	316
13.4.3	Biological Fluorophores	317
13.5	Conclusions	317
	References	318
14	Chiral Polycyclic Aromatic Compounds with Monkey Saddle Topologies	323
	<i>Tobias Kirschbaum and Michael Mastalerz</i>	
14.1	Introduction	323
14.2	Saddle Mathematics	327
14.3	Synthesis	328
14.4	X-Ray Crystal Structures of Monkey Saddle PAHs	331
14.5	NICS and ACID Plots	333
14.6	Inversion Barriers and Chiroptical Properties	334
14.7	Other Monkey Saddle PAHs and Related Systems	337
14.8	Summary and Outlook	339
	References	340
15	On-Surface Synthesis of π-Conjugated Polymers	345
	<i>Nazario Martín and David Écija</i>	
15.1	Introduction	345
15.2	Content	345
15.3	Conclusions	358
	References	360

16	Merging Organic Chemistry with Surface Science for the Preparation of Nanographenes 363
	<i>Iago Pozo, Dolores Pérez, and Diego Peña</i>
16.1	Introduction 363
16.2	Scanning Probe Microscopies for the Characterization of Nanographenes Obtained by Solution-Phase Chemistry 364
16.3	Combining Solution-Phase and On-Surface Chemistry for the Synthesis of Nanographenes 366
16.3.1	Surface-Assisted Cyclodehydrogenation Reaction 367
16.3.2	Surface-Assisted Ullmann-Type Reactions 369
16.3.3	Alternative Reactions Used for the On-Surface Preparation of Nanographenes 371
16.3.4	Combining On-Surface Reactions Toward the Preparation of Nanographenes 373
16.4	Concluding Remarks 373
	References 375
17	Chiral Materials from Twistacenes and Helicenes 381
	<i>Si Tong Bao, Qifeng Jiang, Haoyu Jiang, Daniel Čavlović, and Colin Nuckolls</i>
17.1	Introduction 381
17.1.1	Background 381
17.1.2	The Building Block 381
17.2	Twistacene-based Materials 382
17.2.1	Preparation 382
17.2.2	Properties 383
17.2.3	Organic Photovoltaics and Photodetectors 388
17.2.4	Electrochemical Storage Using hPDIs 389
17.3	Helicene-Based Materials 391
17.3.1	Preparation 391
17.3.2	Chiral Amplification 392
17.4	Future Directions 393
	References 393
18	Nanographene Diradicals 397
	<i>Fabrizia Negri and Juan Casado</i>
18.1	Introduction 397
18.2	On the Origin of the Diradical State in Monocyclic Conjugated Hydrocarbons: The Case of Cyclobutadiene 400
18.3	Nanographene Diradical Made from Mixtures of Quinoidal Bonding States and Nonbonding States 403
18.3.1	The Zethrene Family 404
18.3.2	The Bisphenalenylene Family 406
18.3.3	On-Surface Diradicals 407
18.3.4	Graphene Nanoribbons and Their Diradical (i.e. Polyradical Character) 409

18.4	The Diradical State in All-Zig-zag Polycyclic Conjugated Hydrocarbons: On the Reversed Aromatic→Quinoidal Way to Open-Shell Nanographenes 410
18.4.1	The Acenoacene Family 411
18.4.2	The Oligorylene Family 413
18.5	The Diradical State as a Result of Zig-zag Versus Arm-chair Structures with “Mobile” Quinoidal Rings with Quinoidal → Aromatic Transformation in the Diradical State 415
18.5.1	The Peri-Acene Family 415
18.5.2	The Circumacene Family 417
18.5.3	The Unique Case of Rhombenes 419
18.6	Conclusions 420 Acknowledgments 420 References 420
19	Circularly Polarized Luminescence (CPL) in Nanographenes 425 <i>Carlos M. Cruz, Sandra Míguez-Lago, Daniel Salvador-Gil, and Araceli G. Campaña</i>
19.1	Introduction 425
19.2	(1 × HBC)-Based Chiral Nanographenes 428
19.3	(1 × HBC)-Based Heteroatom-Doped Chiral Nanographenes 431
19.4	2 × HBC-Based Chiral Nanographenes 434
19.5	3 × HBC-based Chiral Nanographenes 436
19.6	4 × HBCs-based Chiral Nanographenes and Beyond 438
19.7	Summary Table and Outlook 439 Acknowledgments 445 References 445
20	Redox Properties of Nanographenes 449 <i>Yikun Zhu and Marina A. Petrukhina</i>
20.1	Introduction 449
20.2	Planar Nanographene Fragments 452
20.3	Contorted Nanographenes with Positive and Negative Curvatures 456
20.3.1	Corannulene-based Nanographenes 457
20.3.2	Cyclooctatetraene-based Nanographenes 463
20.3.3	Bilayer Nanographene 468 Acknowledgments 470 References 470
21	Kekulé and Non-Kekulé Nanographenes: A Magnetic Perspective 483 <i>Fupeng Wu, Muhammad Imran, Ji Ma, and Xinliang Feng</i>
21.1	Introduction 483
21.2	Stable Open-Shell Kekulé NGs ($S = 0$) as Quantum Units 485

- 21.3 Concealed Non-Kekulé Nanographenes ($S = 0$) 486
- 21.4 Obvious Non-Kekulé Nanographenes ($S > 0$) 488
 - 21.4.1 Spin $1/2$ Non-Kekulé Nanographenes ($S = 1/2$) 489
 - 21.4.2 High-Spin Non-Kekulé Nanographenes ($S \geq 1$) 492
- 21.5 Engineering of Magnetic Coupling in Non-Kekulé Nanographenes 498
 - 21.5.1 Spin $1/2$ Dimers 498
 - 21.5.2 Triangulene ($S = 1$) Dimers and Trimers 501
 - 21.5.3 [3]Triangulene ($S = 1$) Based Spin Chains 501
- 21.6 Summary and Outlook 504
 - Acknowledgments 505
 - References 505

Index 511