

Contents

Preface — V

1 Structure theory and first basic concepts — 1

- 1.1 Solvable Lie groups — 1
 - 1.1.1 Solvable and exponential solvable Lie groups — 1
 - 1.1.2 Heisenberg Lie groups — 5
 - 1.1.3 Threadlike Lie groups — 6
 - 1.1.4 Maximal subgroups of solvable Lie groups — 7
- 1.2 Euclidean motion groups — 10
 - 1.2.1 On orthogonal matrices — 10
 - 1.2.2 Some structure results — 13
 - 1.2.3 Discrete subgroups of Euclidean motion groups — 15
 - 1.2.4 From discrete to closed subgroups — 26
- 1.3 Heisenberg motion groups — 33
 - 1.3.1 On conjugacy classes — 33
 - 1.3.2 Discrete subgroups of Heisenberg motion groups — 34
- 1.4 Syndetic hulls — 40
 - 1.4.1 Existence results for completely solvable Lie groups — 40
 - 1.4.2 Case of exponential Lie groups — 42
 - 1.4.3 Case of reduced exponential Lie groups — 45
- 1.5 Proper and fixed point actions — 47
 - 1.5.1 Discontinuous groups — 48
 - 1.5.2 Clifford–Klein forms — 48
 - 1.5.3 Weak and finite proper actions — 49

2 Proper actions on solvable homogeneous spaces — 52

- 2.1 Backgrounds — 52
 - 2.1.1 Campbell–Baker–Hausdorff series — 52
 - 2.1.2 Proper actions and co-exponential bases — 53
- 2.2 Proper actions for 3-step nilpotent Lie groups — 54
- 2.3 Special nilpotent Lie groups — 58
- 2.4 Proper actions on solvable homogeneous spaces — 61
 - 2.4.1 Proper actions on special solv-manifolds — 61
 - 2.4.2 Weak and finite proper actions on solv-manifolds — 62
- 2.5 Proper actions on maximal solv-manifolds — 67
 - 2.5.1 Connected subgroups acting properly on maximal solv-manifolds — 67
 - 2.5.2 From continuous to discrete actions — 69

3 Proper action for compact extensions — 75

- 3.1 Proper action for the compact extension $K \ltimes \mathbb{R}^n$ — 75

3.1.1	Criterion for proper action —	76
3.2	Proper actions for Heisenberg motion groups —	80
3.3	The Calabi–Markus phenomenon —	83
3.3.1	Case of Euclidean motion groups —	83
3.3.2	The case of $SO_n(\mathbb{R}) \ltimes \mathbb{R}^n$ —	86
3.3.3	Case of the semidirect product $K \ltimes \mathbb{R}^n$ —	86
3.3.4	Case of Heisenberg motion groups —	86
3.4	Existence of compact Clifford–Klein forms —	87
3.4.1	Case of the semi-direct product $K \ltimes \mathbb{R}^n$ —	87
3.4.2	Case of Heisenberg motion groups —	92
3.4.3	Concluding remarks —	94
4	Proper action of affine discontinuous groups —	96
4.1	Auslander’s conjecture and main results —	96
4.2	Affine groups and first structural results —	97
4.3	Discontinuous affine abelian groups for $\mathbb{R}^n$ —	99
4.3.1	First properties of abelian affine groups —	99
4.3.2	Reduction to lower-dimensional subgroups —	101
4.3.3	Closed and discrete Γ -orbits —	103
4.4	Proof of the main results —	108
4.4.1	Proof of Theorem 4.1.1 —	108
4.4.2	Proof of Theorem 4.1.2 —	112
4.4.3	Proof of Theorem 4.1.4 —	114
4.5	The setting of crystallographic abelian groups —	116
5	Deformation and moduli spaces —	119
5.1	Deformation and moduli spaces of discontinuous actions —	119
5.1.1	Parameter, deformation, and moduli spaces —	119
5.1.2	Case of effective actions —	121
5.1.3	Deformation of (G, X) -structures —	122
5.2	Algebraic characterization of the deformation space —	123
5.2.1	The deformation and moduli spaces in the exponential setting —	123
5.2.2	On pairs (G, H) having Lipsman’s property —	128
5.3	Case of Abelian discontinuous groups —	129
5.3.1	Analysis on Grassmannians —	130
5.3.2	The parameter and deformation spaces for normal subgroups —	134
5.3.3	Examples —	139
5.4	Non-abelian discontinuous groups —	140
5.4.1	Structure of a principal fiber bundle —	140
5.4.2	The context where $[\Gamma, \Gamma]$ is uniform in $[G, G]$ —	144
5.5	The deformation space for 2-step nilpotent Lie groups —	147
5.5.1	Description of the deformation space $\mathcal{T}(\mathfrak{l}, \mathfrak{g}, \mathfrak{h})$ —	150

5.5.2	Decomposition of $\text{Hom}_1(\mathfrak{l}, \mathfrak{g})$ —	151
5.5.3	Hausdorffness of the deformation space —	154
5.6	The 3-step case —	157
5.6.1	Some preliminary results —	157
5.6.2	On the quotient space $\text{Hom}(\mathfrak{l}, \mathfrak{g})/G$ —	161
5.6.3	Description of the parameter and the deformation spaces —	180
5.6.4	Hausdorffness of the deformation space —	184
5.6.5	Illustrative examples —	185
6	Local rigidity and stability —	190
6.1	The local rigidity conjecture —	190
6.1.1	The concept of (strong) local rigidity —	191
6.1.2	The nilpotent setting —	191
6.1.3	Case of 2-step nilpotent Lie groups —	192
6.2	Local rigidity for exponential Lie groups —	193
6.2.1	A local rigidity theorem where $[L, L] = [G, G]$ —	194
6.3	Selberg–Weil–Kobayashi local rigidity theorem —	195
6.3.1	Maximal exponential homogeneous spaces —	196
6.3.2	Local rigidity for small dimensional exponential Lie groups —	201
6.3.3	Passing through the quotients —	202
6.3.4	Proof of Theorem 6.3.9 —	204
6.4	Criteria for local rigidity —	207
6.4.1	Necessary condition for local rigidity using the automorphism group $\text{Aut}(\mathfrak{l})$ —	207
6.4.2	Case of graded Lie subalgebras —	208
6.4.3	Abelian discontinuous groups —	210
6.4.4	Removing the assumption on Γ to admit a syndetic hull —	212
6.4.5	Exponential Lie algebras of type $\mathcal{T}$ —	214
6.5	Local rigidity in the solvable case —	216
6.5.1	The notion of colored discrete subgroups —	217
6.5.2	The rank-one solvable case —	218
6.5.3	The setting where the action of G on G/H is effective —	222
6.5.4	The rank-two case —	224
6.6	A local rigidity theorem for finite actions —	227
6.6.1	(Strong) local rigidity for $K \ltimes \mathbb{R}^n$ —	229
6.6.2	A variant of the local rigidity conjecture —	232
6.7	The stability concept and its variants —	232
6.7.1	Stability concepts —	232
6.7.2	Case of 2-step nilpotent Lie groups —	234
6.7.3	Case of compact Clifford–Klein forms in the exponential setting —	239
6.7.4	Stability for Euclidean motion groups —	240
6.7.5	Geometric stability —	244

6.7.6	Near stability — 244
6.7.7	Case of crystallographic discontinuous groups — 245
6.7.8	Further remarks — 250
7	Deforming in extensions of Heisenberg groups — 254
7.1	Deformation and moduli spaces for Heisenberg groups — 254
7.1.1	A criterion of the proper action, continued — 254
7.1.2	The deformation space for non-abelian actions — 255
7.1.3	Deformation and moduli spaces when H contains the center — 260
7.1.4	The case when H does not meet the center — 261
7.1.5	Case of compact Clifford–Klein forms — 269
7.1.6	Examples — 273
7.1.7	A smooth manifold structure on $\mathcal{T}(\Gamma, H_{2n+1}, H)$ — 276
7.1.8	Proof of Theorem 7.1.26 — 287
7.1.9	Stability of discontinuous groups acting on G/H — 288
7.2	The setting of Heisenberg motion groups, continued — 290
7.3	The case of diamond groups — 292
7.3.1	Compatible subalgebras of a diamond algebra — 293
7.3.2	Dilation invariant subgroups — 295
7.3.3	Strong local rigidity results — 299
7.3.4	Proofs of Theorem 7.3.11 and Corollary 7.3.12 — 302
7.4	From H_{2n+1} to the product group $H_{2n+1} \times H_{2n+1}$ — 303
7.4.1	An alternative proof of Conjecture 6.1.1 for P/Δ — 307
7.4.2	Stability for P/Δ — 308
7.5	Reduced Heisenberg groups — 312
7.5.1	Backgrounds — 313
7.5.2	Discrete subgroups of H_{2n+1}^r — 314
7.5.3	A matrix-like writing of elements of $\text{Hom}(\Gamma, G)$ — 315
7.5.4	Proper action on reduced homogeneous spaces — 323
7.5.5	The parameter space — 324
7.5.6	Stability of discrete subgroups — 325
7.6	From H_{2n+1}^r to $(H_{2n+1}^r \times H_{2n+1}^r)/\Delta$ — 326
7.6.1	Posed problems and main results — 328
7.6.2	Discontinuous groups for $(H_{2n+1}^r \times H_{2n+1}^r)/\Delta$ — 328
7.6.3	The deformation parameters set $\text{Hom}(\Gamma, G)$ — 330
7.6.4	The parameter space — 335
7.6.5	Proof of Theorem 7.6.1 — 337
7.6.6	Proof of Theorem 7.6.2 — 342
8	Discontinuous actions in the threadlike setting — 344
8.1	Deformation spaces for threadlike nilmanifolds — 344
8.1.1	Description of $\text{Hom}(\mathfrak{l}, \mathfrak{g})$ — 344

8.1.2	Description of the parameter space $\mathcal{R}(\Gamma, G, H)$ —	347
8.1.3	Description of the deformation space $\mathcal{T}(\Gamma, G, H)$ —	351
8.1.4	Case of non-abelian discontinuous groups —	357
8.1.5	The local rigidity conjecture, revisited —	367
8.1.6	The stability in the threadlike case —	367
8.1.7	Stability of discrete subgroups, continued —	377
8.2	Reduced threadlike groups —	379
8.2.1	Proper action of closed subgroups of G —	379
8.2.2	$\text{Hom}(\Gamma, G)$ for an abelian discrete subgroup Γ —	382
8.2.3	Parameter and deformation spaces —	391
8.2.4	The local rigidity problem —	402
8.2.5	The stability problem —	403
8.3	A stability theorem for non-abelian actions —	407
8.3.1	Description of $\text{Hom}(\Gamma, G)$ —	409
8.3.2	Explicit determination of the parameter space —	416
8.3.3	Proof of Theorem 8.3.1 —	418
8.3.4	A concluding remark —	422

Bibliography — 423

Index — 427