

Contents

1 Introduction 1

1.1 The Background 1

1.2 Outline of the Book 1

Part I Wood Characterization as an Elastic Material

2 Ultrasonic Wave Propagation in Solids 5

2.1 Elastic Symmetry of Propagation Media 6

2.1.1 Isotropic Solids 6

2.1.2 Anisotropic Solids 6

2.2 Wave Propagation in Anisotropic Media 11

2.2.1 Ultrasonic Bulk Waves in Orthotropic Media in Rectangular Coordinates 12

2.2.2 Ultrasonic Bulk Waves in Wood as an Orthotropic Media in Spherical Coordinates 39

2.2.3 Ultrasonic P Waves and Young’s Moduli Measured on a Plank 41

2.3 Summary 43

References 43

3 Ultrasonic Velocity Method, as a Non-destructive Testing Approach 47

3.1 Principle of Ultrasonic Velocity Method 47

3.2 Measurement System 50

3.3 Devices 50

3.4 Specimens for Ultrasonic Testing 50

3.5 Coupling Media 53

3.6 Ultrasonic Velocity and the Size of the Bars 54

3.7 Influence of the Physical Properties of Wood on Ultrasonic Velocity . . . 56

3.7.1 Wood Microstructure 56

3.7.2 Annual Ring Characteristics 57

3.7.3 Wood Anisotropy with Ultrasonic Velocity 61

3.7.4 Moisture Content and Temperature 62

3.7.5 Ultrasonic Velocity and Wood Density 70

3.8 Summary 72

References 73

4 Wood Characterization by Mechanical Vibrations in the Acoustic Frequency Range 75

4.1 Resonance Vibration Modes in Bars 75

4.1.1 Theoretical Background 75

4.1.2 Experimental Set-up for Resonance Frequency Measurements on Bars 77

xix

4.2	Wood Structure Effect on Engineering Constants with Resonance Method on Bars	79
4.3	Resonance Vibration Modes on Plates	81
4.3.1	Elastic Constants of Wood Determined on Plate	81
4.3.2	Elastic Constants of Wood-Based Composites with a Plate Shape	83
4.4	Summary	83
	References	86

Part II Wood Characterisation as a Viscoelastic Material

5	Damping of Mechanical Vibrations in Wood	91
5.1	Wood as a Viscoelastic Material in Acoustic Frequency Range	91
5.2	Typical Values of Damping Coefficients	93
5.3	Effect of Moisture Content at Constant Temperature on Internal Friction	96
5.4	Effect of Temperature on Internal Friction of Wood	99
5.5	Combined Effect of Moisture and Temperature on Internal Friction of Wood	101
5.6	Effect of Thermal Treatment on a Steamed Atmosphere on Wood Internal Friction	101
5.7	Effect of Thermal Treatment in Nitrogen Gas on Wood Internal Friction	104
5.8	Effect of Ageing Induced by Continuous Small Amplitude Vibrations . .	107
5.9	Effect of Ageing Induced by Time–Temperature–Humidity Superposition	108
5.10	Summary	108
	References	110
6	Attenuation of Ultrasonic Waves in Wood	113
6.1	Theoretical Considerations	113
6.2	Attenuation Measurement Technique and Efficiency Factors	115
6.3	Attenuation and Wood Moisture Content	116
6.4	Attenuation Coefficients of Wood Species with P and S Ultrasonic Waves	118
6.5	Attenuation Coefficients of Wood and Decay Detection	125
6.6	Attenuation in Wood-Based Composites	126
6.7	Summary	128
	References	129
7	Transducers for Ultrasonic Waves	131
7.1	Piezoelectric Transducers Operating in a Contact Mode	131
7.2	Air-Coupled Ultrasound Transducers	135
7.3	Air-Coupled Ultrasound Transducers for Industrial Applications	140
7.4	Summary	142
	References	143
8	Global Elastic Constants of Wood	145
8.1	Global Elastic Characterization	145
8.1.1	Wood as an Orthotropic Solid with Well-Defined Anisotropic Directions	146
8.1.2	Optimization Criteria for Off-Diagonal Terms of the Stiffness Matrix with Bulk Waves	146

8.1.3	Values of Technical Constants with Ultrasonic Velocimetry and Static Tests	154
8.1.4	Stiffnesses and Mode Conversion Phenomena from Bulk to Surface Waves	155
8.1.5	Young's Moduli, Shear Moduli, and Poisson's Ratios from Dynamic and Static Tests	160
8.1.6	Lamb-Guided Wave and Machine Learning for Elastic Constants Determination	162
8.1.7	Elastic Constants of Wood Determined by Using Only the P Wave and One Specimen	163
8.1.8	Ultrasonic Resonance Spectroscopy	165
8.1.9	Wood Elastic Constants Measured on Increment Cores Extracted from Trees	168
8.2	Wood as an Orthotropic Solid with Unknown Anisotropic Direction . . .	173
8.2.1	Theoretical Considerations	175
8.2.2	Experimental Ultrasonic Set-up	175
8.2.3	Stiffnesses of the Burr of Thuja	177
8.3	Wood as a Triclinic Solid with Unknown Anisotropic Direction	178
8.3.1	Inversion Procedure and Ultrasonic Measurements	178
8.3.2	Discrepancy of Stiffness	178
8.4	Summary	178
	References	180
9	Local Elastic Characterization of Wood	185
9.1	Acoustic Microscopy and Imaging of Wood Structure	185
9.2	Operating Modes of a Scanning Acoustic Microscope	187
9.3	Acoustic Images of Wood Microstructure	190
9.4	Local Elastic Constants of Wood	193
9.5	Local Acoustic Impedance for Evolution of Vascular Tissue in Wood . .	196
9.6	Photoacoustics in Wood Science for Local Chemical Wood Characteristics	197
9.6.1	Principle of Photoacoustics Technique	197
9.6.2	Applications of Photoacoustic Spectrometry	200
9.7	Summary	204
	References	205
10	Acoustic and Elastic Invariants and Nonlinearity of Wood Response	207
10.1	Filtering Action Induced by Anatomical Structure of Wood	207
10.2	Estimation of Wood Anisotropy by the Velocities of the Bulk Waves . . .	211
10.3	Estimation of Anisotropy by Invariants	216
10.3.1	Acoustic Invariants	216
10.3.2	Elastic Invariants	218
10.4	Wood Anisotropy and Velocity Measured with Guided Waves	219
10.5	Nonlinearity and Wood Anisotropy	222
10.5.1	Nonlinearity in Solids	222
10.5.2	Nonlinear Response of Wood in Nonlinear Acoustic Experiments	223
10.5.3	Nonlinear Response of Wood in Acoustoelastic Experiments . .	223
10.6	Effect of Wood Anisotropy on Imaging Wood Structure and Acoustic Tomography	233
10.7	Anisotropy of Flakeboards	235
10.8	Summary	235
	References	237

Part III Acoustics for Quality Assessment

11	Acoustics of Trees	241
11.1	Introduction	241
11.2	Physiology of Forest Trees Studied with Acoustic Methodology	243
11.2.1	Pith Location	243
11.2.2	Juvenile Wood	246
11.2.3	Reaction Wood	252
11.2.4	Ring Shake	265
11.2.5	The Slope of Grain	268
11.2.6	Detection of Decay and Cavities	274
11.3	Environmental Factors and Tree's Xylem Functioning, Cavitation	288
11.3.1	The Background	288
11.3.2	Detection of Cavitation Sources in Trees with an Acoustic Emission Technique	289
11.3.3	Equipment for Cavitation Measurement	292
11.3.4	Combined Non-destructive Methods to Detect Cavitation In Situ	294
11.3.5	Effect of Wood Anatomic Structure on Cavitation at Positive Temperatures	295
11.3.6	Cavitation Induced by Dehydration and by Freezing of Xylem Sap	297
11.3.7	Effect of Size of Anatomical Elements on Cavitation During Freezing	299
11.3.8	Monitoring In Situ Freezing Dynamics in Trees	299
11.3.9	AE Technique Limitations for Dehydration Measurements on Trees and Branches	302
	Appendices	305
	Appendix 1: Vulnerability to Cavitation of Coniferous Species	305
	Appendix 2: About the Methodology of Stress Wave Velocity Measurements on Standing Trees	307
11.4	Summary	311
	References	313
12	Effect of Sylvicultural Factors on Acoustical Properties of Standing Trees	319
12.1	Effect of Thinning	319
12.1.1	Softwoods	319
12.1.2	Hardwood Species	320
12.2	Effect of Pruning	320
12.3	Effect of Planting Spacing	328
12.3.1	Plantation of <i>Pinus radiata</i>	328
12.3.2	Plantation of <i>Picea sitchensis</i>	330
12.3.3	Plantation of <i>Pinus patula</i>	330
12.3.4	Plantations of Eucalyptus Species	332
12.3.5	Genetic Improvement of Plantations	335
12.4	Characterization of Seedlings	337
12.5	Forest Seeds: Acorns Grading with Ultrasound	339
12.6	Trees of Exceptional Acoustical Quality	344
12.6.1	The Spruce Resonance Trees	344
12.6.2	The Curly Maple Trees (<i>Acer pseudoplatanus</i>)	347
12.6.3	The Ebony Trees: African Blackwood (<i>Dalbergia melanoxylon</i>)	349

	12.6.4	Preservation of the Historic Trees	349
12.7		The Palms	350
	12.7.1	Palms, Trees of Economic Importance	350
	12.7.2	Structural Elements of the Palm Tree and the Anatomical Structure of Wood	351
	12.7.3	Ultrasonic Tomography for Monitoring the Health of Palm Trees	353
	12.7.4	Acoustic Emission and Thermography for Palms Attacked by Insects	357
12.8		The Veteran Elms	360
	12.8.1	The Background	360
	12.8.2	Photogrammetry and Stress Wave Tomography for a Veteran Elm Inspection	361
12.9		Summary	361
		References	364
13		Acoustic Methods for Wood Products' Quality Assessment	367
13.1		The Logs	367
	13.1.1	Acoustic Methods for Grading of Logs	367
	13.1.2	Quality of Logs from Early Estimation of Standing Trees' Quality	368
	13.1.3	Grading of Round Timber	368
13.2		Grading of Lumber	371
	13.2.1	Stress-Wave Technique for Lumber Grading	371
	13.2.2	Ultrasonic Velocity Method for Lumber Grading	375
	13.2.3	Artificial Neural Network and Lumber Grading	376
	13.2.4	Advanced Ultrasonic Signal Processing for Defect Detection in Lumber	379
	13.2.5	Air-Coupled Ultrasound on Lumber	379
	13.2.6	Acoustic Technology and Machine Grading of Lumber	379
	13.2.7	Grading of Structural Lumber	381
13.3		Veneer	383
	13.3.1	Technology of Veneer Manufacturing	383
	13.3.2	Automatic Grading of Veneer	387
13.4		The LVL and the Glulam	388
	13.4.1	Structural Composite Timber Products and Wood-Based Composite Boards	388
	13.4.2	Stress-Wave Timing Inspection of Glulam Beams	391
	13.4.3	Glued Laminated Timber Scanning by Dry Point Contact Ultrasound	393
	13.4.4	Air-Coupled Ultrasound Inspection of Glued Laminated Timber	394
13.5		The Wood-Based Composite Boards	401
	13.5.1	Ultrasonic Methods for Delamination Detection in Wood-Based Composite Boards	401
	13.5.2	Imaging of Deamination in Composite Boards	404
13.6		Wood-Based Composites Board Behaviour Under Aggressive Conditions	404
13.7		Summary	404
		References	406
14		Environmental Modifiers of Wood Structural Parameters Detected with Ultrasonic Waves	411
14.1		The Background	411

14.2	Ultrasonic Velocity and Stiffnesses of Wood and Moisture Content and Temperature	411
14.2.1	Effect of Moisture Content on Ultrasonic Velocity at Constant Ambient Temperature	412
14.2.2	Combined Effect of Moisture Content and Temperature on Ultrasonic Velocity	417
14.2.3	Effect of Hydrostatic Pressure at Constant Temperature	427
14.2.4	Effect of Ionizing Radiation	428
14.2.5	Influence of Hygrothermal Treatment on the Quality of Wood-Based Composites	428
14.3	Ultrasonic Parameters and Biological Deterioration of Wood	430
14.3.1	Bacterial Attack	430
14.3.2	Fungal Attack	432
14.3.3	Wood-Boring	436
14.4	Summary	441
	Appendix 1: Statistical Models for the Relationships Between Wood Density, Velocity V_{LL} , Modulus E_L , and the Reference Moisture Content of 12% Under a Very Large Variation in Environmental Conditions	442
	Appendix 2: Effect of Moisture Content Variation on Dynamic Modulus of Elasticity Determined by Resonance Method on Chestnut Timber for Structural Uses	446
	References	448
15	Acoustical Properties of Wood Species for Musical Instruments	451
15.1	Acoustical Properties of Wood Species for String Instruments	451
15.1.1	Wood Species for Violins and Guitars	451
15.1.2	Acoustical Properties of Wood Species for Violins and Guitars	452
15.1.3	Acoustical Characteristics of Wood Species for Guitars	471
15.1.4	Non-Destructive Grading of Raw Wood Material for Violins and Guitars	473
15.1.5	Modes of Vibration of Plates for String Instruments	475
15.2	Acoustical Properties of Wood Species for Wind Musical Instruments . .	484
15.2.1	Wood Species for Clarinet, Oboe, and Bassoon	484
15.2.2	Acoustical Properties of Wood Species for Clarinet, Oboe, and Bassoon	485
15.3	Acoustical Characteristics of Wood Species for Percussion Musical Instruments	485
15.3.1	Wood Species for Marimba	487
15.3.2	Wood Species for Xylophones	489
15.4	Summary	492
	References	494
16	Substitutive Wood Species for Musical Instruments	499
16.1	The Background	499
16.2	Substitutive Wood Species for Violins and Guitars	499
16.3	Substitutive Wood Species for the Bow of String Instruments	504
16.4	Substitutive Wood Species for Wind Instruments	509
16.5	Substitutive Wood Species for Percussion Instruments	512
16.6	Summary	516
	References	522

Part IV Acoustic Emission and Acousto Ultrasonics

17 Acoustic Emission 525

17.1 Principle and Instrumentation of Acoustic Emission Parametric Method 526

17.2 Instrumentation 528

17.2.1 Systems 528

17.2.2 Material Conditioning 530

17.2.3 Attenuation of AE Signals 530

17.2.4 Transducers 531

17.2.5 Amplifiers 533

17.2.6 Signal Processing 533

17.3 Factors Affecting Acoustic Emission Response from Wood 538

17.3.1 The Background 538

17.3.2 Wood Microstructure 539

17.3.3 Moisture Content 550

17.3.4 AE Signature of Wood Species 552

17.4 Detecting the Activity of Biological Agents 555

17.4.1 Fungal Detection 555

17.4.2 Detection of Xylophagous Insects 557

17.5 Acoustic Emission and Fracture Mechanics in Solid Wood and Wood Composites 561

17.5.1 The Background 561

17.5.2 Effect of Wood Structure on AE in Wood 564

17.5.3 Effect of Wood Anisotropy and of Wood Species on AE 569

17.5.4 Avalanches in Acoustic Emission During Wood Compression 579

17.5.5 Distinction Between Ductile and Brittle Fracture in Wood Tensile Test 580

17.5.6 Fractals and AE Characteristics of Wood Toughness 584

17.5.7 Fracture of Wood-Based Composites 586

17.6 Monitoring Technological Processes 592

17.6.1 Adhesive Curing and Adhesive Strength 592

17.6.2 Acoustic Emission to Control the Drying of Lumber 595

17.6.3 Acoustic Emission as a Strength Predictor in Timber and Large Wood Structures 602

17.6.4 Effect of Wood Species on AE Monitoring of Larges Structures 604

17.6.5 Wood Machining 609

17.7 Limitations in the Identification of the AE Signature with a Parametric Method 614

17.8 Summary 616

Appendix 617

References 618

18 Advanced Treatments of Acoustic Emission Signals 627

18.1 Waveform Methods for the Analysis of AE Signals 627

18.2 Statistical Methods 631

18.2.1 Acoustic Emission Signals Generated by Wood Drying 631

18.2.2 Acoustic Emission Signals Generated by Insects' Attack on Wood 632

18.2.3	Analysis of Acoustic Emission Signals Generated by Crack Tip Propagation	636
18.3	Wavelets Transform Analysis for Crack Tip Detection	640
18.3.1	Crack Tip Detection and Propagation in Wood	640
18.3.2	Damages Detection in Oriented Strand Board	641
18.4	Combined Analysis Based on Pseudospectrum and Information Entropy	644
18.4.1	Analysis Based on the Pseudospectrum	644
18.4.2	Analysis Based on Information Entropy	646
18.5	Empirical Mode Decomposition and a Discrete Transform Methods Analysis	652
18.5.1	The Background	652
18.5.2	Acoustic Emission Signals of Beech and Pine Specimens on a Static Bending Test	653
18.5.3	Empirical Mode Decomposition with Adaptive Noise for Wood-Based Composites	654
18.6	Summary	660
	References	661
19	Acoustic Emission and Digital Imaging Technique	663
19.1	The Background	663
19.2	AE Activity and Tip Crack Propagation in Wood	663
19.3	AE Activity and the FE Method for Imaging Zones of High Stress and Strain in Wood	666
19.4	Acoustic Emission and Digital Imaging to Detect Fracture Mechanism . .	670
19.5	Summary	673
	References	674
20	Acousto-Ultrasonics as a Nondestructive Testing Method of Wood	675
20.1	Principle and Instrumentation	675
20.1.1	Principle	675
20.1.2	Instrumentation	676
20.2	Transducers for Acousto-Ultrasonic Testing	680
20.2.1	Direct Contact Transducers	680
20.2.2	Non-Contact Transducers	681
20.3	Applications of the Acousto-Ultrasonic Technique	682
20.3.1	Defect Detection in Wood	682
20.3.2	Decay Detection	688
20.3.3	Stress Wave Lumber Grading	691
20.3.4	Detection of Adhesive Bonds in Wood-Based Composites	694
20.3.5	Detection of the Integrity of Glulam Beams with Contact Transducers	700
20.3.6	Detection of Integrity of Glulam Beams with Air-Coupled Transducers	703
20.3.7	About the Joints of the Glulam Beams	713
20.4	Summary	715
	References	716
21	Acousto-Ultrasonics on Trees, Logs, and Utility Poles	721
21.1	Principle of Stress Wave Propagation Method Applied on Trees	721
21.2	Techniques for Velocity Measurements on Logs	722
21.3	Modes of Vibration of Logs	723
21.4	Comparison of Vibration Modes of Trees and Logs with Numerical Simulation	725

21.5	Utility Timber Poles	728
21.6	Sounding Test-Laboratory Experiments and In Situ Equipment Development	728
21.7	Effects of Natural Defects of Wood on Mechanical Properties of Poles . .	737
21.8	Defect Location with Time-Domain Signal Analysis	742
21.9	Defect Location with Signal Analysis in Time–Frequency Representation Techniques	748
21.10	Statistical Approach for Quality Assessment of Poles	756
21.11	Summary	756
	Appendix: Time–Frequency Analysis Methods for Signal Treatment	756
	List of Notations	756
	Signal Filtering Using the Short Kernel Method (SKM)	757
	Short-Time Fourier Transform (STFT)	757
	Wavelet Transform	757
	The Wigner–Ville Distribution (WVD)	758
	Cohen Class Distributions	758
	Reassigned Bilinear Time–Frequency Distributions	758
	References	759
22	High-Power Ultrasound	763
22.1	The Background	763
22.2	Drying	763
	22.2.1 Drying of Small Clear Specimens	765
	22.2.2 Water Diffusion Coefficient and Factors Affecting Drying of Small Clear Specimens	766
	22.2.3 Effect of High-Power Ultrasonic Insonification on Wood Micro Structure	767
	22.2.4 Drying of Lumber	771
	22.2.5 Drying of Veneer Blanks	773
22.3	Defibering	775
22.4	Cutting	776
22.5	Plasticizing Effect of Ultrasound and Densification of Surface Layer of Wood	777
22.6	Improvement of Extraction	781
22.7	Regeneration Effect on Wood for Barrels	781
22.8	Effect on Wood Porosity and Sound Insulation	786
22.9	Improvement of Wood Preservation	788
22.10	Summary	794
	References	795

Part V Wood Acoustics and Cultural Heritage

23	Acoustic Emission Technique and Art Objects	801
23.1	The Wood Panels and the Wood Species for Art Works	801
23.2	Acoustic Emission Technique on 3D Wood Objects	809
	23.2.1 Sculptures In Situ	809
	23.2.2 Long-Term Survey of Art Objects	814
23.3	Summary	816
	References	816
24	Ultrasound for Imaging Wood Panel Paintings	819
24.1	Non-Contact Ultrasonic Methods for Imaging Wood Panel Paintings . . .	821
	24.1.1 Principle of Acoustic Imaging with Ultrasonic Waves	823

24.1.2	Acoustic Imaging of Wood Painted Panels	825
24.2	Imaging with an Acoustic Parametric Array	826
24.2.1	Principle of Acoustic Parameter Array	826
24.2.2	Painting Imaging with an Acoustic Parameter Array	831
24.2.3	Ultrasonic Imaging and Other Non-Destructive Methods	833
24.3	Phase Shift Analysis Method on Wooden Panel Painting	833
24.3.1	Principle	833
24.3.2	Screening of the Painted Surface	834
24.4	Acoustic Microscopy for Painted Art Works	837
24.4.1	The Background	837
24.4.2	The Stratigraphy of Wood Painted Panels	839
24.5	Summary	842
	References	842
25	Holographic Interferometry for Imaging Art Objects	845
25.1	The Background	845
25.2	Imaging of Painted Wood Panels	846
25.3	Imaging of the Soundboard of a Historic Harpsichord	848
25.4	Summary	852
	References	854
26	Wood Painted Panels Inspection with THz Imaging Technique	857
26.1	The Non-Destructive THz Imaging Technique Applied to Wood	857
26.1.1	Terahertz Time-Domain Spectroscopy	857
26.1.2	Propagation of THz Waves in Orthotropic Wood Material	859
26.2	Factors Affecting Wood Behaviour in the THz Field	861
26.2.1	Effect of Anisotropy	861
26.2.2	Effect of Frequency	863
26.2.3	Effect of Wood Density and Moisture Content	863
26.2.4	Effect of Width of Annual Rings	871
26.3	Examination of Wood Painted Panels with THz Imaging Technique	871
26.3.1	The Characteristics of the Panels	871
26.3.2	THz Waves for Examining Wood Painted Panels	877
26.4	Summary	882
	References	883
27	Archaeologic Wood, Wood of Historic Artefacts and Building Structures	885
27.1	The Background	885
27.2	Wood of the Coffin of an Egyptian Mommy	886
27.3	Wood of an Archaeological Ships	887
27.4	The USS <i>Constitution</i> Frigate—the U.S. Navy's Oldest Floating Commissioned Ship	891
27.5	Old Beams in Aerobic Conditions Used as Structural Elements in Old Buildings	892
27.6	Summary	899
	Appendix	900
	References	901

Part VI The Future of Wood Acoustics

28	Artificial Intelligence and Acoustic Methods in Wood Science and Technology	905
28.1	The Background	905

28.2	Artificial Intelligence for Signals Detection Emitted by Boring Insects’ Larvae in Wood	906
28.3	Deep Learning and Ultrasonic Non-destructive Method	908
28.4	Artificial Neural Network Analysis and Wood Fracture Acoustic Emission Signals	911
28.5	Summary	911
	References	914
	Index	917