Structural Synthesis of Parallel Robots

Part 1: Methodology

By

GRIGORE GOGU

Mechanical Engineering Research Group, French Institute of Advanced Mechanics and Blaise Pascal University, Clermont-Ferrand, France



Contents

Preface	IX
Acknowledgements	XIV
List of abbreviations and notations	XV
1 Introduction	1
1.1 Robot	1
1.2 Robotics	7
1.3 Parallel Robot	10
1.4 Terminology	10
1.5 Structural synthesis	
1.6 The objectives and originality of this book	25
2 Structural parameters	31
2.1 Critical review of mobility calculation	
2.1.1 Chebychev's contribution	35
2.1.2 Sylvester's contribution	36
2.1.3 Grübler's contribution	
2.1.4 Somov's contribution	37
2.1.5 Hochman's contribution	37
2.1.6 Somov-Malytsheff's formula	38
2.1.7 Koenigs' formula	39
2.1.8 Kutzbach's mobility equation	39
2.1.9 Dobrovolski's mobility equation	40
2.1.10 Contribution of Y.F. Moroskine	40
2.1.11 Contribution of R. Voinea and M. Atanasiu	41
2.1.12 Kolchin's mobility equation	42
2.1.13 Rössner's contribution	42
2.1.14 Boden's mobility equation	42
2.1.15 Manafu's formula	
2.1.16 Ozol's formula	43
2.1.17 Contribution of K. J. Waldron	44
2.1.18 Contribution of N. Manolescu	44
2.1.19 Contribution of C. Bagci	45

4 Kinematic analysis	235
4.1. Decoupling in axiomatic design	236
4.2. Geometric modeling	
4.3 Kinematic modeling	
4.3.1 Direct and inverse kinematics matrices used in Jacobian	
calculation	242
4.3.2 Design and conventional Jacobian matrices	
4.4 Types of workspaces and singularities	
4.4.1 Types of workspaces	
4.4.2 Types of singularities	
4.5. Kinetostatic performance indices	
4.5.1 Cross-coupling indices	
4.5.2 Indices of input-output propensity	
4.5.3 Kinetostatic indices defined in connection with	
manipulability ellipsoids and polytops	266
4.6 Design Jacobian and motion decoupling	
4.6.1. Parallel robots with coupled motions	
4.6.2. Parallel robots with decoupled motions	
4.6.3. Parallel robots with uncoupled motions	
4.6.4. Maximally regular parallel robots	
	•00
5 Structural synthesis	
5.1 Structural synthesis: a systematic approach in mechanism des	
5.2. Morphological and evolutionary approaches	
5.2.1 Morphological approaches	
5.2.2 Evolutionary algorithms	
5.3 Evolutionary morphology	
5.3.1 Design objectives	
5.3.2 Constituent elements	
5.3.3 Morphological operators	
5.3.4 Set of solutions	
5.3.5 General structure of the evolutionary morphology	
5.4 General approach to structural synthesis of parallel robots	317
5.4.1 General conditions for structural synthesis of parallel	
robots via theory of linear transformations	317
5.4.2 General approach to structural synthesis of parallel robot	
evolutionary morphology	319
6 Limbs with two degrees of connectivity	329
6.1 Limbs with two translational motions	
6.2 Limbs with two rotational motions	
0.7 Lillios with two folalional mollons	333

6.4 Other limbs with two degrees of connectivity	
6.5 Redundant limbs with two degrees of connectivity	338
7 Limbs with three degrees of connectivity	
7.1 Limbs with three translational motions	341
7.2 Planar limbs with one rotational and two translational motions	352
7.3 Non planar limbs with one rotational and two translational	
motions	359
7.4 Limbs with one translational and two rotational motions	364
7.5 Limbs with three rotational motions	364
7.6 Other limbs with three degrees of connectivity	365
7.7 Redundant limbs with three degrees of connectivity	375
8 Limbs with four degrees of connectivity	377
8.1 Limbs with Schönflies motion	
8.2 Limbs with two translational and two rotational motions	
8.3 Limbs with one translational and three rotational motions	
8.4 Other limbs with four degrees of connectivity	
8.5 Redundant limbs with four degrees of connectivity	
9 Limbs with five degrees of connectivity	445
9.1 Limbs with two rotational and three translational motions	
9.2 Limbs with two translational and three rotational motions	637
9.3 Other limbs with five degrees of connectivity	644
9.4 Redundant limbs with five degrees of connectivity	
10 Limbs with six degrees of connectivity	653
10.1 Limbs with three translational and three rotational motions	653
10.2 Redundant limbs with six degrees of connectivity	
References	665
Index	693