

Contents

- 1 Introduction 1
 - 1.1 Automatic and Flexible Manufacturing 2
 - 1.2 Aim of this Work 4
 - 1.3 Outline of the Thesis 5
- 2 Mathematical Model of Industrial Robots and Manufacturing Processes 7
 - 2.1 Robot Model 8
 - 2.1.1 Homogeneous Transformations 8
 - 2.1.2 Forward Kinematics 10
 - Augmented Forward Kinematics 10
 - 2.1.3 Manipulator Jacobian 12
 - 2.1.4 Inverse Kinematics 13
 - 2.1.5 Dynamic Model 13
 - 2.2 Manufacturing Process 14
 - 2.2.1 Manufacturing Path 15
 - 2.2.2 Process Properties 15
- 3 Flexible Robotic Manufacturing based on User Inputs 19
 - 3.1 Literature Review 19
 - 3.2 Path Projection and Trajectory Generation 22
 - 3.2.1 Path Projection using Least-Squares Conformal Mapping 22
 - Segmentation 23
 - Least-Squares Conformal Mapping 24
 - 2D Path Projection and Inverse Mapping 28
 - 3.2.2 Parallel Path Projection 30
 - 3.2.3 Cartesian Robot Trajectory 31

Contents

3.3 Control Concept 32

3.3.1 Motion Control 33

Position Error Dynamics 34

Orientation Error Dynamics 34

3.3.2 Contact Force Estimation 34

3.3.3 Hybrid Force/Motion Control 35

3.3.4 Null-Space Controller 39

3.4 Experimental Results 40

3.4.1 Experimental Setup 40

Input Pattern 41

3.4.2 Path Projection 41

Parallel Projection Method 41

Path Projection using Least-Squares Conformal Mapping 43

Properties of Projection Methods 44

3.4.3 Optimal Robot Base Placement 45

3.4.4 Drawing Process with Motion Control 47

Planned and Executed 3D Paths 47

Position Control Error 49

Joint-Space Paths 51

3.4.5 Drawing Process with Hybrid Force/Motion Control . . . 53

Planned and Executed 3D Paths 53

Contact Force 54

Position Control Error 56

3.4.6 Comparison of the Drawing Results 56

3.5 Conclusions 58

4 Optimal TCP and Robot Base Placement 61

4.1 Literature Review 62

4.2 Fast Kinematic Joint-Space Path Planner 63

4.3 Optimal TCP Placement 66

4.3.1 Set of Paths 67

4.3.2 Objective Function and Optimization Criteria 67

4.3.3 Optimization Algorithm 69

4.3.4 Robot Base Placement 69

4.4 Simulation Results 70

4.4.1 Optimal Robot Base Placement 71

- 4.4.2 Optimal TCP Placement 74
- 4.5 Conclusions 75
- 5 Path Planning using Process Properties 79
 - 5.1 Literature Review 80
 - Sampling-based Path Planners 81
 - Optimization-based Path Planners 82
 - Inverse Kinematics and Pathwise Inverse Kinematics . . . 83
 - 5.1.1 Comparison and Contribution 84
 - 5.2 Collision Avoidance 86
 - 5.3 Optimization-based Path Planning 87
 - 5.3.1 Starting Configurations 88
 - 5.3.2 Optimization Problem 89
 - 5.3.3 Objective Functions and Constraints 92
 - Position Deviation 92
 - Orientation Deviation 94
 - Collision Avoidance 95
 - Joint Limits and Path Continuity 96
 - 5.3.4 Optimal Joint-Space Path 97
 - 5.3.5 Trajectory Generation 98
 - 5.4 Robot Base Placement 99
 - 5.5 Experimental Results 100
 - 5.5.1 Drawing Process 100
 - Drawing Process Properties 101
 - Experimental Results of the Drawing Process 104
 - 5.5.2 Spraying Process 110
 - Spraying Process Properties 111
 - Simulation Results of the Spraying Process 113
 - 5.6 Conclusions 116
- 6 Conclusions and Outlook 119
 - 6.1 Conclusions 119
 - 6.2 Outlook 121
- A Industrial Robots 123
 - A.1 KUKA LBR iiwa 14 R820 123

Contents

A.2 KUKA Cybertech KR8 R1620 125

B Mathematics of Unit Quaternions 129

B.1 Quaternion Product and Time Derivative of Unit Quaternions . . 129

B.2 Time Derivative of Lyapunov Function 130

B.3 Objective Function of Orientation Deviation 131

B.4 Gradients of Unit Quaternions 133

C Supplementary Material 135

Bibliography 137