

Contents

Preface — VII

Acknowledgment — XIII

1 Retrospective problem of mean field games — 1

- 1.1 Introduction — 1
- 1.2 A brief outline of the derivation of the mean field games system — 2
 - 1.2.1 Derivation — 2
 - 1.2.2 Summary of notation — 6
 - 1.2.3 The mean field games system and the statement of the retrospective problem — 7
 - 1.2.4 Four main challenges of working with MFGS (1.21) — 8
- 1.3 Two integral identities — 9
- 1.4 Two Carleman estimates — 12
 - 1.4.1 The first Carleman estimate — 12
 - 1.4.2 The second Carleman estimate — 15
- 1.5 Lipschitz stability and uniqueness — 17

2 Stability and uniqueness for semiforecasting and forecasting problems — 23

- 2.1 Introduction — 23
- 2.2 Statements of semiforecasting and forecasting problems — 24
- 2.3 Two Carleman estimates — 25
 - 2.3.1 The Carleman estimate for the operator $\partial_t + \beta\Delta$ — 25
 - 2.3.2 The quasi-Carleman estimate — 28
- 2.4 Lipschitz stability and uniqueness for the semiforecasting problem — 30
- 2.5 Hölder stability estimate for the forecasting problem — 35

3 Hölder stability and uniqueness for the case of lateral Cauchy data — 38

- 3.1 Introduction — 38
- 3.2 Problem statement — 38
- 3.3 Two forms of the kernel $K(x, y)$ — 40
 - 3.3.1 The first form — 40
 - 3.3.2 The second form — 40
 - 3.3.3 The Carleman weight function and estimates of the integral operators in (3.17) and (3.20) — 41
- 3.4 Carleman estimates for operators $\partial_t \pm \beta\Delta$ — 43
 - 3.4.1 Step 1. Evaluate terms with v_t in (3.31) — 44
 - 3.4.2 Step 2. Evaluate terms with v_{x_1} in (3.31) — 45
 - 3.4.3 Step 3. Estimate $(u_t - \beta\Delta u) u\varphi_\lambda$ — 46

3.4.4	Step 4. Multiply (3.36) by $5\lambda\beta$, sum up with (3.35) and integrate the resulting inequality over Q_T — 46
3.4.5	Step 5. Incorporating $u_{x_i x_j}^2$ and u_t^2 in the right-hand side of (3.38) — 47
3.5	Hölder stability and uniqueness — 49
4	Hölder stability for a coefficient inverse problem for the mean field games system — 58
4.1	Introduction — 58
4.2	Statement of coefficient inverse problem — 59
4.3	Two forms of the kernel $K(x, y)$ of the integral operator in (4.3) — 60
4.3.1	The first form — 60
4.3.2	The second form — 61
4.3.3	Estimates for two integral operators — 61
4.4	Formulations of theorems — 62
4.4.1	Two Carleman estimates — 62
4.4.2	Hölder stability and uniqueness — 63
4.5	Proof of Theorem 4.2 — 65
4.5.1	Estimating functions v and q — 70
4.5.2	Estimating functions w and r — 71
4.5.3	Estimate all four functions v, q, w, r simultaneously — 74
4.5.4	The target Hölder stability estimate — 74
4.6	Proof of Theorem 4.3 — 77
5	Convexification numerical method for the retrospective problem for mean field games — 78
5.1	Introduction — 78
5.2	Statement of the problem — 78
5.3	Carleman estimates — 79
5.4	Convexification — 81
5.4.1	The minimization problem — 81
5.4.2	The global strong convexity of the functional $J_{\lambda, a}(u, p)$ on $B(R)$ — 81
5.4.3	The accuracy of the minimizer — 87
5.4.4	The global convergence of the gradient descent method — 91
5.5	Numerical studies — 93
5.5.1	Numerical data generation — 93
5.5.2	Numerical testing for the minimization problem — 94
6	Convexification for a coefficient inverse problem for mean field games — 100
6.1	Introduction — 100
6.2	Problem statement — 100
6.3	Convexification — 102

6.4	Convergence analysis —	106
6.4.1	Carleman estimates —	106
6.4.2	Global strong convexity and uniqueness —	107
6.4.3	The accuracy of the minimizer and uniqueness —	108
6.4.4	The gradient descent method —	111
6.5	Proof of Theorem 6.1 —	112
6.6	Proof of Theorem 6.2 —	115
6.7	Proof of Theorem 6.3 —	118
6.7.1	Analysis of $J_{1,\lambda}$ —	119
6.7.2	Analysis of $\lambda^{3/2}J_{1,\lambda} + J_{2,\lambda}$ and of $J_{\lambda,\beta}$ —	122
6.8	Proof of Theorem 6.4 —	123
6.9	Numerical studies —	127
6.9.1	Numerical data generation —	127
6.9.2	Numerical arrangements —	128
6.9.3	Numerical tests —	131

Bibliography — 135

Index — 139