

Contents

| | |
|---|----------|
| Preface | v |
| I Basic equations of continuum mechanics | |
| 1 Basic equations of continuous media | 3 |
| 1.1 Methods of describing motion of continuous media | 3 |
| 1.1.1 Coordinate systems and methods of describing motion of continuous media | 3 |
| 1.1.2 Eulerian description | 4 |
| 1.1.3 Lagrangian description | 5 |
| 1.1.4 Differentiation of bases | 5 |
| 1.1.5 Description of deformations and rates of deformation of a continuous medium | 7 |
| 1.2 Conservation laws. Integral and differential forms | 9 |
| 1.2.1 Integral form of conservation laws | 9 |
| 1.2.2 Differential form of conservation laws | 11 |
| 1.2.3 Conservation laws at solution discontinuities | 13 |
| 1.2.4 Conclusions | 14 |
| 1.3 Thermodynamics | 15 |
| 1.3.1 First law of thermodynamics | 15 |
| 1.3.2 Second law of thermodynamics | 16 |
| 1.3.3 Conclusions | 18 |
| 1.4 Constitutive equations | 18 |
| 1.4.1 General form of constitutive equations. Internal variables | 18 |
| 1.4.2 Equations of viscous compressible heat-conducting gases | 21 |
| 1.4.3 Thermoelastic isotropic media | 21 |
| 1.4.4 Combined media | 22 |
| 1.4.5 Rigid-plastic media with translationally isotropic hardening | 24 |
| 1.4.6 Elastoplastic model | 25 |
| 1.5 Theory of plastic flow. Theory of internal variables | 26 |
| 1.5.1 Statement of the problem. Equations of an elastoplastic medium | 26 |
| 1.5.2 Equations of an elastoviscoplastic medium | 30 |

| | | |
|--------|---|----|
| 1.6 | Experimental determination of constitutive relations under dynamic loading | 32 |
| 1.6.1 | Experimental results and experimentally obtained constitutive equations | 32 |
| 1.6.2 | Substantiation of elastoviscoplastic equations on the basis of dislocation theory | 36 |
| 1.7 | Principle of virtual displacements. Weak solutions to equations of motion | 40 |
| 1.7.1 | Principles of virtual displacements and velocities | 40 |
| 1.7.2 | Weak formulation of the problem of continuum mechanics | 42 |
| 1.8 | Variational principles of continuum mechanics | 43 |
| 1.8.1 | Lagrange's variational principle | 43 |
| 1.8.2 | Hamilton's variational principle | 44 |
| 1.8.3 | Castigliano's variational principle | 45 |
| 1.8.4 | General variational principle for solving continuum mechanics problems | 46 |
| 1.8.5 | Estimation of solution error | 49 |
| 1.9 | Kinematics of continuous media. Finite deformations | 49 |
| 1.9.1 | Description of the motion of solids at large deformations | 49 |
| 1.9.2 | Motion: deformation and rotation | 50 |
| 1.9.3 | Strain measures. Green–Lagrange and Euler–Almansi strain tensors | 52 |
| 1.9.4 | Deformation of area and volume elements | 53 |
| 1.9.5 | Transformations: initial, reference, and intermediate configurations | 54 |
| 1.9.6 | Differentiation of tensors. Rate of deformation measures | 55 |
| 1.10 | Stress measures | 57 |
| 1.10.1 | Current configuration. Cauchy stress tensor | 57 |
| 1.10.2 | Current and initial configurations. The first and second Piola–Kirchhoff stress tensors | 57 |
| 1.10.3 | Measures of the rate of change of stress tensors | 59 |
| 1.11 | Variational principles for finite deformations | 60 |
| 1.11.1 | Principle of virtual work | 60 |
| 1.11.2 | Statement of the principle in increments | 60 |
| 1.12 | Constitutive equations of plasticity under finite deformations | 61 |
| 1.12.1 | Multiplicative decomposition. Deformation gradients | 61 |
| 1.12.2 | Material description | 63 |
| 1.12.3 | Spatial description | 64 |
| 1.12.4 | Elastic isotropic body | 65 |

| | |
|--|----|
| 1.12.5 Hyperelastoplastic medium | 66 |
| 1.12.6 The von Mises yield criterion | 66 |

II Theory of finite-difference schemes

| | |
|--|-----------|
| 2 The basics of the theory of finite-difference schemes | 71 |
| 2.1 Finite-difference approximations for differential operators | 71 |
| 2.1.1 Finite-difference approximation | 71 |
| 2.1.2 Estimation of approximation error | 73 |
| 2.1.3 Richardson's extrapolation formula | 77 |
| 2.2 Stability and convergence of finite difference equations | 78 |
| 2.2.1 Stability | 78 |
| 2.2.2 Lax convergence theorem | 78 |
| 2.2.3 Example of an unstable finite difference scheme | 79 |
| 2.3 Numerical integration of the Cauchy problem for systems of equations | 81 |
| 2.3.1 Euler schemes | 82 |
| 2.3.2 Adams–Bashforth scheme | 83 |
| 2.3.3 Construction of higher-order schemes by series expansion . . . | 85 |
| 2.3.4 Runge–Kutta schemes | 85 |
| 2.4 Cauchy problem for stiff systems of ordinary differential equations . . | 88 |
| 2.4.1 Stiff systems of ordinary differential equations | 88 |
| 2.4.2 Numerical solution | 89 |
| 2.4.3 Stability analysis | 90 |
| 2.4.4 Singularly perturbed systems | 91 |
| 2.4.5 Extension of a rod made of a nonlinear viscoplastic material . . | 92 |
| 2.5 Finite difference schemes for one-dimensional partial differential equations | 95 |
| 2.5.1 Solution of the wave equation in displacements. The cross scheme | 95 |
| 2.5.2 Solution of the wave equation as a system of first-order equations (acoustics equations) | 96 |
| 2.5.3 The leapfrog scheme | 97 |
| 2.5.4 The Lax–Friedrichs scheme | 97 |
| 2.5.5 The Lax–Wendroff Scheme | 98 |
| 2.5.6 Scheme viscosity | 99 |
| 2.5.7 Solution of the wave equation. Implicit scheme | 100 |
| 2.5.8 Solution of the wave equation. Comparison of explicit and implicit schemes. Boundary points | 100 |
| 2.5.9 Heat equation | 101 |
| 2.5.10 Unsteady thermal conduction. Explicit scheme (forward Euler scheme) | 103 |

| | | |
|----------|---|------------|
| 2.5.11 | Unsteady thermal conduction. Implicit scheme (backward Euler scheme) | 103 |
| 2.5.12 | Unsteady thermal conduction. Crank–Nicolson scheme | 103 |
| 2.5.13 | Unsteady thermal conduction. Allen–Cheng explicit scheme | 103 |
| 2.5.14 | Unsteady thermal conduction. Du Fort–Frankel explicit scheme | 104 |
| 2.5.15 | Initial-boundary value problem of unsteady thermal conduction. Approximation of boundary conditions involving derivatives | 104 |
| 2.6 | Stability analysis for finite difference schemes | 106 |
| 2.6.1 | Stability of a two-layer finite difference scheme | 107 |
| 2.6.2 | The von Neumann stability condition | 107 |
| 2.6.3 | Stability of the wave equation | 108 |
| 2.6.4 | Stability of the wave equation as a system of first-order equations. The Courant stability condition | 109 |
| 2.6.5 | Stability of schemes for the heat equation | 112 |
| 2.6.6 | The principle of frozen coefficients | 113 |
| 2.6.7 | Stability in solving boundary value problems | 115 |
| 2.6.8 | Step size selection in an implicit scheme in solving the heat equation | 116 |
| 2.6.9 | Step size selection in solving the wave equation | 117 |
| 2.7 | Exercises | 117 |
| 3 | Methods for solving systems of algebraic equations | 122 |
| 3.1 | Matrix norm and condition number of matrix | 122 |
| 3.1.1 | Relative error of solution for perturbed right-hand sides. The condition number of a matrix | 122 |
| 3.1.2 | Relative error of solution for perturbed coefficient matrix | 123 |
| 3.1.3 | Example | 124 |
| 3.1.4 | Regularization of an ill-conditioned system of equations | 125 |
| 3.2 | Direct methods for linear system of equations | 126 |
| 3.2.1 | Gaussian elimination method. Matrix factorization | 126 |
| 3.2.2 | Gaussian elimination with partial pivoting | 127 |
| 3.2.3 | Cholesky decomposition. The square root method | 128 |
| 3.3 | Iterative methods for linear system of equations | 130 |
| 3.3.1 | Single-step iterative processes | 130 |
| 3.3.2 | Seidel and Jacobi iterative processes | 131 |
| 3.3.3 | The stabilization method | 133 |
| 3.3.4 | Optimization of the rate of convergence of a steady-state process | 135 |
| 3.3.5 | Optimization of unsteady processes | 137 |

| | | |
|----------|--|------------|
| 3.4 | Methods for solving nonlinear equations | 140 |
| 3.4.1 | Nonlinear equations and iterative methods | 140 |
| 3.4.2 | Contractive mappings. The fixed point theorem | 141 |
| 3.4.3 | Method of simple iterations. Sufficient convergence condition | 143 |
| 3.5 | Nonlinear equations: Newton's method and its modifications | 145 |
| 3.5.1 | Newton's method | 145 |
| 3.5.2 | Modified Newton–Raphson method | 147 |
| 3.5.3 | The secant method | 147 |
| 3.5.4 | Two-stage iterative methods | 148 |
| 3.5.5 | Nonstationary Newton method. Optimal step selection | 149 |
| 3.6 | Methods of minimization of functions (descent methods) | 152 |
| 3.6.1 | The coordinate descent method | 152 |
| 3.6.2 | The steepest descent method | 154 |
| 3.6.3 | The conjugate gradient method | 155 |
| 3.6.4 | An iterative method using spectral-equivalent operators or reconditioning | 156 |
| 3.7 | Exercises | 157 |
| 4 | Methods for solving boundary value problems for systems of equations | 160 |
| 4.1 | Numerical solution of two-point boundary value problems | 160 |
| 4.1.1 | Stiff two-point boundary value problem | 160 |
| 4.1.2 | Method of initial parameters | 161 |
| 4.2 | General boundary value problem for systems of linear equations | 163 |
| 4.3 | General boundary value problem for systems of nonlinear equations | 164 |
| 4.3.1 | Shooting method | 165 |
| 4.3.2 | Quasi-linearization method | 165 |
| 4.4 | Solution of boundary value problems by the sweep method | 166 |
| 4.4.1 | Differential sweep | 166 |
| 4.4.2 | Solution of finite difference equation by the sweep method | 170 |
| 4.4.3 | Sweep method for the heat equation | 171 |
| 4.5 | Solution of boundary value problems for elliptic equations | 172 |
| 4.5.1 | Poisson's equation | 172 |
| 4.5.2 | Maximum principle for second-order finite difference equations | 175 |
| 4.5.3 | Stability of a finite difference scheme for Poisson's equation | 176 |
| 4.5.4 | Diagonal domination | 176 |
| 4.5.5 | Solution of Poisson's equation by the matrix sweep method | 178 |
| 4.5.6 | Fourier's method of separation of variables | 181 |

| | | |
|-------|--|-----|
| 4.6 | Stiff boundary value problems | 183 |
| 4.6.1 | Stiff systems of differential equations | 183 |
| 4.6.2 | Generalized method of initial parameters | 185 |
| 4.6.3 | Orthogonal sweep | 186 |
| 4.7 | Exercises | 189 |

III Finite-difference methods for solving nonlinear evolution equations of continuum mechanics

| | | |
|----------|---|------------|
| 5 | Wave propagation problems | 197 |
| 5.1 | Linear vibrations of elastic beams | 197 |
| 5.1.1 | Longitudinal vibrations | 197 |
| 5.1.2 | Explicit scheme. Sufficient stability conditions | 197 |
| 5.1.3 | Longitudinal vibrations. Implicit scheme | 199 |
| 5.1.4 | Transverse vibrations | 200 |
| 5.1.5 | Transverse vibrations. Explicit scheme | 202 |
| 5.1.6 | Transverse vibrations. Implicit scheme | 203 |
| 5.1.7 | Coupled longitudinal and transverse vibrations | 204 |
| 5.1.8 | Transverse bending of a plate with shear and rotational inertia | 206 |
| 5.1.9 | Conclusion | 209 |
| 5.2 | Solution of nonlinear wave propagation problems | 209 |
| 5.2.1 | Hyperbolic system of equations and characteristics | 209 |
| 5.2.2 | Finite difference approximation along characteristics. The direct and semi-inverse methods | 211 |
| 5.2.3 | Inverse method. The Courant–Isaacson–Rees grid-characteristic scheme | 211 |
| 5.2.4 | Wave propagation in a nonlinear elastic beam | 212 |
| 5.2.5 | Wave propagation in an elastoviscoplastic beam | 215 |
| 5.2.6 | Discontinuous solutions. Constant coefficient equation | 219 |
| 5.2.7 | Discontinuous solutions of a nonlinear equation | 220 |
| 5.2.8 | Stability of difference characteristic equations | 222 |
| 5.2.9 | Characteristic and grid-characteristic schemes for solving stiff problems | 222 |
| 5.2.10 | Stability of characteristic and grid-characteristic schemes for stiff problems | 224 |
| 5.2.11 | Characteristic schemes of higher orders of accuracy | 225 |
| 5.3 | Two- and three-dimensional characteristic schemes and their application | 227 |
| 5.3.1 | Spatial characteristics | 227 |
| 5.3.2 | Basic equations of elastoviscoplastic media | 229 |

| | | |
|----------|--|------------|
| 5.3.3 | Spatial three-dimensional characteristics for semi-linear system | 231 |
| 5.3.4 | Characteristic equations. Spatial problem | 235 |
| 5.3.5 | Axisymmetric problem | 236 |
| 5.3.6 | Difference equations. Axisymmetric problem | 238 |
| 5.3.7 | A brief overview of the results. Further development and generalization of the method of spatial characteristics and its application to the solution of dynamic problems | 244 |
| 5.4 | Coupled thermomechanics problems | 245 |
| 5.5 | Differential approximation for difference equations | 248 |
| 5.5.1 | Hyperbolic and parabolic forms of differential approximation .. | 248 |
| 5.5.2 | Example | 249 |
| 5.5.3 | Stability | 250 |
| 5.5.4 | Analysis of dissipative and dispersive properties | 251 |
| 5.5.5 | Example | 253 |
| 5.5.6 | Analysis of properties of finite difference schemes for discontinuous solutions | 254 |
| 5.5.7 | Smoothing of non-physical perturbations in a calculation on a real grid | 259 |
| 5.6 | Exercises | 260 |
| 6 | Finite-difference splitting method for solving dynamic problems | 263 |
| 6.1 | General scheme of the splitting method | 263 |
| 6.1.1 | Explicit splitting scheme | 263 |
| 6.1.2 | Implicit splitting scheme | 264 |
| 6.1.3 | Stability | 265 |
| 6.2 | Splitting of 2D/3D equations into 1D equations (splitting along directions) | 265 |
| 6.2.1 | Splitting along directions of initial-boundary value problems for the heat equation | 265 |
| 6.2.2 | Splitting schemes for the wave equation | 268 |
| 6.3 | Splitting of constitutive equations for complex rheological models into simple ones. A splitting scheme for a viscous fluid | 270 |
| 6.3.1 | Divergence form of equations | 270 |
| 6.3.2 | Non-divergence form of equations | 272 |
| 6.3.3 | One-dimensional equations. Ideal gas | 273 |
| 6.3.4 | Implementation of the scheme | 275 |
| 6.4 | Splitting scheme for elastoviscoplastic dynamic problems | 276 |
| 6.4.1 | Constitutive equations of elastoplastic media | 276 |
| 6.4.2 | Some approaches to solving elastoplastic equations | 277 |
| 6.4.3 | Splitting of the constitutive equations | 279 |

| | | |
|----------|--|------------|
| 6.4.4 | The theory of von Mises type flows. Isotropic hardening | 281 |
| 6.4.5 | Drucker–Prager plasticity theory | 283 |
| 6.4.6 | Elastoviscoplastic media | 285 |
| 6.5 | Splitting schemes for points on the axis of revolution | 286 |
| 6.5.1 | Calculation of boundary points | 286 |
| 6.5.2 | Calculation of axial points | 288 |
| 6.6 | Integration of elastoviscoplastic flow equations by variation inequality | 290 |
| 6.6.1 | Variation inequality | 290 |
| 6.6.2 | Dissipative schemes | 292 |
| 6.7 | Exercises | 295 |
| 7 | Solution of elastoplastic dynamic and quasistatic problems with finite deformations | 298 |
| 7.1 | Conservative approximations on curvilinear Lagrangian meshes | 298 |
| 7.1.1 | Formulas for natural approximation of spatial derivatives | 298 |
| 7.1.2 | Approximation of a Lagrangian mesh | 299 |
| 7.1.3 | Conservative finite difference schemes | 301 |
| 7.2 | Finite elastoplastic deformations | 303 |
| 7.2.1 | Conservative schemes in one-dimensional case | 303 |
| 7.2.2 | A conservative two-dimensional scheme for an elastoplastic medium | 305 |
| 7.2.3 | Splitting of the equations of a hypoelastic material | 306 |
| 7.3 | Propagation of coupled thermomechanical perturbations in gases | 307 |
| 7.3.1 | Basic equations | 307 |
| 7.3.2 | Conservative finite difference scheme | 307 |
| 7.3.3 | Non-divergence form of the energy equation. A completely conservative scheme | 309 |
| 7.4 | The PIC method and its modifications for solid mechanics problems | 311 |
| 7.4.1 | Disadvantages of Lagrangian and Eulerian meshes | 311 |
| 7.4.2 | The particle-in-cell (PIC) method | 311 |
| 7.4.3 | The method of coarse particles | 314 |
| 7.4.4 | Limitations of the PIC method and its modifications | 315 |
| 7.4.5 | The combined flux and particle-in-cell (FPIC) method | 316 |
| 7.4.6 | The method of markers and fluxes | 317 |
| 7.5 | Application of PIC-type methods to solving elastoviscoplastic problems | 317 |
| 7.5.1 | Hypoelastic medium | 318 |
| 7.5.2 | Hypoelastoplastic medium | 319 |
| 7.5.3 | Splitting for a hyperelastoplastic medium | 321 |

| | | |
|----------|--|------------|
| 7.6 | Optimization of moving one-dimensional meshes | 324 |
| 7.6.1 | Optimal mesh for a given function | 325 |
| 7.6.2 | Optimal mesh for solving an initial-boundary value problem | 326 |
| 7.6.3 | Mesh optimization in several parameters | 327 |
| 7.6.4 | Heat propagation from a combustion source | 328 |
| 7.7 | Adaptive 2D/3D meshes for finite deformation problems | 330 |
| 7.7.1 | Methods for reorganization of a Lagrangian mesh | 330 |
| 7.7.2 | Description of motion in an arbitrary moving coordinate system | 331 |
| 7.7.3 | Adaptive meshes | 333 |
| 7.8 | Unsteady elastoviscoplastic problems on moving adaptive meshes | 335 |
| 7.8.1 | Algorithms for constructing moving meshes | 335 |
| 7.8.2 | Selection of a finite difference scheme | 337 |
| 7.8.3 | A hybrid scheme of variable order of approximation at internal nodes | 339 |
| 7.8.4 | A grid-characteristic scheme at boundary nodes | 341 |
| 7.8.5 | Calculation of contact boundaries | 344 |
| 7.8.6 | Calculation of damage kinetics | 346 |
| 7.8.7 | Numerical results for some applied problems with finite elastoviscoplastic strains | 347 |
| 7.9 | Exercises | 352 |
| 8 | Modeling of damage and fracture of inelastic materials and structures | 354 |
| 8.1 | Concept of damage and the construction of models of damaged media | 354 |
| 8.1.1 | Concept of continuum fracture and damage | 354 |
| 8.1.2 | Construction of damage models | 355 |
| 8.1.3 | Constitutive equations of the GTN model | 361 |
| 8.2 | Generalized micromechanical multiscale damage model | 363 |
| 8.2.1 | Micromechanical model. The stage of plastic flow and hardening | 364 |
| 8.2.2 | Stage of void nucleation | 365 |
| 8.2.3 | Stage of the appearance of voids and damage | 366 |
| 8.2.4 | Relationship between micro and macro parameters | 367 |
| 8.2.5 | Macromodel | 368 |
| 8.2.6 | Tension of a thin rod with a constant strain rate | 373 |
| 8.2.7 | Conclusion | 375 |
| 8.3 | Numerical modeling of damaged elastoplastic materials | 375 |
| 8.3.1 | Regularization of equations for elastoplastic materials at softening | 375 |
| 8.3.2 | Solution of damage problems | 376 |
| 8.3.3 | Inverse Euler method | 377 |

| | | |
|--------|--|-----|
| 8.3.4 | Solution of a boundary value problem. Computation of the Jacobian | 379 |
| 8.3.5 | Splitting method | 379 |
| 8.3.6 | Integration of the constitutive relations of the GTN model | 382 |
| 8.3.7 | Uniaxial tension. Computational results | 386 |
| 8.3.8 | Bending of a plate | 387 |
| 8.3.9 | Comparison with experiment | 389 |
| 8.3.10 | Modeling quasi-brittle fracture with damage | 390 |
| 8.4 | Extension of damage theory to the case of an arbitrary stress-strain state | 393 |
| 8.4.1 | Well-posedness of the problem | 394 |
| 8.4.2 | Limitations of the GTN model | 395 |
| 8.4.3 | Associated viscoplastic law | 396 |
| 8.4.4 | Constitutive relations in the absence of porosity ($k < 0.4$, $f = 0$, $\sigma_r = 0$) | 396 |
| 8.4.5 | Fracture model. Fracture criteria | 397 |
| 8.5 | Numerical modeling of cutting of elastoviscoplastic materials | 398 |
| 8.5.1 | Introduction | 398 |
| 8.5.2 | Statement of the problem | 399 |
| 8.6 | Conclusions. General remarks on elastoplastic equations | 406 |
| 8.6.1 | Formulations of systems of equations for elastoplastic media . | 406 |
| 8.6.2 | A hardening elastoplastic medium | 406 |
| 8.6.3 | Ideal elastoplastic media: a degenerate case | 407 |
| 8.6.4 | Difficulties in solving mixed elliptic-hyperbolic problems | 408 |
| 8.6.5 | Regularization of an elastoplastic model | 408 |
| 8.6.6 | Elastoplastic shock waves | 409 |
| | Bibliography | 411 |
| | Index | 421 |