

Contents

1	Introduction	1
1.1	Background Information	1
1.2	Microfluidic Devices for Cell Analysis	2
1.2.1	Materials for Fabricating Microfluidic Devices	3
1.2.2	Flow Control in Microfluidic Devices	4
1.3	Cell Capture and Culture on Microfluidic Devices	6
1.3.1	Cell Capture on Microfluidic Devices	6
1.3.2	Cell Culture on Microfluidic Devices	8
1.4	Cell Sorting and Separation on Microfluidic Devices	9
1.5	Cell Stimulation and Detection on Microfluidic Devices	12
1.5.1	Cell Stimulation on Microfluidic Devices	12
1.5.2	Cell Secretion Detection on Microfluidic Devices	13
1.6	Research Orientation and Significance of This Thesis	17
	References	18
2	Analysis of Herbicides on a Single C30 Bead via the Platform Combined Microfluidic Device with ESI-Q-TOF-MS	27
2.1	Introduction	27
2.2	Experimental Section	28
2.2.1	Reagents and Materials	28
2.2.2	Fabrication of Microfluidic Devices	29
2.2.3	Sample Preparation	30
2.2.4	Single Particle Adsorption	30
2.2.5	Single Particle Manipulation and Elution	32
2.2.6	Mass Spectrometry Settings	32
2.3	Results and Discussion	33
2.3.1	Combination of Microfluidic Device and Mass Spectrum	33
2.3.2	Optimization of the Sample Preparation	34
2.3.3	Propazine Analysis by Single C30 Bead	34

2.3.4	Herbicides Mixture Elution and Identification	36
2.3.5	Analysis of Vegetable Samples	38
2.4	Conclusion	40
	References	40
3	Monitoring of Glutamate Release from Neuronal Cell Based on the Analysis Platform Combining the Microfluidic Devices with ESI-Q-TOF MS	43
3.1	Introduction	43
3.2	Experimental Section	44
3.2.1	Reagents and Materials	44
3.2.2	Fabrication of Microfluidic Devices	45
3.2.3	Fabrication of Integrated MEC for Sample Pretreatment	46
3.2.4	Mass Spectrometry Settings	49
3.2.5	Biological Experiments	49
3.3	Results and Discussion	51
3.3.1	The MEC for Pretreatment	52
3.3.2	Evaluation of the MEC	52
3.3.3	Cell Culture and Drug Exposure on Microfluidic Chips	54
3.3.4	Monitoring A β 42-Induced Glutamate Release	55
3.3.5	Effect of Carnosine Against the A β 42-Induced Neurotoxicity	57
3.4	Conclusions	59
	References	60
4	Microfluidic Device with Integrated Porous Membrane for Cell Sorting and Separation	61
4.1	Introduction	61
4.2	Experimental Section	62
4.2.1	Reagents and Materials	62
4.2.2	The Integrated Cell Sorter Device	62
4.2.3	Fabrication of Soft Lithography Molds	63
4.2.4	Fabrication of the 3D Microfluidic Device	64
4.2.5	Samples and Setup	65
4.3	Results and Discussion	67
4.3.1	Fabrication of PDMS Porous Membrane	67
4.3.2	Fabrication and Pore Size Control of the POM-Mold	68
4.3.3	Microvalve System for Cell Sorting	71
4.3.4	Aligned Overlap of Porous Membranes for the Fabrication of Smaller Pores	73
4.3.5	Polystyrene Microbeads Sorting Process	75
4.3.6	Whole Blood Cells Sorting Process	77
4.4	Conclusions	81
	References	81

5 Cell Co-culture and Signaling Analysis Based on Microfluidic Devices Coupling with ESI-Q-TOF MS	83
5.1 Introduction	83
5.2 Experimental Section	84
5.2.1 Reagents and Materials	84
5.2.2 Design and Fabrication of Soft Lithography Mold	85
5.2.3 Design and Fabrication of Microfluidic Devices	87
5.2.4 General Cell Culture and Staining	88
5.2.5 Co-culture of PC12 and GH3 Cells on Microfluidic Device ..	90
5.2.6 Drug Exposure	91
5.2.7 Pretreatment Procedure	91
5.2.8 Mass Spectrometry Settings	91
5.3 Results and Discussion	92
5.3.1 Evaluation of the Mass Diffusion Rate in the Co-culture Microfluidic Channels	93
5.3.2 Mass Diffusion Effect on the Cell Culture	94
5.3.3 PC12 and GH3 Cell Induction Under Co-culture Conditions	95
5.3.4 Evaluation of the Micro-SPE Column	98
5.3.5 Inhibition of rGH Secretion from GH3 Cells by Dopamine Released from PC12 Cells	100
5.4 Conclusion	102
References	102