

# Contents

|          |                                                                                                                    |           |
|----------|--------------------------------------------------------------------------------------------------------------------|-----------|
| <b>1</b> | <b>Introduction</b>                                                                                                | <b>1</b>  |
| 1.1      | Introduction                                                                                                       | 1         |
| 1.2      | Distal Ejecta Layers: Formation and Nomenclature                                                                   | 6         |
| 1.3      | Importance of Distal Impact Ejecta Layers                                                                          | 10        |
| 1.4      | Objectives                                                                                                         | 13        |
| <b>2</b> | <b>Impact Crater Formation, Shock Metamorphism,<br/>and Distribution of Impact Ejecta</b>                          | <b>15</b> |
| 2.1      | Introduction                                                                                                       | 15        |
| 2.2      | Impact Cratering                                                                                                   | 15        |
| 2.2.1    | Energy Considerations                                                                                              | 15        |
| 2.2.2    | Impact Crater Formation                                                                                            | 16        |
| 2.2.3    | Simple Craters, Complex Craters,<br>and Multi-Ring Basins                                                          | 22        |
| 2.3      | Shock Metamorphism                                                                                                 | 23        |
| 2.3.1    | Vaporization and Melting                                                                                           | 26        |
| 2.3.2    | Shock-Induced Decomposition or Dissociation                                                                        | 28        |
| 2.3.3    | Phase Transformation: High-Pressure Phases                                                                         | 31        |
| 2.3.4    | Microscopic Shock-Deformation Features                                                                             | 44        |
| 2.3.5    | Megascopic Shock-Deformation Features:<br>Shatter Cones                                                            | 61        |
| 2.3.6    | Stages of Shock Metamorphism                                                                                       | 62        |
| 2.4      | Ejection and Distribution of Ejecta                                                                                | 64        |
| 2.5      | Numerical Modeling of the Cratering Process                                                                        | 69        |
| 2.6      | Variations in Ejecta with Distance from the Source Crater                                                          | 70        |
| 2.7      | Complications                                                                                                      | 71        |
| 2.7.1    | Effects of Earth's Rotation and Atmosphere<br>on Transport and Distribution of Distal Ejecta<br>from Large Impacts | 71        |

|          |                                                                                                                     |            |
|----------|---------------------------------------------------------------------------------------------------------------------|------------|
| 2.7.2    | Lobate and Ray-Like Ejecta Patterns . . . . .                                                                       | 73         |
| 2.7.3    | Reworking of Distal Impact Ejecta<br>by Impact-Produced Tsunamis. . . . .                                           | 73         |
| <b>3</b> | <b>Distal Impact Ejecta Layers: Recognition, Confirmation,<br/>Dating, and Determining Source Craters . . . . .</b> | <b>77</b>  |
| 3.1      | Recognition of Possible Distal Ejecta Layers . . . . .                                                              | 77         |
| 3.1.1    | Stratigraphy/Lithology . . . . .                                                                                    | 77         |
| 3.1.2    | Geochemistry . . . . .                                                                                              | 79         |
| 3.2      | Confirmation of Impact Origin for a Suspected Distal<br>Impact/Spherule Layer . . . . .                             | 91         |
| 3.2.1    | Impact Spherules and Their Identification. . . . .                                                                  | 92         |
| 3.2.2    | Shock Metamorphism. . . . .                                                                                         | 118        |
| 3.3      | Dating and Correlation of Distal Impact Ejecta Layers. . . . .                                                      | 120        |
| 3.3.1    | Stratigraphy . . . . .                                                                                              | 120        |
| 3.3.2    | Radiometric Dating . . . . .                                                                                        | 122        |
| 3.4      | Search for Source Craters of Distal Ejecta Layers . . . . .                                                         | 126        |
| 3.4.1    | Age of the Source Crater . . . . .                                                                                  | 127        |
| 3.4.2    | Nature of the Target Rock . . . . .                                                                                 | 127        |
| 3.4.3    | Size of and Distance to Source Crater . . . . .                                                                     | 130        |
| 3.5      | Examples of Spherules Misidentified as Impact Spherules . . . . .                                                   | 133        |
| <b>4</b> | <b>Cenozoic Microtektite/Ejecta Layers. . . . .</b>                                                                 | <b>137</b> |
| 4.1      | Introduction . . . . .                                                                                              | 137        |
| 4.1.1    | Background. . . . .                                                                                                 | 137        |
| 4.1.2    | Tektites and Tektite Strewn Fields. . . . .                                                                         | 138        |
| 4.2      | The Australasian Microtektite Layer . . . . .                                                                       | 149        |
| 4.2.1    | Description of the Australasian Microtektites . . . . .                                                             | 149        |
| 4.2.2    | Composition of the Australasian Microtektites. . . . .                                                              | 154        |
| 4.2.3    | Age . . . . .                                                                                                       | 155        |
| 4.2.4    | Geographic Occurrence . . . . .                                                                                     | 157        |
| 4.2.5    | Nature of the Australasian Microtektite Layer. . . . .                                                              | 159        |
| 4.2.6    | Iridium Anomaly Associated with the Australasian<br>Microtektite Layer . . . . .                                    | 160        |
| 4.2.7    | Unmelted Ejecta in the Microtektite Layer . . . . .                                                                 | 161        |
| 4.2.8    | Transantarctic Mountain Microtektites . . . . .                                                                     | 161        |
| 4.2.9    | Geographic Variations Within the Australasian<br>Microtektite Strewn Field . . . . .                                | 165        |
| 4.2.10   | Parent Rocks and Estimated Location and Size<br>of the Source Crater. . . . .                                       | 168        |
| 4.3      | The Ivory Coast Microtektite Layer. . . . .                                                                         | 170        |
| 4.3.1    | Description of the Ivory Coast Microtektites. . . . .                                                               | 170        |
| 4.3.2    | Composition . . . . .                                                                                               | 171        |
| 4.3.3    | Age . . . . .                                                                                                       | 173        |

|        |                                                                                                        |     |
|--------|--------------------------------------------------------------------------------------------------------|-----|
| 4.3.4  | The Ivory Coast Strewn Field . . . . .                                                                 | 173 |
| 4.3.5  | The Source Crater: Bosumtwi . . . . .                                                                  | 174 |
| 4.4    | The Central European Tektite Strewn Field . . . . .                                                    | 178 |
| 4.5    | The North American Microtektite Layer. . . . .                                                         | 180 |
| 4.5.1  | Introduction . . . . .                                                                                 | 180 |
| 4.5.2  | Description of the North American Microtektites. . . . .                                               | 181 |
| 4.5.3  | Composition . . . . .                                                                                  | 182 |
| 4.5.4  | Age . . . . .                                                                                          | 184 |
| 4.5.5  | Geographic Occurrence . . . . .                                                                        | 184 |
| 4.5.6  | Relationship to the Clinopyroxene-Bearing<br>Spherule Layer . . . . .                                  | 184 |
| 4.5.7  | Unmelted, Shock-Metamorphosed Ejecta Associated<br>with the North American Microtektite Layer. . . . . | 187 |
| 4.5.8  | Geographic Variation Within the North<br>American Strewn Field. . . . .                                | 188 |
| 4.5.9  | The Source Crater: Chesapeake Bay . . . . .                                                            | 189 |
| 4.6    | The Clinopyroxene-Bearing Spherule Layer . . . . .                                                     | 190 |
| 4.6.1  | Introduction . . . . .                                                                                 | 190 |
| 4.6.2  | Description of Cpx Spherules . . . . .                                                                 | 192 |
| 4.6.3  | Composition . . . . .                                                                                  | 196 |
| 4.6.4  | The Number of Upper Eocene Spherule Layers. . . . .                                                    | 197 |
| 4.6.5  | Age of the Cpx Spherule Layer. . . . .                                                                 | 202 |
| 4.6.6  | Geographic Distribution of Cpx Spherules . . . . .                                                     | 202 |
| 4.6.7  | Associated Ir Anomaly and Shock-Metamorphosed<br>Grains . . . . .                                      | 203 |
| 4.6.8  | Nature of the Target Rock: Chemical Composition and<br>Sr–Nd Isotopic Data. . . . .                    | 205 |
| 4.6.9  | Popigai: The Source Crater. . . . .                                                                    | 208 |
| 4.6.10 | Meteoritic Contamination and Projectile<br>Identification. . . . .                                     | 208 |
| 4.6.11 | Geographic Variations Within and Ray-Like Nature<br>of the Cpx Spherule Strewn Field . . . . .         | 210 |
| 4.6.12 | Formation of Cpx Spherules . . . . .                                                                   | 211 |
| 4.6.13 | Associated Climatic and Biological Changes. . . . .                                                    | 212 |
| 4.7    | Additional Probable Cenozoic Distal Ejecta Layers . . . . .                                            | 214 |
| 4.7.1  | North Pacific Microtektites . . . . .                                                                  | 215 |
| 4.7.2  | Early Pliocene (4.6–12.1 Ma) Tasman Rise<br>Microtektites . . . . .                                    | 217 |
| 4.7.3  | Paleocene Nuussuaq Spherule Bed. . . . .                                                               | 218 |
| 4.8    | Distal Impact Glasses not Found in Stratigraphic Layers . . . . .                                      | 221 |
| 4.8.1  | Guatemalan (Tikal) Tektites (0.8 Ma) . . . . .                                                         | 221 |
| 4.8.2  | Darwin Glass . . . . .                                                                                 | 223 |
| 4.8.3  | South-Ural Glass . . . . .                                                                             | 226 |
| 4.8.4  | High Na/K “Australites” . . . . .                                                                      | 226 |

|          |                                                                                              |            |
|----------|----------------------------------------------------------------------------------------------|------------|
| 4.8.5    | Libyan Desert Glass . . . . .                                                                | 227        |
| 4.8.6    | Urengoites . . . . .                                                                         | 230        |
| 4.9      | Other Proposed Cenozoic Distal Ejecta Layers . . . . .                                       | 231        |
| 4.9.1    | Younger Dryas "Impact" Layer . . . . .                                                       | 231        |
| 4.9.2    | Late Pliocene "Ejecta" in the Ross Sea, Antarctica . . . . .                                 | 233        |
| 4.9.3    | The Paleocene-Eocene Event. . . . .                                                          | 233        |
| 4.10     | Miscellaneous . . . . .                                                                      | 235        |
| 4.10.1   | Argentine Impact Glasses . . . . .                                                           | 235        |
| 4.10.2   | Meteoritic Dust Layers in Antarctic Ice . . . . .                                            | 238        |
| 4.10.3   | The Eltanin Event . . . . .                                                                  | 241        |
| <b>5</b> | <b>Mesozoic Spherule/Impact Ejecta Layers . . . . .</b>                                      | <b>245</b> |
| 5.1      | Introduction . . . . .                                                                       | 245        |
| 5.2      | Cretaceous-Tertiary (K-T) Boundary Impact Ejecta Layer . . . . .                             | 245        |
| 5.2.1    | Introduction . . . . .                                                                       | 245        |
| 5.2.2    | General Description of the K-T Boundary Layer . . . . .                                      | 246        |
| 5.2.3    | Evidence for an Impact Origin . . . . .                                                      | 260        |
| 5.2.4    | Radiometric Age of the Cretaceous-Tertiary (K-T) Boundary Layer. . . . .                     | 286        |
| 5.2.5    | Multiple Impact Ejecta Layers in Late Maastrichtian and Early Danian Deposits? . . . . .     | 287        |
| 5.2.6    | The K-T Boundary Source Crater: Chicxulub . . . . .                                          | 289        |
| 5.2.7    | Variations in Nature of the K-T Boundary Layer with Distance from Chicxulub. . . . .         | 293        |
| 5.2.8    | Nature of the K-T Boundary (Chicxulub) Projectile. . . . .                                   | 299        |
| 5.2.9    | The K-T (Chicxulub) Impact as the Cause of the Terminal Cretaceous Mass Extinction . . . . . | 300        |
| 5.3      | Distal Impact Ejecta from the Manson Impact Structure. . . . .                               | 307        |
| 5.3.1    | Manson Impact Structure . . . . .                                                            | 307        |
| 5.3.2    | Distal Impact Ejecta from the Manson Impact Structure. . . . .                               | 308        |
| 5.4      | Late Triassic Impact Ejecta Layer . . . . .                                                  | 311        |
| 5.5      | Triassic-Jurassic Boundary Impact? . . . . .                                                 | 316        |
| <b>6</b> | <b>Paleozoic Impact Spherule/Ejecta Layers . . . . .</b>                                     | <b>321</b> |
| 6.1      | Introduction . . . . .                                                                       | 321        |
| 6.2      | Late Devonian Spherule/Ejecta Layers . . . . .                                               | 324        |
| 6.2.1    | Introduction . . . . .                                                                       | 324        |
| 6.2.2    | The Qidong Silicate Glass Spherule Layer . . . . .                                           | 324        |
| 6.2.3    | Evidence for an Impact Ejecta Layer Near the Frasnian-Famennian Boundary. . . . .            | 330        |

|          |                                                                                           |            |
|----------|-------------------------------------------------------------------------------------------|------------|
| 6.3      | Proposed, but Not Accepted Distal Ejecta Layers . . . . .                                 | 345        |
| 6.3.1    | Permian–Triassic Boundary (PTB) . . . . .                                                 | 345        |
| 6.3.2    | Possible Devonian–Carboniferous Boundary<br>Distal Ejecta Layer . . . . .                 | 361        |
| 6.3.3    | Middle Devonian (Eifelian–Givetian Boundary)<br>Ejecta Layer? . . . . .                   | 363        |
| 6.4      | Alamo Breccia Deposits . . . . .                                                          | 366        |
| 6.4.1    | Introduction . . . . .                                                                    | 366        |
| 6.4.2    | Crater Size and Location . . . . .                                                        | 367        |
| 6.4.3    | Distal Ejecta Deposits . . . . .                                                          | 368        |
| <b>7</b> | <b>Proterozoic Impact Spherule/Ejecta Layers Younger<br/>Than 2.4 Ga . . . . .</b>        | <b>371</b> |
| 7.1      | Introduction . . . . .                                                                    | 371        |
| 7.1.1    | Stratigraphic Subdivision of the Precambrian . . . . .                                    | 371        |
| 7.1.2    | Secular Variation in Precambrian Ejecta Layers . . . . .                                  | 372        |
| 7.2      | Acraman Ejecta Layer (Neoproterozoic, South Australia) . . . . .                          | 375        |
| 7.2.1    | Description of Layer . . . . .                                                            | 375        |
| 7.2.2    | Radiometric Age . . . . .                                                                 | 378        |
| 7.2.3    | Evidence of Impact Origin and Extraterrestrial<br>Component . . . . .                     | 380        |
| 7.2.4    | Geographic Distribution and Variation . . . . .                                           | 384        |
| 7.2.5    | Evidence that the Acraman Impact Structure<br>is the Source Crater . . . . .              | 387        |
| 7.2.6    | Possible Links to Biologic Changes . . . . .                                              | 389        |
| 7.3      | Sudbury Ejecta Layer (Paleoproterozoic, Lake Superior Region,<br>North America) . . . . . | 391        |
| 7.3.1    | Introduction . . . . .                                                                    | 391        |
| 7.3.2    | Description of Impact Ejecta . . . . .                                                    | 394        |
| 7.3.3    | Radiometric Age . . . . .                                                                 | 398        |
| 7.3.4    | Evidence of Impact Origin and Sudbury<br>as the Source Crater . . . . .                   | 399        |
| 7.3.5    | Geographic Distribution and Variation . . . . .                                           | 402        |
| 7.3.6    | Possible Links to Biologic and Environmental<br>Changes . . . . .                         | 405        |
| 7.4      | Grønnesø Spherule Layer (Paleoproterozoic, South Greenland) . . . . .                     | 407        |
| 7.4.1    | Introduction . . . . .                                                                    | 407        |
| 7.4.2    | Description of Layer and Spherules . . . . .                                              | 409        |
| 7.4.3    | Radiometric Age . . . . .                                                                 | 415        |
| 7.4.4    | Geographic Distribution and Variation . . . . .                                           | 415        |
| 7.4.5    | Evidence of Impact Origin . . . . .                                                       | 415        |
| 7.4.6    | Constraints on Potential Source Crater . . . . .                                          | 417        |
| 7.4.7    | Possible Links to Biologic and Climatic Changes . . . . .                                 | 418        |

|           |                                                                                               |            |
|-----------|-----------------------------------------------------------------------------------------------|------------|
| <b>8</b>  | <b>Spherule Layers Near the Archean-Proterozoic Boundary</b>                                  | <b>419</b> |
| 8.1       | Introduction                                                                                  | 419        |
| 8.2       | Archean-Proterozoic Boundary Spherule Layers in Australia                                     | 419        |
| 8.2.1     | Introduction                                                                                  | 419        |
| 8.2.2     | Dales Gorge Spherule Layer                                                                    | 422        |
| 8.2.3     | Bee Gorge Spherule Layer, Wittenoom Formation                                                 | 435        |
| 8.2.4     | Paraburdoo Spherule Layer, Wittenoom Formation                                                | 445        |
| 8.2.5     | Carawine Spherule Layer                                                                       | 452        |
| 8.2.6     | Jeerinah Spherule Layer                                                                       | 461        |
| 8.3       | Archean-Proterozoic Boundary Spherule Layers<br>in South Africa                               | 470        |
| 8.3.1     | Introduction                                                                                  | 470        |
| 8.3.2     | Kuruman Spherule Layer                                                                        | 472        |
| 8.3.3     | Reivilo Spherule Layer                                                                        | 477        |
| 8.3.4     | Monteville Spherule Layer                                                                     | 483        |
| 8.4       | Correlations among Archean-Proterozoic Boundary<br>Spherule Layers                            | 491        |
| 8.4.1     | Correlations within the Hamersley Basin                                                       | 491        |
| 8.4.2     | Correlations between the Hamersley and Griqualand<br>West Basins                              | 494        |
| <b>9</b>  | <b>Paleoarchean Spherule Layers</b>                                                           | <b>499</b> |
| 9.1       | Introduction: The Archean Stratigraphic Record                                                | 499        |
| 9.2       | Spherule Layers in the Barberton Greenstone Belt                                              | 503        |
| 9.2.1     | The S4 Layer                                                                                  | 503        |
| 9.2.2     | The S3 Layer                                                                                  | 510        |
| 9.2.3     | The S2 Layer                                                                                  | 520        |
| 9.2.4     | The S1 Layer                                                                                  | 524        |
| 9.3       | Spherule Layer(s) in East Pilbara Terrane                                                     | 527        |
| 9.3.1     | Warrawoona Spherule Layer                                                                     | 527        |
| 9.3.2     | Possible Additional Layer(s)                                                                  | 531        |
| <b>10</b> | <b>Modeling Variations in Distal Impact Ejecta/Spherule<br/>Layers through Space and Time</b> | <b>533</b> |
| 10.1      | Variation in Distal Ejecta with Distance from<br>the Source Crater                            | 533        |
| 10.1.1    | Summary of Theoretical, Experimental,<br>and Observational Studies                            | 533        |
| 10.1.2    | Spatial Variations in Phanerozoic Distal Ejecta<br>Layers                                     | 536        |
| 10.2      | Variation in Distal Ejecta with Distance from the Source Crater:<br>A Preliminary Model       | 566        |
| 10.3      | Using the Model to Study Other Distal Impact Ejecta Layers                                    | 570        |
| 10.3.1    | The Middle Paleocene Nuussuaq Spherule Bed                                                    | 571        |

|                    |                                                                                                             |            |
|--------------------|-------------------------------------------------------------------------------------------------------------|------------|
| 10.3.2             | The K-T Boundary Layer . . . . .                                                                            | 571        |
| 10.3.3             | The Manson Impact Ejecta Layer . . . . .                                                                    | 572        |
| 10.3.4             | The Late Triassic Spherule Layer . . . . .                                                                  | 573        |
| 10.3.5             | Late Devonian Qidong Spherule Layer . . . . .                                                               | 576        |
| 10.3.6             | Late Devonian Belgian Spherule Layer . . . . .                                                              | 577        |
| 10.3.7             | Acraman Impact Ejecta . . . . .                                                                             | 584        |
| 10.3.8             | Sudbury Impact Ejecta . . . . .                                                                             | 585        |
| 10.3.9             | The Grønesø (Greenland) Spherule/Ejecta Layer . . . .                                                       | 587        |
| 10.3.10            | The Early Paleoproterozoic Dales Gorge Spherule<br>Layer . . . . .                                          | 588        |
| 10.3.11            | The Neoarchean Bee Gorge Spherule Layer . . . . .                                                           | 590        |
| 10.3.12            | Paleoarchean Spherule Layers . . . . .                                                                      | 591        |
| 10.4               | Secular Variations in Distal Impact Ejecta Layers:<br>Implications . . . . .                                | 592        |
| <b>11</b>          | <b>Distal Impact Ejecta Layers and Earth History . . . . .</b>                                              | <b>595</b> |
| 11.1               | Known Distal Impact Ejecta Layers . . . . .                                                                 | 595        |
| 11.1.1             | Preservation of Distal Impact Ejecta Layers . . . . .                                                       | 596        |
| 11.2               | Distal Impact Ejecta Layers: Some Geological Applications . . .                                             | 602        |
| 11.2.1             | Bioturbation Studies . . . . .                                                                              | 602        |
| 11.2.2             | The Australasian Microtektite Layer,<br>the B-M Reversal, and PDRM . . . . .                                | 602        |
| 11.2.3             | Time-Stratigraphic Correlation . . . . .                                                                    | 603        |
| 11.2.4             | Cratering Mechanics and Plume Conditions . . . . .                                                          | 604        |
| 11.3               | Distal Impact Ejecta Layers and Earth History . . . . .                                                     | 605        |
| 11.3.1             | Terrestrial Cratering History . . . . .                                                                     | 605        |
| 11.3.2             | Impacts, Climate, and Life . . . . .                                                                        | 608        |
| 11.3.3             | Oceanic/Continental Crust . . . . .                                                                         | 610        |
| 11.3.4             | Impacts and Volcanism/Tectonics . . . . .                                                                   | 611        |
| 11.3.5             | Ocean Composition and Atmospheric Oxygen<br>Content . . . . .                                               | 613        |
| 11.4               | Unanswered Questions and Future Studies . . . . .                                                           | 614        |
| 11.5               | Synopsis . . . . .                                                                                          | 619        |
| <b>Appendix A:</b> | <b>Recovery of Ejecta Material from Confirmed,<br/>Probable, or Possible Distal Ejecta Layers . . . . .</b> | <b>625</b> |
| <b>References</b>  | <b>. . . . .</b>                                                                                            | <b>641</b> |
| <b>Index</b>       | <b>. . . . .</b>                                                                                            | <b>707</b> |