

Contents

| | |
|---|-----------|
| 1. Introduction | 1 |
| 1.1 A Survey of Semiconductors | 2 |
| 1.1.1 Elemental Semiconductors | 2 |
| 1.1.2 Binary Compounds | 2 |
| 1.1.3 Oxides | 3 |
| 1.1.4 Layered Semiconductors | 3 |
| 1.1.5 Organic Semiconductors | 4 |
| 1.1.6 Magnetic Semiconductors | 4 |
| 1.1.7 Other Miscellaneous Semiconductors | 4 |
| 1.2 Growth Techniques | 5 |
| 1.2.1 Czochralski Method | 5 |
| 1.2.2 Bridgman Method | 6 |
| 1.2.3 Chemical Vapor Deposition | 7 |
| 1.2.4 Molecular Beam Epitaxy | 8 |
| 1.2.5 Fabrication of Self-Organized Quantum Dots by the Stranski–Krastanow Growth Method | 11 |
| 1.2.6 Liquid Phase Epitaxy | 13 |
| Summary | 14 |
| Periodic Table of “Semiconductor-Forming” Elements | 15 |
| | |
| 2. Electronic Band Structures | 17 |
| 2.1 Quantum Mechanics | 18 |
| 2.2 Translational Symmetry and Brillouin Zones | 20 |
| 2.3 A Pedestrian’s Guide to Group Theory | 25 |
| 2.3.1 Definitions and Notations | 25 |
| 2.3.2 Symmetry Operations of the Diamond and Zinc-Blende Structures | 30 |
| 2.3.3 Representations and Character Tables | 32 |
| 2.3.4 Some Applications of Character Tables | 40 |
| 2.4 Empty Lattice or Nearly Free Electron Energy Bands | 48 |
| 2.4.1 Nearly Free Electron Band Structure in a Zinc-Blende Crystal | 48 |
| 2.4.2 Nearly Free Electron Energy Bands in Diamond Crystals | 52 |
| 2.5 Band Structure Calculations by Pseudopotential Methods | 58 |
| 2.5.1 Pseudopotential Form Factors in Zinc-Blende- and Diamond-Type Semiconductors | 61 |
| 2.5.2 Empirical and Self-Consistent Pseudopotential Methods | 66 |

| | | |
|-----------|---|------------|
| 2.6 | The $k\cdot p$ Method of Band-Structure Calculations | 68 |
| 2.6.1 | Effective Mass of a Nondegenerate Band Using the $k\cdot p$ Method | 69 |
| 2.6.2 | Band Dispersion near a Degenerate Extremum: Top Valence Bands in Diamond- and Zinc-Blende-Type Semiconductors | 71 |
| 2.7 | Tight-Binding or LCAO Approach to the Band Structure of Semiconductors | 83 |
| 2.7.1 | Molecular Orbitals and Overlap Parameters | 83 |
| 2.7.2 | Band Structure of Group-IV Elements by the Tight-Binding Method | 87 |
| 2.7.3 | Overlap Parameters and Nearest-Neighbor Distances ... | 94 |
| | Problems | 96 |
| | Summary | 105 |
| 3. | Vibrational Properties of Semiconductors, and Electron-Phonon Interactions | 107 |
| 3.1 | Phonon Dispersion Curves of Semiconductors | 110 |
| 3.2 | Models for Calculating Phonon Dispersion Curves of Semiconductors | 114 |
| 3.2.1 | Force Constant Models | 114 |
| 3.2.2 | Shell Model | 114 |
| 3.2.3 | Bond Models | 115 |
| 3.2.4 | Bond Charge Models | 117 |
| 3.3 | Electron-Phonon Interactions | 121 |
| 3.3.1 | Strain Tensor and Deformation Potentials | 122 |
| 3.3.2 | Electron-Acoustic-Phonon Interaction at Degenerate Bands | 127 |
| 3.3.3 | Piezoelectric Electron-Acoustic-Phonon Interaction | 130 |
| 3.3.4 | Electron-Optical-Phonon Deformation Potential Interactions | 131 |
| 3.3.5 | Fröhlich Interaction | 133 |
| 3.3.6 | Interaction Between Electrons and Large-Wavevector Phonons: Intervalley Electron-Phonon Interaction | 135 |
| | Problems | 137 |
| | Summary | 158 |
| 4. | Electronic Properties of Defects | 159 |
| 4.1 | Classification of Defects | 160 |
| 4.2 | Shallow or Hydrogenic Impurities | 161 |
| 4.2.1 | Effective Mass Approximation | 162 |
| 4.2.2 | Hydrogenic or Shallow Donors | 166 |
| 4.2.3 | Donors Associated with Anisotropic Conduction Bands | 171 |
| 4.2.4 | Acceptor Levels in Diamond- and Zinc-Blende-Type Semiconductors | 174 |
| 4.3 | Deep Centers | 180 |

| | | |
|-----------|---|------------|
| 4.3.1 | Green's Function Method for Calculating Defect Energy Levels | 183 |
| 4.3.2 | An Application of the Green's Function Method: Linear Combination of Atomic Orbitals | 188 |
| 4.3.3 | Another Application of the Green's Function Method: Nitrogen in GaP and GaAsP Alloys | 192 |
| 4.3.4 | Final Note on Deep Centers | 197 |
| | Problems | 198 |
| | Summary | 202 |
| 5. | Electrical Transport | 203 |
| 5.1 | Quasi-Classical Approach | 203 |
| 5.2 | Carrier Mobility for a Nondegenerate Electron Gas | 206 |
| 5.2.1 | Relaxation Time Approximation | 206 |
| 5.2.2 | Nondegenerate Electron Gas in a Parabolic Band | 207 |
| 5.2.3 | Dependence of Scattering and Relaxation Times on Electron Energy | 208 |
| 5.2.4 | Momentum Relaxation Times | 209 |
| 5.2.5 | Temperature Dependence of Mobilities | 220 |
| 5.3 | Modulation Doping | 223 |
| 5.4 | High-Field Transport and Hot Carrier Effects | 225 |
| 5.4.1 | Velocity Saturation | 227 |
| 5.4.2 | Negative Differential Resistance | 228 |
| 5.4.3 | Gunn Effect | 230 |
| 5.5 | Magneto-Transport and the Hall Effect | 232 |
| 5.5.1 | Magneto-Conductivity Tensor | 232 |
| 5.5.2 | Hall Effect | 234 |
| 5.5.3 | Hall Coefficient for Thin Film Samples (van der Pauw Method) | 235 |
| 5.5.4 | Hall Effect for a Distribution of Electron Energies | 236 |
| | Problems | 237 |
| | Summary | 241 |
| 6. | Optical Properties I | 243 |
| 6.1 | Macroscopic Electrodynamics | 244 |
| 6.1.1 | Digression: Units for the Frequency of Electromagnetic Waves | 247 |
| 6.1.2 | Experimental Determination of Optical Functions | 247 |
| 6.1.3 | Kramers–Kronig Relations | 250 |
| 6.2 | The Dielectric Function | 253 |
| 6.2.1 | Experimental Results | 253 |
| 6.2.2 | Microscopic Theory of the Dielectric Function | 254 |
| 6.2.3 | Joint Density of States and Van Hove Singularities | 261 |
| 6.2.4 | Van Hove Singularities in ϵ_i | 262 |
| 6.2.5 | Direct Absorption Edges | 268 |
| 6.2.6 | Indirect Absorption Edges | 269 |

| | | |
|-----------|---|------------|
| 6.2.7 | “Forbidden” Direct Absorption Edges | 273 |
| 6.3 | Excitons | 276 |
| 6.3.1 | Exciton Effect at M_0 Critical Points | 279 |
| 6.3.2 | Absorption Spectra of Excitons | 282 |
| 6.3.3 | Exciton Effect at M_1 Critical Points or Hyperbolic Excitons | 288 |
| 6.3.4 | Exciton Effect at M_3 Critical Points | 291 |
| 6.4 | Phonon-Polaritons and Lattice Absorption | 292 |
| 6.4.1 | Phonon-Polaritons | 295 |
| 6.4.2 | Lattice Absorption and Reflection | 298 |
| 6.4.3 | Multiphonon Lattice Absorption | 299 |
| 6.4.4 | Dynamic Effective Ionic Charges in Heteropolar Semiconductors | 303 |
| 6.5 | Absorption Associated with Extrinsic Electrons | 305 |
| 6.5.1 | Free-Carrier Absorption in Doped Semiconductors | 306 |
| 6.5.2 | Absorption by Carriers Bound to Shallow Donors and Acceptors | 311 |
| 6.6 | Modulation Spectroscopy | 315 |
| 6.6.1 | Frequency Modulated Reflectance and Thermoreflectance | 319 |
| 6.6.2 | Piezoreflectance | 321 |
| 6.6.3 | Electroreflectance (Franz–Keldysh Effect) | 322 |
| 6.6.4 | Photoreflectance | 329 |
| 6.6.5 | Reflectance Difference Spectroscopy | 332 |
| 6.7 | Addendum (Third Edition): Dielectric Function | 333 |
| | Problems | 334 |
| | Summary | 343 |
| 7. | Optical Properties II | 345 |
| 7.1 | Emission Spectroscopies | 345 |
| 7.1.1 | Band-to-Band Transitions | 351 |
| 7.1.2 | Free-to-Bound Transitions | 354 |
| 7.1.3 | Donor–Acceptor Pair Transitions | 356 |
| 7.1.4 | Excitons and Bound Excitons | 362 |
| 7.1.5 | Luminescence Excitation Spectroscopy | 369 |
| 7.2 | Light Scattering Spectroscopies | 375 |
| 7.2.1 | Macroscopic Theory of Inelastic Light Scattering by Phonons | 375 |
| 7.2.2 | Raman Tensor and Selection Rules | 378 |
| 7.2.3 | Experimental Determination of Raman Spectra | 385 |
| 7.2.4 | Microscopic Theory of Raman Scattering | 394 |
| 7.2.5 | A Detour into the World of Feynman Diagrams | 395 |
| 7.2.6 | Brillouin Scattering | 398 |
| 7.2.7 | Experimental Determination of Brillouin Spectra | 400 |
| 7.2.8 | Resonant Raman and Brillouin Scattering | 401 |
| | Problems | 422 |
| | Summary | 426 |

| | |
|--|-----|
| 8. Photoelectron Spectroscopy | 427 |
| 8.1 Photoemission | 431 |
| 8.1.1 Angle-Integrated Photoelectron Spectra of the Valence Bands | 440 |
| 8.1.2 Angle-Resolved Photoelectron Spectra of the Valence Bands | 443 |
| 8.1.3 Core Levels | 451 |
| 8.2 Inverse Photoemission | 456 |
| 8.3 Surface Effects | 457 |
| 8.3.1 Surface States and Surface Reconstruction | 457 |
| 8.3.2 Surface Energy Bands | 458 |
| 8.3.3 Fermi Level Pinning and Space Charge Layers | 460 |
| Problems | 465 |
| Summary | 468 |
| | |
| 9. Effect of Quantum Confinement on Electrons and Phonons in Semiconductors | 469 |
| 9.1 Quantum Confinement and Density of States | 470 |
| 9.2 Quantum Confinement of Electrons and Holes | 473 |
| 9.2.1 Semiconductor Materials for Quantum Wells and Superlattices | 474 |
| 9.2.2 Classification of Multiple Quantum Wells and Superlattices | 478 |
| 9.2.3 Confinement of Energy Levels of Electrons and Holes | 479 |
| 9.2.4 Some Experimental Results | 489 |
| 9.3 Phonons in Superlattices | 494 |
| 9.3.1 Phonons in Superlattices: Folded Acoustic and Confined Optic Modes | 494 |
| 9.3.2 Folded Acoustic Modes: Macroscopic Treatment | 499 |
| 9.3.3 Confined Optical Modes: Macroscopic Treatment | 500 |
| 9.3.4 Electrostatic Effects in Polar Crystals: Interface Modes | 502 |
| 9.4 Raman Spectra of Phonons in Semiconductor Superlattices | 511 |
| 9.4.1 Raman Scattering by Folded Acoustic Phonons | 511 |
| 9.4.2 Raman Scattering by Confined Optical Phonons | 516 |
| 9.4.3 Raman Scattering by Interface Modes | 518 |
| 9.4.4 Macroscopic Models of Electron-LO Phonon (Fröhlich) Interaction in Multiple Quantum Wells | 521 |
| 9.5 Electrical Transport: Resonant Tunneling | 525 |
| 9.5.1 Resonant Tunneling Through a Double-Barrier Quantum Well | 526 |
| 9.5.2 I-V Characteristics of Resonant Tunneling Devices | 529 |
| 9.6 Quantum Hall Effects in Two-Dimensional Electron Gases | 533 |
| 9.6.1 Landau Theory of Diamagnetism in a Three-Dimensional Free Electron Gas | 534 |
| 9.6.2 Magneto-Conductivity of a Two-Dimensional Electron Gas: Filling Factor | 537 |

| | | |
|---|--|------------|
| 9.6.3 | The Experiment of von Klitzing, Pepper and Dorda . . . | 538 |
| 9.6.4 | Explanation of the Hall Plateaus in the Integral Quantum Hall Effect | 541 |
| 9.7 | Concluding Remarks | 545 |
| | Problems | 546 |
| | Summary | 551 |
| Appendix A: Pioneers of Semiconductor Physics Remember... | | 553 |
| | Ultra-Pure Germanium: From Applied to Basic Research or an Old Semiconductor Offering New Opportunities By <i>Eugene E. Haller</i> | 555 |
| | Two Pseudopotential Methods: Empirical and Ab Initio By <i>Marvin L. Cohen</i> | 558 |
| | The Early Stages of Band-Structures Physics and Its Struggles for a Place in the Sun By <i>Conyers Herring</i> | 560 |
| | Cyclotron Resonance and Structure of Conduction and Valence Band Edges in Silicon and Germanium By <i>Charles Kittel</i> | 563 |
| | Optical Properties of Amorphous Semiconductors and Solar Cells By <i>Jan Tauc</i> | 566 |
| | Optical Spectroscopy of Shallow Impurity Centers By <i>Elias Burstein</i> | 569 |
| | On the Prehistory of Angular Resolved Photoemission By <i>Neville V. Smith</i> | 574 |
| | The Discovery and Very Basics of the Quantum Hall Effect By <i>Klaus von Klitzing</i> | 576 |
| | The Birth of the Semiconductor Superlattice By <i>Leo Esaki</i> | 578 |
| Appendix B: Solutions to Some of the Problems | | 583 |
| Appendix C: Recent Development | | 673 |
| Appendix D: Recent Developments and References | | 687 |
| References | | 719 |
| Subject Index | | 755 |
| Physical Parameters of Tetrahedral Semiconductors (Inside Front Cover) | | |
| Table of Fundamental Physical Constants (Inside Back Cover) | | |
| Table of Units (Inside Back Cover) | | |