

Contents

II/20 Molecular Constants

Subvolume C: Non-linear Triatomic Molecules

Part 1: H₂O (HOH)

Part γ: H₂¹⁷O (H¹⁷OH), H₂¹⁸O (H¹⁸OH)

A	Introduction	IX
I	Energy level designations	IX
I.1	Vibrational assignment	IX
I.1.1	Normal and local modes	IX
I.1.2	Polyads	XI
I.1.3	Vibrational interactions	XV
I.2	Rotational assignment	XV
I.3	Ortho–para transitions	XVI
I.4	MARVEL algorithm	XVI
II	Energy expressions referred to the ground state	XVII
II.1	Vibrational states	XVII
II.2	Simple expressions for the fundamental frequencies	XVII
III	Effective Hamiltonians	XVII
III.1	<i>A</i> -reduced Watson-type rotational Hamiltonian	XVIII
III.2	Coudert Hamiltonian with Radau's coordinates	XX
III.3	Tyuterev Hamiltonian with Generating Function Model	XXI
III.4	Rotational Padé Hamiltonian operator	XXIII
IV	Perturbation-theory free Hamiltonians	XXIV
IV.1	Jensen Morse Oscillator–Rigid Bender Internal Dynamics Hamiltonian	XXIV
IV.2	Vibrational Hamiltonian expanded in terms of local Morse operators	XXV
V	Potential energy	XXV
V.1	Potential Energy Function (PEF) expanded as a power series	XXV
V.2	Spectroscopically determined Potential Energy Surface (PES)	XXVI
V.2.1	Jensen's PES determined by variational calculation of rotation-vibration energies with MORBID Hamiltonian	XXVI
V.2.2	Effective isotope-independent Born–Oppenheimer (B–O) PES with isotope-dependent adiabatic correction	XXVII
V.2.3	Isotope-dependent PES from high-quality <i>ab-initio</i> analytical potential representation	XXVII
V.2.4	Semitheoretical PES by morphing <i>ab-initio</i> potential	XXVIII
V.2.5	Correction to the <i>ab-initio</i> PES expression from [2000Kai] for the determination of the barrier height	XXIX
V.2.6	Force constants	XXIX
VI	Dipole Moment Function (DMF)	XXIX
VI.1	One example of a Taylor series expansion form of the DMF	XXIX
VI.2	DMF expression in [97Cou]	XXX

VI.3	Analytical expression of the Dipole Moment Surface in [97Par]	XXX
VI.4	Dipole matrix elements in the DMS expansion used in [2005Tot2]	XXXI
VI.5	Transition moment for the bending-rotation Coudert Hamiltonian approach	XXXII
VII	Intensities	XXXIII
VII.1	Line intensity	XXXIII
VII.2	Band intensity	XXXIV
VII.3	Temperature dependence of the absorption	XXXV
VII.4	Internal partition function	XXXV
VIII	Line shape	XXXV
VIII.1	Line profiles	XXXV
VIII.1.1	Lorentz profile	XXXV
VIII.1.2	Doppler profile	XXXVI
VIII.1.3	Voigt profile	XXXVI
VIII.2	Collision-broadening	XXXVI
VIII.2.1	Self-broadening	XXXVI
VIII.2.2	Foreign gas broadening	XXXVII
VIII.2.3	Temperature dependence of the line broadening coefficients	XXXVII
VIII.3	Family of H ₂ O lines	XXXVII
IX	Conversion tables	XXXVIII
IX.1	Conversion table for energy-related units and selected fundamental constants	XXXVIII
IX.2	Intensity units and conversion table	XL
X	List of symbols	XLV
XI	Survey	XLIX
XI.1	Vibrational band intensities	XLIX
XI.2	Vibrational band origins	XLIX
XI.3	Dipole moments	L
XI.4	Energy levels	L
XI.5	Coupling constants	L
XI.6	Force constants	LI
XI.7	Harmonic frequencies	LI
XI.8	Line positions with relative line intensities	LI
XI.9	Line positions with line intensity unit	LII
XI.10	Line shape related parameters	LIII
XI.11	Morphing function	LIII
XI.12	Potential	LIII
XI.13	Spectroscopic parameters	LIV
XI.14	Structure	LIV
XII	Detailed survey of some tables	LV
B	Data	1
1	H ₂ O (HOH) cont.	1
1.2	H ₂ ¹⁷ O (H ¹⁷ OH)	1
1.3	H ₂ ¹⁸ O (H ¹⁸ OH)	123
C	References	379