

Contents

List of Figures	XV
List of Tables	XIX
List of Algorithms	XXIII
List of Abbreviations	XXV
1 Introduction	1
1.1 Cost pressure in the consumer packaged goods industry	1
1.2 Motivation and goals of this thesis	3
1.3 Outline	4
2 Production planning in the consumer packaged goods industry	7
2.1 Supply Chain Planning	7
2.2 Supply chain typology	11
2.2.1 Functional attributes	11
2.2.2 Structural attributes	13
2.3 The supply chain of the consumer packaged goods industry	14
2.3.1 Topography	14
2.3.2 Integration and coordination	15
2.3.3 Functional attributes of the manufacturer	15
2.3.3.1 Procurement type	15
2.3.3.2 Production type	16
2.3.3.3 Distribution type	19
2.3.3.4 Sales type	20
2.4 Lot-sizing and scheduling in the consumer packaged goods industry	21
2.5 Advanced Planning Systems	23
3 Multi-level lot-sizing and scheduling	25
3.1 General assumptions and limitations	25
3.1.1 Objective	26
3.1.2 Time structure	27

3.2	Single-level models with different time structures	28
3.2.1	The Capacitated Lot-sizing Problem (CLSP)	29
3.2.2	The Discrete Lot-sizing and Scheduling Problem (DLSP)	30
3.2.3	The Continuous Setup Lot-sizing Problem (CSLP)	32
3.2.4	The Proportional Lot-sizing and Scheduling Problem (PLSP)	33
3.2.5	The Capacitated Lot-sizing problem with Sequence-Dependent setup costs (CLSD)	34
3.2.6	The General Lot-sizing and Scheduling Problem (GLSP)	36
3.3	Multi-level models in the literature	39
3.3.1	Synchronization between the levels	39
3.3.2	PLSP-based models	41
3.3.2.1	Proportional Lot-sizing and Scheduling Problem with Parallel Machines (PLSP-PM)	42
3.3.2.2	The multi-level single machine PLSP (PLSP-ML-SM)	43
3.3.3	CLSD-based models	47
3.3.3.1	The Multi-level Sequence-dependent Lot-sizing and Scheduling problem (MSLS)	47
3.3.3.2	The Multi-Level Capacitated Lotsizing Problem with Sequence-Dependent Setup Costs using Parallel Machines at Multiple Locations (MLCLSD-PM-ML)	49
3.3.4	GLSP-based models	51
3.3.4.1	The General Lot-sizing and Scheduling Problem for Multiple production Stages (GLSPMS)	53
3.3.4.2	The two-stage multi-machine lot-scheduling model (P2SMM)	60
3.3.5	Other models	64
3.4	Conclusions	65
4	Improvements of the GLSPMS	67
4.1	Shortcomings of the basic GLSPMS	67
4.2	Improved GLSPMS	70
4.2.1	New line synchronization	70
4.2.2	Model formulation	71
4.3	Properties of the improved GLSPMS	73
4.3.1	Complexity	73
4.3.2	Advantages and disadvantages	75
4.3.3	Generalization of other models	77
4.4	Computational tests	79
4.4.1	Base scenarios	79
4.4.1.1	Serial product structure (SER)	79
4.4.1.2	Divergent product structure (DIV)	80

4.4.1.3	General product structure (GEN)	81
4.4.2	Results with different settings of a standard MIP-solver	82
5	Reformulations of the improved GLSPMS	85
5.1	General reformulation techniques	85
5.2	Selected approaches for lot-sizing and scheduling models	87
5.2.1	Extended reformulations	87
5.2.1.1	Simple Plant Location (SPL)	87
5.2.1.2	Echelon Stocks	88
5.2.1.3	Flow conservation for changeovers	89
5.2.1.4	Elimination of the inventory stock variables	90
5.2.2	Valid inequalities	90
5.3	Extended reformulations of the GLSPMS	91
5.3.1	SPL formulation (S)	91
5.3.2	Flow formulation (F)	95
5.4	Valid Inequalities for the GLSPMS	95
5.4.1	Stock inequalities (K)	95
5.4.2	Tighter setup forcing constraints (M)	96
5.5	Computational results	96
5.5.1	Comparison of the different model formulations	97
5.5.2	Influence of varying problem characteristics	99
6	Heuristics for the improved GLSPMS	103
6.1	Selected meta-heuristic approaches	103
6.1.1	Truncated MIP	104
6.1.2	LP&Fix	104
6.1.3	Relax&Fix	104
6.1.4	Exchange	105
6.1.4.1	General idea	105
6.1.4.2	Fix&Optimize as an example	105
6.1.5	Local Search	108
6.1.5.1	General idea	109
6.1.5.2	2-opt as an example	109
6.1.5.3	Descent procedures	110
6.1.5.4	Descent-ascent procedures	110
6.1.6	Variable Neighborhood Search (VNS)	110
6.1.7	Variable Neighborhood Decomposition Search (VNDS)	113
6.2	Heuristics for the GLSPMS	114
6.2.1	Truncated MIP (TM)	114
6.2.2	LP&Fix (LF)	114

6.2.3	Relax&Fix (RF)	114
6.2.4	Trivial solution (TS)	116
6.2.5	Repeating setup sequence (RS)	116
6.2.6	GLSPMS tailored Fix&Optimize (FO)	118
6.2.7	Variable Neighborhood Decomposition Search with Exchange (VNDS+E)	119
6.2.7.1	Main control procedure	121
6.2.7.2	Microperiod-based neighborhood	123
6.2.7.3	Product-based neighborhood	125
6.2.7.4	BOM-based neighborhood	126
6.2.7.5	Line-based neighborhood	129
6.3	Computational tests	130
6.3.1	Small instances	130
6.3.2	Big instances	131
6.3.2.1	Test settings	132
6.3.2.2	Parameter tuning for the VNDS+E heuristic	132
6.3.2.3	Results for VNDS+E, tailored Fix&Optimize, and Truncated MIP	137
6.3.2.4	Results for VNDS+E and Truncated MIP after 1 hour of runtime	137
6.3.3	A real-world instance	140
6.4	Brief summary	142
7	Extensions of the improved GLSPMS	143
7.1	Availability of resources	143
7.1.1	Limited raw materials	143
7.1.2	Scarce common setup operators	144
7.2	Time continuity	148
7.2.1	Setup times	148
7.2.2	Minimum lot-sizes	153
8	Summary and Outlook	155
8.1	Summary	155
8.2	Outlook	157
A	Artificial test instances	161
A.1	Serial instance	161
A.2	Divergent instance	164
A.3	General instance	167
B	Computational results of the heuristics	171

