

Contents

Preface XV

Acronyms XVII

List of Contributors XXI

Part One Coherent Combining with Active Phase Control 1

1	Engineering of Coherently Combined, High-Power Laser Systems	3
	<i>Gregory D. Goodno and Joshua E. Rothenberg</i>	
1.1	Introduction	3
1.2	Coherent Beam Combining System Requirements	5
1.3	Active Phase-Locking Controls	8
1.3.1	Optical Heterodyne Detection	11
1.3.2	Synchronous Multidither	13
1.3.3	Hill Climbing	14
1.4	Geometric Beam Combining	14
1.4.1	Tiled Aperture Combiners	15
1.4.2	Filled Aperture Combiners Using Diffractive Optical Elements	16
1.4.2.1	Overview of DOE Combiners	17
1.4.2.2	DOE Design and Fabrication	18
1.4.2.3	DOE Thermal and Spectral Sensitivity	20
1.5	High-Power Coherent Beam Combining Demonstrations	21
1.5.1	Coherent Beam Combining of Zigzag Slab Lasers	22
1.5.2	Coherent Beam Combining of Fiber Lasers	26
1.5.2.1	Phase Locking of Nonlinear Fiber Amplifiers	26
1.5.2.2	Path Length Matching with Broad Linewidths	30
1.5.2.3	Diffractive CBC of High-Power Fibers	31
1.5.2.4	CBC of Tm Fibers at 2 μm	37
1.6	Conclusion	39
	Acknowledgments	40
	References	40

2	Coherent Beam Combining of Fiber Amplifiers via LOCSET	45
	<i>Angel Flores, Benjamin Pulford, Craig Robin, Chunte A. Lu, and Thomas M. Shay</i>	
2.1	Introduction	45
2.1.1	Beam Combination Architectures	46
2.1.2	Active and Passive Coherent Beam Combining	47
2.2	Locking of Optical Coherence by Single-Detector Electronic-Frequency Tagging	48
2.2.1	LOCSET Theory	49
2.2.2	Self-Referenced LOCSET	50
2.2.2.1	Photocurrent Signal	50
2.2.2.2	LOCSET Demodulation	53
2.2.3	Self-Synchronous LOCSET	55
2.3	LOCSET Phase Error and Channel Scalability	55
2.3.1	LOCSET Beam Combining and Phase Error Analysis	55
2.3.2	In-Phase and Quadrature-Phase Error Analysis	56
2.3.3	Two-Channel Beam Combining	58
2.3.4	16-Channel Beam Combining	60
2.3.5	32-Channel Beam Combining	62
2.4	LOCSET High-Power Beam Combining	63
2.4.1	Kilowatt-Scale Coherent Beam Combining of Silica Fiber Lasers	64
2.4.2	Kilowatt-Scale Coherent Beam Combining of Photonic Crystal Fiber Amplifiers	67
2.5	Conclusion	71
	References	71
3	Kilowatt Coherent Beam Combining of High-Power Fiber Amplifiers Using Single-Frequency Dithering Techniques	75
	<i>Zejin Liu, Pu Zhou, Xiaolin Wang, Yanxing Ma, and Xiaojun Xu</i>	
3.1	Introduction	75
3.1.1	Brief History of Coherent Beam Combining	75
3.1.2	Coherent Beam Combining: State of the Art	76
3.1.3	Key Technologies for Coherent Beam Combining	77
3.2	Single-Frequency Dithering Technique	78
3.2.1	Theory of Single-Frequency Dithering Technique	78
3.2.2	Kilowatt Coherent Beam Combining of High-Power Fiber Amplifiers Using Single-Frequency Dithering Technique	85
3.2.3	Coherent Polarization Beam Combining of Four High-Power Fiber Amplifiers Using Single-Frequency Dithering Technique	88
3.2.4	Target-in-the-Loop Coherent Beam Combination of Fiber Lasers Based on Single-Frequency Dithering Technique	91
3.3	Sine-Cosine Single-Frequency Dithering Technique	94
3.3.1	Theory of Sine-Cosine Single-Frequency Dithering Technique	94

3.3.2	Coherent Beam Combining of Nine Beams Using Sine–Cosine Single-Frequency Dithering Technique	97
3.4	Summary	99
	References	100
4	Active Coherent Combination Using Hill Climbing-Based Algorithms for Fiber and Semiconductor Amplifiers	103
	<i>Shawn Redmond, Kevin Creedon, Tso Y. Fan, Antonio Sanchez-Rubio, Charles Yu, and Joseph Donnelly</i>	
4.1	Introduction to Hill Climbing Control Algorithms for Active Phase Control	103
4.1.1	Conventional SPGD-Based Control Algorithm for Active Phase Control	104
4.1.2	Orthonormal Dither-Based Control Algorithm	106
4.1.3	Multiple Detector-Based Control Algorithm	114
4.2	Applications of Active Phase Control Using Hill Climbing Control Algorithms	117
4.2.1	Semiconductor Amplifier Active Coherent Combination	117
4.2.1.1	Introduction to SCOWA Semiconductor Waveguide and Phase Control	118
4.2.1.2	Tiled Array Beam Combination	120
4.2.1.3	Single-Beam Active Coherent Combination Using Diffractive Optical Elements	125
4.2.2	Fiber Amplifier Active Coherent Combination	128
4.2.2.1	Introduction to Fiber Amplifier Active Beam Combination Architectures	128
4.2.2.2	Tiled Array Beam Combination	129
4.2.2.3	Single-Beam Active Coherent Combination Using Diffractive Optical Elements	133
4.3	Summary	134
	Disclaimer	134
	References	135
5	Collective Techniques for Coherent Beam Combining of Fiber Amplifiers	137
	<i>Arnaud Brignon, Jérôme Bourderionnet, Cindy Bellanger, and Jérôme Primot</i>	
5.1	Introduction	137
5.2	The Tiled Arrangement	138
5.2.1	Calculation of the Far-Field Intensity Pattern	139
5.2.2	Influence of Design Parameters on the Combining Efficiency	141
5.2.2.1	Impact of the Near Field Arrangement	141
5.2.2.2	Impact of Collimation System Design and Errors	143

5.2.2.3	Impact of Phase Error	145
5.2.2.4	Impact of Power Dispersion	146
5.2.3	Beam Steering	146
5.3	Key Elements for Active Coherent Beam Combining of a Large Number of Fibers	147
5.3.1	Collimated Fiber Array	148
5.3.2	Collective Phase Measurement Technique	151
5.3.2.1	Principle of the Measurement	152
5.3.2.2	Implementation in the Experimental Setup	153
5.3.2.3	Phase Retrieval Techniques	153
5.3.3	Phase Modulators	155
5.4	Beam Combining of 64 Fibers with Active Phase Control	156
5.5	Beam Combining by Digital Holography	158
5.5.1	Principle	159
5.5.2	Experimental Demonstration	161
5.6	Conclusion	163
	Acknowledgments	164
	References	164
6	Coherent Beam Combining and Atmospheric Compensation with Adaptive Fiber Array Systems	167
	<i>Mikhail Vorontsov, Thomas Weyrauch, Svetlana Lachinova, Thomas Ryan, Andrew Deck, Micah Gatz, Vladimir Paramonov, and Gary Carhart</i>	
6.1	Introduction	167
6.2	Fiber Array Engineering	168
6.3	Turbulence-Induced Phase Aberration Compensation with Fiber Array-Integrated Piston and Tip-Tilt Control	173
6.4	Target Plane Phase Locking of a Coherent Fiber Array on an Unresolved Target	175
6.4.1	Fiber Array Control System Engineering: Issues and Considerations	175
6.4.2	SPGD-Based Coherent Beam Combining: Round-Trip Propagation Time Issue	176
6.4.3	Coherent Beam Combining at an Unresolved Target over 7 km Distance	178
6.5	Target Plane Phase Locking for Resolved Targets	182
6.5.1	Speckle Metric Optimization-Based Phase Locking	183
6.5.2	Speckle Metrics	184
6.5.3	Experimental Evaluation of Speckle Metric-Based Phase Locking	186
6.6	Conclusion	188
	Acknowledgments	189
	References	189

7	Refractive Index Changes in Rare Earth-Doped Optical Fibers and Their Applications in All-Fiber Coherent Beam Combining	193
	<i>Andrei Fotiadi, Oleg Antipov, Maxim Kuznetsov, and Patrice Mégret</i>	
7.1	Introduction	193
7.2	Theoretical Description of the RIC Effect in Yb-Doped Optical Fibers	194
7.2.1	Introduction: Thermal and Electronic RIC Mechanisms	194
7.2.2	Description of the Spectroscopic Properties of Yb-Doped Optical Fibers	195
7.2.3	Description of the Electronic RIC Mechanism	195
7.2.4	Description of the Thermal RIC Mechanism	200
7.2.5	Comparison of Electronic and Thermal Contributions to the Pump-Induced Phase Shift	201
7.2.6	Phase Shifts in the Case of Periodic Pulse Pumping and in the Presence of Amplified Signal	203
7.2.7	Conclusion	205
7.3	Experimental Studies of the RIC Effect in Yb-Doped Optical Fibers	205
7.3.1	Previous Observations of the RIC Effect in Laser Fibers	205
7.3.2	Methodology of Pump/Signal-Induced RIC Measurements	206
7.3.3	Characterization of RIC in Different Fiber Samples	207
7.3.4	Phase Shifts Induced by Signal Pulses	210
7.3.5	Evaluation of the Polarizability Difference	212
7.3.6	Comparison of the RIC Effects in Aluminum and Phosphate Silicate Fibers	213
7.3.7	Conclusion	215
7.4	All-Fiber Coherent Combining through RIC Effect in Rare Earth-Doped Fibers	215
7.4.1	Coherent Combining of Fiber Lasers: Alternative Techniques	215
7.4.2	Operation Algorithm and Simulated Results	217
7.4.3	Environment Noise in Optical System to be Compensated	222
7.4.4	Combining of Two Er-Doped Amplifiers through the RIC Control in Yb-Doped Fibers	223
7.4.5	Extension Algorithm for Combining of N Amplifiers	224
7.4.6	Conclusion	226
7.5	Conclusions and Recent Progress	226
	References	227
8	Coherent Beam Combining of Pulsed Fiber Amplifiers in the Long-Pulse Regime (Nano- to Microseconds)	231
	<i>Laurent Lombard, Julien L. Gouët, Pierre Bourdon, and Guillaume Canat</i>	
8.1	Introduction	231
8.2	Beam Combining Techniques	234

8.2.1	Filled and Tiled Apertures	235
8.2.2	Locking Techniques	236
8.2.2.1	Direct Phase Locking Techniques	236
8.2.2.2	Indirect Phase Locking Techniques	237
8.2.3	Requirements of Various Techniques	239
8.2.3.1	Indirect Phase Locking Techniques	239
8.2.3.2	Direct Phase Locking Techniques	240
8.2.4	Case of Pulsed Laser	240
8.3	Amplification of Optical Pulse in Active Fiber	243
8.3.1	Approximations and Validity Domain of the Calculation	243
8.3.2	Pulse Propagation in the Resonant Medium	244
8.3.3	Practical Calculation of the Output Pulse Based on the CW Regime	245
8.3.4	Pulse Shape Distortion	246
8.3.5	Influence of the Amplified Spontaneous Emission	247
8.4	Power Limitations in Pulsed Fiber Amplifiers	248
8.4.1	Physical Principle of the Stimulated Brillouin Scattering	248
8.4.2	SBS Gain	249
8.4.3	SBS Threshold Input Power	250
8.4.4	SBS Reduction	251
8.4.5	Domain of SBS Predominance	251
8.4.6	Physical Principle of the Stimulated Raman Scattering	252
8.4.7	Maximum Peak Power Achievable	253
8.5	Phase Noise and Distortion in Fiber Amplifiers	253
8.5.1	Phase Noise Measurement	253
8.5.2	In-Pulse Phase Shift Measurement	258
8.5.3	In-Pulse Phase Shift Calculation	259
8.5.3.1	Kerr-Induced Phase Shift	260
8.5.3.2	Gain-Induced Phase Shift	262
8.6	Experimental Setup and Results of Coherent Beam Combining of Pulsed Amplifiers Using a Signal Leak between the Pulses	266
8.7	Alternative Techniques for Pulse Energy Scaling	269
8.8	Conclusion	271
	References	272
9	Coherent Beam Combining in the Femtosecond Regime	277
	<i>Marc Hanna, Dimitrios N. Papadopoulos, Louis Daniault, Frédéric Druon, Patrick Georges, and Yoann Zaouter</i>	
9.1	Introduction	277
9.2	General Aspects of Coherent Combining over Large Optical Bandwidths	278
9.2.1	Description and Propagation of Femtosecond Pulses	278
9.2.2	Coherent Combining over a Large Bandwidth	280
9.2.3	Influence of Spectral Phase Mismatch on the Combining Efficiency	281

9.2.4	Space-Time Effects	283
9.3	Coherent Combining with Identical Spectra: Power/Energy Scaling	284
9.3.1	Active Techniques	284
9.3.1.1	Experimental Implementations	284
9.3.1.2	Measurement of Spectral Phase Mismatch	287
9.3.2	Passive Coherent Combining Techniques: Path-Sharing Network	290
9.3.2.1	Principle	290
9.3.2.2	Experimental Demonstrations	292
9.4	Other Coherent Combining Concepts	295
9.4.1	Temporal Multiplexing: Divided Pulse Amplification	295
9.4.2	Passive Enhancement Cavities	296
9.4.3	Coherent Combining with Disjoint Spectra: Ultrafast Pulse Synthesis	298
9.5	Conclusion	299
	References	300

Part Two Passive and Self-Organized Phase Locking 303

10	Modal Theory of Coupled Resonators for External Cavity Beam Combining	305
	<i>Mercedeh Khajavikhan and James R. Leger</i>	
10.1	Introduction	305
10.2	Coherent Beam Combining Requirements	306
10.3	General Mathematical Framework of Passive Laser Resonators	307
10.3.1	Coherent Beam Combining by a Simple Beam Splitter	308
10.3.2	Effect of Wavelength Diversity	311
10.4	Coupled Cavity Architectures Based on Beam Superposition	314
10.4.1	Generalized Michelson Resonators	314
10.4.2	Grating Resonators	318
10.5	Parallel Coupled Cavities Based on Space-Invariant Optical Architectures	321
10.5.1	Space-Invariant Parallel Coupled Resonators with Weakly Coupled Cavities	323
10.5.2	Spatially Filtered Resonators and the Effect of Path Length Phase Errors	325
10.5.3	Talbot Resonators	329
10.6	Parallel Coupled Resonators Based on Space-Variant Optical Architectures: the Self-Fourier Cavity	336
10.7	Conclusion	340
	Acknowledgments	341
	References	341

11	Self-Organized Fiber Beam Combining 345 <i>Vincent Kermène, Agnès Desfarges-Berthelemot, and Alain Barthélémy</i>
11.1	Introduction 345
11.2	Principles of Passively Combined Fiber Lasers 346
11.2.1	Different Configurations 346
11.2.2	Principles 347
11.3	Phase Coupling Characteristics 350
11.3.1	Power Stability 350
11.3.2	Cophasing Building Dynamics 351
11.3.3	Frequency Tunability 353
11.3.4	Effect of Laser Gain Mismatched on Combining Efficiency 354
11.3.5	Pointing Agility 355
11.3.6	Coherence Properties of Multiple Beams Phase Locked by Mutual Injection Process 356
11.4	Upscaling the Number of Coupled Lasers 360
11.4.1	Phasing Efficiency Evolution 360
11.4.2	Main Influencing Parameters 360
11.5	Passive Combining in Pulsed Regime 362
11.5.1	Q-Switched Regime 362
11.5.2	Mode-Locked Regime 365
11.6	Conclusion 367
	References 368
 12	 Coherent Combining and Phase Locking of Fiber Lasers 371 <i>Moti Fridman, Micha Nixon, Nir Davidson, and Asher A. Friesem</i>
12.1	Introduction 371
12.2	Passive Phase Locking and Coherent Combining of Small Arrays 372
12.2.1	Efficient Coherent Combining of Two Fiber Lasers 372
12.2.2	Compact Coherent Combining of Four Fiber Lasers 375
12.2.3	Efficient Coherent Combining of Four Fiber Lasers Operating at 2 μm 376
12.3	Effects of Amplitude Dynamics, Noise, Longitudinal Modes, and Time-Delayed Coupling 377
12.3.1	Effects of Amplitude Dynamics 377
12.3.2	Effects of Quantum Noise 381
12.3.3	Effects of Many Longitudinal Modes 384
12.3.4	Effects of Time-Delayed Coupling 388
12.4	Upscaling the Number of Phase-Locked Fiber Lasers 391
12.4.1	Simultaneous Spectral and Coherent Combining 391
12.4.2	Phase Locking 25 Fiber Lasers 393
12.5	Conclusion 398
	References 398

13	Intracavity Combining of Quantum Cascade Lasers	401
	<i>Guillaume Bloom, Christian Larat, Eric Lallier, Mathieu Carras, and Xavier Marcadet</i>	
13.1	Introduction	401
13.2	External Cavity Passive Coherent Beam Combining	402
13.2.1	Laser Scheme	403
13.2.2	Modeling of the Coherent Beam Combining in External Cavity	404
13.2.2.1	The Michelson Cavity	404
13.2.2.2	General Case: The N -Arm Cavity	406
13.2.3	Combining Efficiency in Real Experimental Conditions	408
13.2.3.1	Influence of the Number of Arms N	408
13.2.3.2	Influence of the Arm Length Difference ΔL	409
13.3	Experimental Realization: Five-Arm Cavity with a Dammann Grating	410
13.3.1	Dammann Gratings	410
13.3.2	Quantum Cascade Lasers	413
13.3.3	The Five-Arm External Cavity	414
13.4	Subwavelength Gratings	418
13.4.1	Principle	418
13.4.2	Grating Design and Realization	419
13.4.3	Antireflection Coating Design	422
13.4.4	Calculated Performances	423
13.5	Conclusion	423
	References	424
14	Phase-Conjugate Self-Organized Coherent Beam Combination	427
	<i>Peter C. Shardlow and Michael J. Damzen</i>	
14.1	Introduction	427
14.2	Phase Conjugation	429
14.2.1	Gain Holography	431
14.2.2	Four-Wave Mixing within a Saturable Gain Media	433
14.2.3	Self-Pumped Phase Conjugation	434
14.2.3.1	Seeded Self-Pumped Phase-Conjugate Module	435
14.2.3.2	Self-Starting Self-Adaptive Gain Grating Lasers	437
14.3	PCSOCBC	438
14.3.1	CW Experimental PCSOCBC	439
14.3.2	Understanding Operation of PCSOCBC: Discussion	442
14.3.3	Power Scaling Potential	444
14.3.3.1	Scaling the Number of Modules	445
14.3.3.2	Higher Power Modules	448
14.3.3.3	Pulsed Operation	449
14.4	Conclusions	450
	References	451

15	Coherent Beam Combining Using Phase-Controlled Stimulated Brillouin Scattering Phase Conjugate Mirror	455
	<i>Hong J. Kong, Sangwoo Park, Seongwoo Cha, Jin W. Yoon, Seong K. Lee, Ondrej Slezak, and Milan Kalal</i>	
15.1	Introduction	455
15.2	Principles of SBS-PCM	456
15.3	Reflectivity of an SBS-PCM	457
15.4	Beam Combining Architectures	461
15.5	Phase Controlling Theory	462
15.6	Coherent Beam Combined Laser System with Phase-Stabilized SBS-PCMs	467
15.6.1	Conventional Phase Fluctuation of SBS-PCM	467
15.6.2	Phase Fluctuation without PZT Controlling	468
15.6.3	Phase Fluctuation with PZT Controlling	471
15.7	Conclusions	475
	References	475
	Index	479