

Table of Contents

Eleventh Latin American conference on the applications of the Mössbauer effect, LACAME 2008, La Plata, Argentina, 9–14 November 2008	1–2
J. DESIMONI, C. P. RAMOS, B. ARCONDO, F. D. SACCONI and R. C. MERCADER / Preface	3–4
J. F. BENGIOA, N. A. FELLEZ, M. V. CAGNOLI, L. A. CANO, N. G. GALLEGOS, A. M. ALVAREZ and S. G. MARCHETTI / Fe/MCM-41 silylated catalyst: structural changes determination during the Fischer–Tropsch reaction	5–13
J. C. TRISTÃO, J. D. ARDISON, M. T. C. SANSIVIERO and R. M. LAGO / Reduction of hematite with ethanol to produce magnetic nanoparticles of Fe_3O_4 , Fe_{1-x}O or Fe^0 coated with carbon	15–19
J. C. TRISTÃO, A. A. SILVA, J. D. ARDISON and R. M. LAGO / Magnetic nanoparticles based on iron coated carbon produced from the reaction of Fe_2O_3 with CH_4 : a Mössbauer study	21–25
D. Q. L. OLIVEIRA, L. C. A. OLIVEIRA, E. MURAD, J. D. FABRIS, A. C. SILVA and L. M. DE MENEZES / Niobian iron oxides as heterogeneous Fenton catalysts for environmental remediation	27–34
S. ARAVENA, C. PIZARRO, M. A. RUBIO, L. C. D. CAVALCANTE, V. K. GARG, M. C. PEREIRA and J. D. FABRIS / Magnetic minerals from volcanic Ultisols as heterogeneous Fenton catalysts	35–41
F. MAGALHÃES, M. C. PEREIRA, J. D. FABRIS, S. E. COSTA BOTTREL, A. AMAYA, N. MOGLIAZZA and R. M. LAGO / Hematite reaction with tar to produce carbon/iron composites for the reduction of Cr(VI) contaminant	43–48
M. G. ROSMANINHO, L. R. SOUZA, G. M. GOMES, R. F. ZICA, J. S. NASCIMENTO, M. C. PEREIRA, J. D. FABRIS, J. D. ARDISON, F. C. C. MOURA, R. M. LAGO and M. H. ARAUJO / Supported iron based redox systems for hydrogen production and storage from ethanol	49–54
E. C. PANDURO and J. B. CABREJOS / Mineralogical characterization of Greda clays and monitoring of their phase transformations on thermal treatment	55–62

A. BUSTAMANTE, D. LOVERA, R. QUILLE, A. V. ARIAS and J. QUIÑONES / Mössbauer spectroscopy study of a mineral sample from Oshno Hill, District of Chavín de Pariarca, Huanuco Region, Peru	63–68
A. R. P. PEREIRA, J. D. FABRIS, F. J. RIOS, C. A. ROSIÉRE, P. R. DA COSTA COUCEIRO, F. F. FERREIRA and L. M. DE MENEZES / Hematite from a mining area in the east border of Quadrilátero Ferrífero, Minas Gerais, Brazil	69–76
B. A. GUICHON, J. DESIMONI, R. C. MERCADER and P. A. IMBELLONE / Mössbauer studies of one representative hydro-morphic soil of the coastal area of the Rio de La Plata	77–83
D. MALCZEWSKI, A. GRABIAS and G. DERCZ / ^{57}Fe Mössbauer spectroscopy of radiation damaged samarskites and gadolinites	85–91
L. A. CANO, J. F. BENGEOA, S. J. STEWART, R. C. MERCADER and S. G. MARCHETTI / Synthesis of hematite nanowires using a mesoporous hard template	93–98
E. S. LEITE, A. C. OLIVEIRA, V. K. GARG, P. P. C. SARTORATTO, W. R. VIALI and P. C. MORAIS / Mössbauer characterization of surface-coated magnetic nanoparticles for applications in transformers	99–104
J. QUISPE MARCATOMA, C. V. LANDAURO, M. TAQUIRE, CH. ROJAS AYALA, M. YARO and V. A. PEÑA RODRIGUEZ / Formation of nanostructured $\text{Al}_{64}\text{Cu}_{23}\text{Fe}_{13}$ icosahedral quasi-crystal by the ball milling technique	105–109
I. F. VASCONCELOS, G. C. SILVA, R. P. CARVALHO, M. S. S. DANTAS and V. S. T. CIMINELLI / Mössbauer and EXAFS spectroscopy investigation of iron and arsenic adsorption to lettuce leaves	111–115
C. P. RAMOS, G. DUFFÓ, S. FARINA, M. LAURETTA and C. SARAGOVÍ / Characterization of corrosion products of a carbon steel screw-nut set exposed to mountain weather conditions	117–126
F. R. PÉREZ, C.F. LONDOÑO, C.A. BARRERO, K. E. GARCÍA and J. TOBÓN / The role of the spinel phases on the rust activity in corroded steels	127–131
J. J. BELTRÁN, F. J. NOVEGIL, K. E. GARCÍA and C. A. BARRERO / On the reaction of iron oxides and oxyhydroxides with tannic and phosphoric acid and their mixtures	133–140
F. MOUTINHO, C. ROJAS and L. D'ONOFRIO / Design of a conversion electron Mössbauer spectrometer based on an electron multiplier. Evaluation of the mean-escape-depth of the detected signals	141–147

- J. A. H. COAQUIRA, C. A. CARDOSO, F. Q. SOARES, V. K. GARG, A. C. OLIVEIRA, A. F. R. RODRIGUEZ, D. RABELO and P. C. MORAIS / Magnetic properties of γ -Fe₂O₃ nanoparticles encapsulated in surface-treated polymer spheres 149–154
- V. BILOVOL, A. M. MUDARRA NAVARRO, W. T. HERRERA, D. R. SÁNCHEZ, E. M. BAGGIO-SAITOVICH, C. E. RODRÍGUEZ TORRES, F. H. SÁNCHEZ and A. F. CABRERA / Low temperature magnetic ordering in Fe-doped TiO₂ samples 155–159
- P. MENDOZA ZÉLIS, G. A. PASQUEVICH, A. VEIGA, M. B. FERNÁNDEZ VAN RAAP and F. H. SÁNCHEZ / A quasi-continuous observation of the α -transition of Fe_{1+x}S by Mössbauer line tracking 161–165
- L. D'ONOFRIO, G. GONZÁLEZ, D. OLESZAK, A. SAGARZAZU and R. VILLALBA / Mössbauer study of Fe–Co alloys with Cr additions synthesized by mechanical alloying 167–171
- J. M. SILVEYRA, J. A. MOYA, V. J. CREMASCHI, D. JANIČKOVIČ and P. ŠVEC / Structure and soft magnetic properties of FINEMET type alloys: Fe_{73.5}Si_{13.5}Nb_{3-x}Mo_xB₉Cu₁ ($x = 1.5, 2$) 173–177
- G. Y. VÉLEZ, G. A. PÉREZ ALCÁZAR, L. E. ZAMORA, J. J. ROMERO and A. MARTÍNEZ / Influence of silicon and atomic order on the magnetic properties of (Fe₈₀Al₂₀)_{100-x}Si_x nanostructured system 179–184
- L. C. SÁNCHEZ, J. J. BELTRAN, J. OSORIO, A. M. CALLE and C. A. BARRERO / Fe-doped SnO₂ nanopowders obtained by sol–gel and mechanochemical alloying with and without thermal treatment 185–189
- J. C. P. CAMPOY, A. O. DOS SANTOS, L. P. CARDOSO, A. PAESANO JR, M. T. RAPOSO and J. D. FABRIS / Crystallographic and ¹¹⁹Sn and ¹⁵⁵Gd Mössbauer analyses of Gd₅Ge₂(Si_{1-x}Sn_x)₂ ($x = 0.23$ and $x = 0.40$) 191–197
- C. PADUANI, C. A. SAMUDIO PÉREZ, J. SCHAF, J. D. ARDISON, A. Y. TAKEUCHI and M. I. YOSHIDA / A Mössbauer effect study of the Fe_{2+x}Mn_{1-x}Al Heusler alloys 199–204
- C. HERME, S. E. JACOBO, P. G. BERCOFF and B. ARCONDO / Mössbauer analysis of Nd–Co M-type strontium hexaferrite powders with different iron content 205–212
- S. N. DE MEDEIROS, S. CADORE, H. A. PEREIRA, I. A. SANTOS, C. C. COLUCCI and A. PAESANO JR. / Quasicrystalline phase formation in the mechanically alloyed Al₇₀Cu₂₀Fe₁₀ 213–217
- J. F. VALDERRUTEN, G. A. PÉREZ ALCÁZAR and J. M. GRENECHE / Structural and magnetic properties of Fe–Ni mecanosynthesized alloys 219–226

L. C. DAMONTE, M. MEYER, L. BAUM and L. A. MENDOZA-ZÉLIS / Mössbauer study on $\text{Zn}_{1-x}\text{Fe}_x\text{O}$ semiconductors prepared by high energy ball milling	227–233
E. C. REISDOERFER, F. F. IVASHITA, J. V. BELLINI, A. PAESANO JR., A. C. S. DA COSTA, S. A. PIANARO, B. HALLOUCHE / Hyperfine, structural and electrical transport properties of the high-energy milled $(1 - X)\text{ZnO}-X\text{FeO}$ system	235–240
D. C. PALACIO, J. F. VALLDERRUTEN, L. E. ZAMORA, G. A. PÉREZ ALCÁZAR and J. A. TABARES / Effect of Ni on the lattice parameter and the magnetic hyperfine field in $(\text{Fe}_{70}\text{Al}_{30})_{100-x}\text{Ni}_x$ alloys	241–247
R. C. MERCADER, S. G. MARCHETTI, J. F. BENGÓA, G. PUNTE and E. D. CABANILLAS / Characterization of scraps produced by the industrial laser cutting of steels	249–255
C. P. RAMOS, A. SZTRAJMAN, R. BIANCHI, C. A. DANÓN and C. SARAGOVI / Mössbauer spectroscopy analysis on a tempered martensitic 9% Cr steel	257–263
R. V. FERREIRA, I. L. S. PEREIRA, L. C. D. CAVALCANTE, L. F. GAMARRA, S. M. CARNEIRO, E. AMARO JR., J. D. FABRIS, R. Z. DOMINGUES and A. L. ANDRADE / Synthesis and characterization of silica-coated nanoparticles of magnetite	265–274
L. A. CANO, M. V. CAGNOLI, S. J. STEWART, E. D. CABANILLAS, E. L. ROMERO and S. G. MARCHETTI / Synthesis and characterization of superparamagnetic iron oxide nanoparticles for biomedical applications	275–280

Author Index