

# Contents

Preface .....	V
Acknowledgements .....	IX
About the Authors .....	XIX
List of Symbols.....	XXI
Abbreviations .....	XXV
<b>1 Experiences with the Optimum Design of Steel Structures .....</b>	<b>1</b>
1.1 Introduction .....	1
1.2 Foundation of the School for Structural Optimization at the University of Miskolc .....	2
1.3 Derivation of the Structural Optimization System.....	2
1.4 Advantages and Disadvantages of Two Different Design Methods .....	5
1.4.1 - Design by Routine.....	5
1.4.2 Optimum Design .....	6
1.5 The Problem of the Interaction of Two Instabilities .....	6
1.6 Detailed Results for Different Structural Types.....	7
1.6.1 Compressed and Bent Columns Constructed from Stiffened Shell or from Square Box Walls of Stiffened Plates .....	7
1.6.2 Stiffened or Cellular Plate Supported at Four Corners Subject to a Uniformly Distributed Normal Load (Fig.1.4) .....	9
1.6.3 A Wind Turbine Tower Constructed as a Shell or Tubular Truss Structure .....	9
1.7 Survey of Selected Literature of the Optimum Design of Steel Structures .....	11
1.7.1 Truss Structures.....	11
1.7.2 Building Frames .....	11
1.7.3 Industrial Applications .....	11
1.8 Conclusions .....	13
<b>2 Newer Mathematical Methods in Structural Optimization .....</b>	<b>15</b>
2.1 Introduction .....	15
2.2 Firefly Algorithm.....	16
2.3 Particle Swarm Optimization Algorithm .....	19
2.3.1 The PSO Algorithm.....	19
2.3.2 Modification of PSO Algorithm with Gradient Estimation.....	21
2.3.3 Comparing the Standard PSO and the Modified PSO (GPSO).....	23
2.4 The IOSO Technique .....	24

2.4.1	Main Features of IOSO Technology .....	24
2.4.2	Testing of the Method .....	25
2.4.3	Novelty and Distinctive Features of IOSO .....	27
<b>3</b>	<b>Cost Calculations .....</b>	<b>29</b>
3.1	Introduction .....	29
3.2	The Cost Function .....	29
3.2.1	The Cost of Materials .....	30
3.2.2	The Fabrication Cost in General .....	30
3.2.2.1	Fabrication Times for Welding .....	30
3.2.2.2	Thermal and Waterjet Cutting .....	32
3.2.2.3	Time for Flattening Plates .....	39
3.2.2.4	Surface Preparation Time .....	39
3.2.2.5	Painting Time .....	40
3.2.2.6	Times of Hand Cutting and Machine Grinding of Strut Ends .....	40
3.2.2.7	Cost of Intumescent Painting .....	40
3.2.3	Total Cost Function .....	40
3.3	Conclusion .....	41
<b>4</b>	<b>Beams and Columns .....</b>	<b>43</b>
4.1	Comparison of Minimum Volume and Minimum Cost Design of a Welded Box Beam .....	43
4.1.1	Introduction .....	43
4.1.2	Minimum Cross-Sectional Area Design .....	44
4.1.3	Minimum Cost Design .....	46
4.1.4	Numerical Data and Results .....	46
4.2	Minimum Cost Design for Fire Resistance of a Welded Box Column and a Welded Box Beam .....	47
4.2.1	Introduction .....	47
4.2.2	The Critical Temperature Method .....	48
4.2.3	A Centrally Compressed Column with Pinned Ends of Welded Square Box Cross-Section .....	50
4.2.3.1	Overall Buckling Constraint for Ambient Temperature .....	51
4.2.3.2	Overall Buckling Constraint in Fire .....	51
4.2.3.3	Local Buckling Constraint .....	52
4.2.3.4	Cost Function .....	52
4.2.3.5	Numerical Data and Results .....	53
4.2.3.6	Cost Including Protection .....	53
4.2.4	A Simply Supported Uniformly Loaded Welded Box Beam .....	54
4.2.4.1	Optimum Design .....	54
4.2.4.2	Optimum Design of Unprotected Beam with Stress Constraint .....	55
4.2.4.3	Optimum Design of the Protected Beam with Stress Constraint .....	57

4.2.4.4	Optimum Design of Unprotected Beam with Deflection Constraint .....	57
4.2.4.5	Optimum Design of the Protected Beam with Deflection Constraint .....	58
4.2.5	Conclusions.....	58
<b>5</b>	<b>Tubular Trusses.....</b>	<b>61</b>
5.1	Survey of Selected Literature.....	62
5.2	Comparison of Minimum Volume and Minimum Cost Design of a Welded Tubular Truss .....	63
5.2.1	Introduction.....	63
5.2.2	Minimum Volume Design .....	63
5.2.3	Minimum Cost Design.....	66
5.2.4	Numerical Data and Results .....	67
5.2.5	Conclusions.....	68
5.3	Optimum Design of Tubular Trusses for Displacement Constraint.....	68
5.3.1	Introduction.....	69
5.3.2	The Displacement Constraint.....	69
5.3.3	Design for Overall Buckling .....	69
5.3.4	A Truss Column with Parallel Chords (Fig. 5.2) .....	70
5.3.5	A Truss Column with Non-parallel Chords (Fig. 5.3) .....	72
5.4	Volume and Cost Minimization of a Tubular Truss with Non-parallel Chords in the Case of a Displacement-Constraint .....	75
5.4.1	Introduction.....	75
5.4.2	Minimum Volume Design of the Tubular Truss with Non-parallel Chords.....	76
5.4.3	Check of the Compression Rods for Overall Buckling.....	80
5.4.4	The Cost Function.....	80
5.4.5	Numerical Data .....	82
5.4.6	The Optimization Process .....	82
5.4.7	Results of the Optimization .....	82
5.4.8	Check of Strength of a Tubular Joint .....	83
5.4.9	Conclusions.....	85
5.5	Minimum Cost Design and Comparison of Tubular Trusses with N- and Cross-(Rhombic)-Bracing .....	86
5.5.1	Introduction.....	86
5.5.2	The Optimization Process .....	87
5.5.3	Optimum Design of an N-Type Planar Tubular Truss .....	88
5.5.3.1	Optimum Height and Cross-Sectional Areas for Stress and Overall Buckling Constraints.....	88
5.5.3.2	Optimum Height and Cross-Sectional Areas for Deflection Constraint .....	90
5.5.4	Optimum Design of a Rhombic-Type Planar Tubular Truss .....	91
5.5.4.1	Optimum Height and Cross-Sectional Areas for Stress and Overall Buckling Constraints.....	91

5.5.4.2	Check of a Truss Joint with Available Tubular Profiles.....	94
5.5.4.3	Optimum Height and Cross-Sectional Areas for Deflection Constraint .....	95
5.5.5	Comparison of the Two Bracing Types .....	97
5.5.6	Conclusions.....	97
5.6	Optimum Design of a Transmission Line Tower Constructed from Welded Tubular Truss.....	98
5.6.1	Introduction.....	98
5.6.2	Loads .....	99
5.6.3	Geometric Data (Fig. 5.10, 5.11) .....	100
5.6.4	Rod Forces from a Horizontal Force $F = 1$ .....	103
5.6.5	Rod Forces from $H$ , $F1$ and $F2$ .....	104
5.6.6	Optimization Process .....	104
5.6.7	Formulae for Cross-Sectional Areas of Governing Rods.....	104
5.6.8	Formulae for Volume $V$ and Cost $K$ of the Truss in the Function of $\beta$ .....	105
5.6.9	Search for $\beta_{\text{opt}}$ for $V_{\text{min}}$ and $K_{\text{min}}$ .....	106
5.6.10	Selection of Available Profiles .....	107
5.6.11	Optimum Mass of the Tower .....	107
5.6.12	Mass Comparison with the Tower Published by Rao (1995)....	107
<b>6</b>	<b>Frames .....</b>	<b>109</b>
6.1	Minimum Cost Seismic Design of a Welded Steel Portal Frame with X-Bracing.....	110
6.1.1	Absorbed Energy of CHS and SHS Braces Cyclically Loaded in Tension-Compression .....	110
6.1.2	Seismic Design of a Portal Frame.....	116
6.1.2.1	Calculation of the Seismic Force .....	116
6.1.2.2	Normal Forces and Bending Moments in Vertical Frames (Fig. 6.6) .....	118
6.1.2.3	Geometric Characteristics of the Square Hollow Section (Fig. 6.7) .....	119
6.1.2.4	Calculation of the Elastic Sway .....	120
6.1.2.5	Constraint on Sway Limitation .....	121
6.1.2.6	Local Buckling Constraints .....	123
6.1.2.7	Stress Constraint for the Columns .....	123
6.1.2.8	Stress Constraint for the Beams.....	124
6.1.2.9	Investigation of the Joint of the Beam and Brace .....	125
6.1.2.10	The Cost Function.....	126
6.1.2.11	Optimization and Results.....	127
6.1.2.12	Conclusions.....	128
6.2	Seismic Design of a V-Braced 3D Multi-storey Steel Frame.....	129
6.2.1	Introduction.....	129
6.2.2	Main Dimensions of the Given Frame .....	130
6.2.3	Loads .....	131
6.2.3.1	Vertical Loads .....	131

6.2.3.2	Seismic Load .....	131
6.2.4	Design of CHS V-Bracings.....	132
6.2.4.1	Constraint on Tensile Stress .....	132
6.2.4.2	Constraint on Overall Buckling.....	133
6.2.4.3	Constraint on Strut Slenderness for Seismic Zone .....	133
6.2.4.4	Constraint on Energy Absorption Capacity .....	133
6.2.4.5	Design Results .....	134
6.2.5	Design of Beams.....	135
6.2.6	Design of Columns .....	137
6.2.7	Design of Joints .....	139
6.2.7.1	Beam-to-Column Connections .....	139
6.2.7.2	Joints of Braces.....	140
6.2.8	Conclusions.....	141
<b>7</b>	<b>Stiffened Plates.....</b>	<b>143</b>
7.1	Minimum Cost Design of an Orthogonally Stiffened Welded Steel Plate with a Deflection Constraint.....	144
7.1.1	Introduction.....	144
7.1.2	Residual Welding Deflection from Longitudinal Welds of a Straight Beam .....	145
7.1.3	Residual Welding Curvatures in an Orthogonally Stiffened Plate .....	147
7.1.4	The Grid Effect .....	148
7.1.5	Assembly Desk of Square Symmetry with 4-4 Stiffeners.....	150
7.1.5.1	Solution of the Gridwork from Shrinkage of Welds (Fig. 7.4).....	150
7.1.5.2	Solution of the Gridwork from the Uniformly Distributed Normal Load (Fig. 7.5).....	152
7.1.6	Minimum Cost Design of the Assembly Desk with 4-4 Stiffeners Considering the Grid-Effect .....	153
7.1.6.1	Stress Constraint.....	153
7.1.6.2	Deflection Constraint.....	154
7.1.6.3	Cost Function.....	155
7.1.6.4	Results of Optimization .....	156
7.1.7	Minimum Cost Design of the Assembly Desk without Grid Effect .....	156
7.1.7.1	Stress Constraint.....	156
7.1.7.2	Deflection Constraint.....	157
7.1.7.3	Cost Function.....	158
7.1.7.4	Results of Optimization .....	158
7.1.8	Conclusions.....	159
7.2	Minimum Cost Design of a Welded Stiffened Steel Sectorial Plate .....	159
7.2.1	Introduction.....	160
7.2.2	Non-equidistant Tangential Stiffening.....	160
7.2.2.1	Calculation of Stiffener Distances ( $x_{0i}$ ) .....	160
7.2.2.2	Design of Stiffeners .....	162

7.2.2.3	Cost Calculation for a Sectorial Stiffened Plate Element.....	164
7.2.3	Equidistant Tangential Stiffening with Stepwise Varying Base Plate Thickness .....	167
7.2.3.1	Design of Base Plate Thicknesses .....	167
7.2.3.2	Design of Stiffeners .....	167
7.2.3.3	Cost Calculation .....	168
7.2.4	Equidistant Tangential Stiffening Combined with Radial Stiffeners.....	170
7.2.5	Cost of the Unstiffened Plate .....	172
7.2.6	Conclusions.....	173
7.3	Optimum Design of Welded Stiffened Plate Structure for a Fixed Storage Tank Roof .....	174
7.3.1	Introduction.....	174
7.3.2	Loads .....	175
7.3.3	Numerical Data (Fig. 7.11) .....	175
7.3.4	Design of Sectorial Stiffened Deck Plate Elements .....	176
7.3.4.1	Cost Calculation for a Sectorial Stiffened Plate Element.....	177
7.3.5	Design of Radial Beams .....	179
7.3.6	Cost of a Radial Beam .....	180
7.3.7	Additional Cost .....	180
7.3.8	Optimization Results.....	181
7.3.9	Conclusions.....	181
7.4	A Circular Floor Constructed from Welded Stiffened Steel Sectorial Plates .....	182
7.4.1	Introduction.....	182
7.4.2	Problem Formulation .....	183
7.4.3	Solution Strategy for the Three Optimization Phases .....	183
7.4.4	Minimum Cost Design of a Sectorial Plate.....	183
7.4.5	Optimum Design of Radial Beams .....	188
7.4.6	Optimum Number of Sectorial Plates .....	190
7.4.7	Cost Comparison with an Unstiffened Thick-Base-Plate Version.....	191
7.4.8	Conclusions.....	193
7.5	Minimum Cost Design of a Cellular Plate Loaded by Uniaxial Compression.....	193
7.5.1	Introduction.....	194
7.5.2	The Basic Formulae of Cellular Plates .....	194
7.5.3	The Overall Buckling Constraint .....	195
7.5.4	The Cost Function.....	198
7.5.5	The Optimum Design Data and Results.....	199
7.5.6	Conclusions.....	200
7.6	Minimum Cost Design of a Square Box Column with Walls Constructed from Cellular Plates with RHS Stiffeners .....	200
7.6.1	Introduction .....	201

7.6.2	Characteristics of Cellular Plates .....	202
7.6.3	Minimum Cost Design of the Square Box Column .....	203
7.6.3.1	Constraint on Overall Buckling of a Cellular Plate Wall (Fig. 7.21) .....	203
7.6.3.2	Constraint on Horizontal Displacement of the Column Top.....	205
7.6.3.3	Numerical Data (Fig. 7.20).....	205
7.6.3.4	Cost Function.....	205
7.6.3.5	Optimization and Results.....	208
7.6.4	Conclusions.....	208
<b>8</b>	<b>Cylindrical and Conical Shells.....</b>	<b>211</b>
8.1	Minimum Cost Design for Various Diameters of a Ring-Stiffened Cylindrical Shell Loaded by External Pressure.....	212
8.1.1	Introduction.....	212
8.1.2	Characteristics of the Optimization Problem .....	213
8.1.3	Constraint on Shell Buckling .....	213
8.1.4	Constraint on Ring-Stiffener Buckling .....	214
8.1.5	The Cost Function.....	215
8.1.6	Results of the Optimization .....	216
8.1.7	Conclusions.....	218
8.2	Cost Comparison of Optimized Unstiffened Cylindrical and Conical Shells for a Cantilever Column Loaded by Axial Compression and Bending .....	218
8.2.1	Introduction.....	218
8.2.2	Constraint on Conical Shell Buckling.....	219
8.2.3	The Cost Function.....	221
8.2.4	Numerical Data and Results .....	222
8.2.5	Conclusions.....	223
8.3	Conical Shell with Non-equidistant Ring-Stiffening Loaded by External Pressure.....	223
8.3.1	Introduction.....	223
8.3.2	Design of Shell Segment Lengths .....	224
8.3.3	Design of a Ring-Stiffener for Each Shell Segment .....	225
8.3.4	The Cost Function.....	227
8.3.5	Numerical Data.....	228
8.3.6	Results of the Optimization .....	228
8.3.7	Conclusions.....	229
<b>Appendix A-D</b>	<b>.....</b>	<b>231</b>
<b>References</b>	<b>.....</b>	<b>251</b>
<b>Subject Index</b>	<b>.....</b>	<b>263</b>