

1	Introduction	1
1.1	Background	3
1.1.1	Fundamentals of Light Interaction with Materials	3
1.1.2	Taxonomy of Light Scattering Functions	5
1.1.3	Modeling and Rendering Pipeline of Material Appearance	8
1.2	Data Coherence for Appearance Modeling	9
1.2.1	Data Coherence	9
1.2.2	Coherence-Based Reconstruction	12
1.2.3	A General Framework for Coherence-Based Appearance Modeling	13
1.3	Overview	14
1.3.1	Acquisition and Modeling of Opaque Surfaces	14
1.3.2	Modeling and Rendering of Subsurface Light Transport	15
1.3.3	Material Fabrication	16
	References	16

Part I Acquisition and Modeling of Opaque Surfaces

2	Surface Reflectance Overview	21
2.1	Surface Reflectance Acquisition	21
2.1.1	Direct Measurement	21
2.1.2	Angular Coherence	22
2.1.3	Spatial Coherence	23
2.2	Interactive Modeling and Editing	24
	References	25
3	Efficient SVBRDF Acquisition with Manifold Bootstrapping	27
3.1	Related Work	29
3.2	SVBRDF Manifold Bootstrapping	30
3.2.1	Representative and Key Measurement	30
3.2.2	Manifold Bootstrapping Overview	31
3.2.3	Manifold Bootstrapping Details	33

3.2.4	Synthetic Enlargement for Representatives	34
3.2.5	Key Measurement Validation	35
3.3	SVBRDF Data Acquisition	36
3.3.1	Acquiring Representatives: BRDF Samples	36
3.3.2	Acquiring Keys: Reflectance Maps	38
3.4	Experimental Results	40
3.4.1	Method Validation	41
3.4.2	SVBRDF Capture Results	42
3.5	Conclusion	46
	References	47
4	Interactive SVBRDF Modeling from a Single Image	49
4.1	Related Work	52
4.2	System Overview	53
4.3	User-Assisted Shading Separation	54
4.3.1	Separation as Optimization	55
4.3.2	Interactive Refinement	56
4.3.3	Discussion	58
4.4	Two-Scale Normal Reconstruction	59
4.5	User-Assisted Specular Assignment	62
4.6	Experimental Results	64
4.7	Conclusion	69
	References	71
 Part II Modeling and Rendering of Subsurface Light Transport		
5	Overview of Subsurface Light Transport	75
5.1	Computing Subsurface Light Transport	75
5.2	Capturing Subsurface Scattering Effects	76
	References	76
6	Modeling Subsurface Light Transport with the Kernel Nyström Method	79
6.1	Related Work	80
6.2	The Kernel Nyström Method	82
6.2.1	Kernel Extension	83
6.2.2	Estimating the Light Transport Kernel f	84
6.3	Adaptive Light Transport Measurement	85
6.4	Results and Discussions	87
6.4.1	Method Validation	88
6.4.2	Subsurface Scattering Results	92
6.4.3	Discussion	92
6.5	Conclusion	93
	References	93
7	Modeling and Rendering Subsurface Scattering Using Diffusion Equations	95
7.1	Related Work	97

- 7.2 Overview 98
- 7.3 Acquisition of Material Model 100
 - 7.3.1 Data Capture 100
 - 7.3.2 Volumetric Model Acquisition 102
 - 7.3.3 Adjoint Method for Gradient Computation 103
 - 7.3.4 GPU-Based Diffusion Computation 104
 - 7.3.5 Discussion 104
- 7.4 Rendering and Editing 105
 - 7.4.1 Polygrid Construction 106
 - 7.4.2 GPU-Based Polygrid Diffusion Computation 108
 - 7.4.3 Hierarchical Acceleration 111
 - 7.4.4 Editing 112
- 7.5 Experimental Results 113
- 7.6 Conclusion 118
- References 119

8 Modeling Textured Translucent Materials with Lazy Solid Texture

- Synthesis 121**
- 8.1 Previous Work 123
- 8.2 Overview and Terminology 124
- 8.3 3D Candidates Selection 125
 - 8.3.1 Color Consistency 126
 - 8.3.2 Triples of Coherent Candidates 127
 - 8.3.3 Candidate Slab 128
- 8.4 Lazy Solid Synthesis 129
 - 8.4.1 Parallel Solid Texture Synthesis 129
 - 8.4.2 Lazy Subset Synthesis 132
- 8.5 Implementation and Results 133
 - 8.5.1 Candidate Pre-computation 133
 - 8.5.2 GPU Implementation 134
 - 8.5.3 Rendering 135
 - 8.5.4 Full Volume Synthesis and Comparisons 135
 - 8.5.5 Solid Synthesis for Translucent Objects 136
- 8.6 Discussion and Conclusions 138
- References 139

Part III Material Fabrication

- 9 Overview of Material Fabrication 143**
- 9.1 Hardware 143
 - 9.1.1 Basic Considerations 143
 - 9.1.2 Milling Machine 144
 - 9.1.3 3D Printer 145
 - 9.1.4 Conventional Printer 146
- 9.2 Material Fabrication 147
 - 9.2.1 Diffuse Shading 147

9.2.2	Surface Reflectance	149
9.2.3	Subsurface Scattering	150
9.2.4	Deformation Behavior	150
	References	151
10	Fabricating Spatially-Varying Subsurface Scattering	153
10.1	Related Work	155
10.2	System Pipeline	156
10.3	Material Mapping	160
10.3.1	Homogeneous BSSRDFs	160
10.3.2	Heterogeneous BSSRDFs	161
10.4	Hardware Manufacturing Setup	165
10.5	Experimental Results	166
10.6	Conclusion	171
	References	171
11	Conclusion	173
11.1	Future Work	175
	References	176