

Contents

1 SmartShadow Model	1
1.1 Introduction	1
1.2 SmartShadow: An Overview	3
1.2.1 PersonalityShadow: Model of People’s Life	3
1.2.2 ServiceShadow: User-Centered Virtual Space	4
1.3 Semantics in SmartShadow	5
1.3.1 Basic Concepts	5
1.3.2 Models and Systems in Pervasive Computing	7
1.3.3 Semantic Issues in SmartShadow	8
1.4 Modeling Human Personalities	10
1.4.1 Low-Level Personal Information	11
1.4.2 Mid-Level Personal Information	13
1.4.3 High-Level Personal Information: BDP Model	15
1.5 Modeling Computing Environments	17
1.6 Planning for a Virtual Service Space: ServiceShadow	20
1.7 Conclusion	22
References	22
2 Task Migration in SmartShadow	25
2.1 Introduction	25
2.2 Related Work	27
2.3 Task Migration Challenges	28
2.3.1 Scenario: Watching Movie	28
2.4 Task Model in SmartShadow	29
2.4.1 Modeling Task Process	29
2.4.2 Describing a Primitive Task	31
2.5 Context-Aware Task-to-Service Mapping	32
2.5.1 Semantic Service Filtering	33
2.5.2 Satisfaction Measurement for Task-Oriented Matching	35
2.5.3 Task-to-Service Mapping Algorithm	37
2.6 TaskShadow: An OSGi-Based Implementation	37

2.7	Evaluation	39
2.7.1	Performance of Task-to-Service Mapping	40
2.7.2	Time Cost for Task Migration of “Watch Movie”	40
2.8	Conclusion	41
	References	41
3	Context-Awareness in SmartShadow	43
3.1	Introduction	43
3.2	Hierarchical Context Model	45
3.2.1	Context Atom Layer	46
3.2.2	Context Situation Layer	46
3.3	ScudContext: Large-Scale Environmental Context Services	51
3.3.1	Context Management	51
3.3.2	The ScudContext Infrastructure	55
3.4	ScudCORE: Context-Driven Reasoning Engine	59
3.4.1	Context-Driven Reasoning in Pervasive Computing	59
3.4.2	ScudCORE Architecture	60
3.4.3	Context-Driven Mechanism	62
3.5	Conclusion	65
	References	66
4	File Modeling in SmartShadow	67
4.1	Introduction	67
4.2	Related Work	68
4.3	Modeling Files with Context Streams	70
4.3.1	Context Stream: Dynamics of Contexts	70
4.3.2	Modeling Files with Context Stream	71
4.4	ScudFile: A Meta File System with Context Streams	72
4.4.1	Architecture of the ScudFile	72
4.4.2	An MS-Windows-Based Implementation	74
4.5	Applications	76
4.5.1	File Browsing with Context Stream	76
4.5.2	File Searching with Context Stream	77
4.5.3	File Recommending with Context Stream	78
4.6	Evaluation	79
4.6.1	Time Cost	79
4.6.2	Usability Test	80
4.7	Conclusion	81
	References	81
5	ScudWare: Software Infrastructure for SmartShadow	83
5.1	Introduction	83
5.2	ScudWare Architecture	85
5.3	Semantic Virtual Agents	86
5.3.1	SVA Definition	86
5.3.2	SIP Definition	88

- 5.4 Semantic Context Management Service 90
 - 5.4.1 Semantic View for Context..... 90
 - 5.4.2 Ontology of SmartShadow Space 91
 - 5.4.3 Semantic Context Service Functional Modules 93
- 5.5 Adaptive Component Management Service 95
 - 5.5.1 Resource Abstract 95
 - 5.5.2 ACMS Functionality..... 96
 - 5.5.3 Component Interdependence Graph 97
 - 5.5.4 Run-Time Component Hook Proxy 98
- 5.6 Conclusion 99
- References 99
- 6 Smart Car Space: An Application 101**
 - 6.1 Introduction 101
 - 6.2 Smart Car Space: A Framework..... 102
 - 6.3 Context Modeling in Smart Car Space 104
 - 6.3.1 Context Atoms 104
 - 6.3.2 Complex Context 106
 - 6.4 Driver Behavior Modeling in Smart Car Space..... 108
 - 6.4.1 Comfortable and Safe Driver Behavior Model
of Car-Following 108
 - 6.4.2 Multitasking Driver Behavior Model for Smart
Car Space..... 112
 - 6.5 Prototype 119
 - 6.5.1 Network Infrastructure 119
 - 6.5.2 Software Infrastructure 120
 - 6.5.3 In-Car Space 120
 - 6.5.4 Services of Smart Car Space 123
 - 6.6 Conclusion 125
 - References 125
- Index 129**