

Table of contents

III/34 Semiconductor Quantum Structures

Subvolume A: Growth and Structuring
(edited by C. Klingshirn)

1 Introduction (C. KLINGSHIRN) 1

References for 1 3

2 Growth of quasi two-dimensional structures (C. KLINGSHIRN) 4

2.1 Inversion layers 4

2.2 Single heterotransitions 5

2.3 Single and multiple quantum wells, coupled quantum wells and superlattices 6

2.4 Relevant growth techniques 9

2.4.1 Molecular beam epitaxy 9

2.4.2 Hot wall (beam) epitaxy 11

2.4.3 Pulsed laser deposition 12

2.4.4 Metal organic chemical vapour deposition 12

2.4.5 Other Methods 13

2.5 Doping 14

References for 2 16

3 Growth and preparation of quasi one-dimensional systems (C. KLINGSHIRN) 19

3.1 Structuring of quantum wells by lithography and etching or by ion implantation 19

3.2 Cleaved edge overgrowth 20

3.3 Growth on prepatterned surfaces 20

3.4 Growth of nano rods and references to some other techniques 21

References for 3 23

4 Growth and preparation of quasi zero-dimensional structures (C. KLINGSHIRN) . . 25

4.1 Structuring of quantum wells 25

4.1.1 Lithography and etching 25

4.1.2 Cleaved edge overgrowth 25

4.1.3 Definition by electrodes or stressors 26

4.2	Precipitation	27
4.2.1	In glasses	27
4.2.2	In aqueous or organic solutions or in sol-gel systems	29
4.2.3	Micelles	29
4.2.4	Some further chemical routes	30
4.3	Self assembly e.g. by Stranski-Krastanov or Volmer-Weber growth modes	30
4.4	Miscellaneous techniques	33
	References for 4	34
5	Examples for group IV semiconductors (E. KASPER)	37
5.1	General remarks on group IV semiconductors and industrial needs	37
5.1.1	Some general properties	37
5.1.2	Dimension scaling	40
5.1.3	Microelectronics material requirements	40
5.1.3.1	More Moore	41
5.1.3.2	More than Moore and beyond CMOS	44
	References for 5.1	47
5.2	Layer growth by epitaxy	48
5.2.1	Requirements on a SiGe-MBE system	48
5.2.2	UHV conditions	49
5.2.3	Sources of atomic and molecular beams	51
5.2.4	Substrate heating and cleaning	53
5.2.5	In-situ analysis	54
	References for 5.2	56
5.3	Quasi-two-dimensional systems (quantum wells)	57
5.3.1	Influence of strain on band structure	57
5.3.1.1	Hydrostatic strain	57
5.3.1.2	Uniaxial strain	58
5.3.2	Band alignment of strained SiGe	60
5.3.2.1	Average valence band energy E_V^0	60
5.3.2.2	Compressive strain	61
5.3.2.3	Tensile strain	62
5.3.3	Modulation doped field effect transistors (MODFETs)	63
5.3.3.1	Low-temperature properties of two-dimensional modulation-doped electron and hole gases	63
5.3.3.2	Pseudomorphic MODFETs	65
5.3.3.3	Virtual substrate MODFETs	66
	References for 5.3	69
5.4	One-dimensional systems (quantum wires)	70
5.4.1	VLS growth.	70
5.4.2	Self-aligned wire etching/oxidation procedure	71

	References for 5.4	74
5.5	Zero-dimensional systems (quantum dots)	75
5.5.1	Self-assembling techniques	75
5.5.2	Stranski-Krastanov growth on prepatterned substrates	76
	References for 5.5	86
6	Examples for III-V semiconductors (S. HÖFLING, C. SCHNEIDER, A. FORCHEL)	89
6.1	Growth and preparation of quantum wells on GaAs substrates	89
6.1.1	Examples of Ga(In)As quantum wells on (Al)GaAs	89
6.1.1.1	Examples of GaAs quantum wells on AlGaAs	90
6.1.1.2	Indirect excitons in GaAs/Al(Ga)As quantum wells	91
6.1.1.3	InGaAs quantum wells in Al(Ga)As	92
6.1.1.4	GaInNAs(Sb) quantum wells on GaAs	92
	References for 6.1	94
6.2	Structuring and growth of quantum wires and nano-rods on GaAs	96
6.2.1	Lithographically defined nanowires on GaAs: top-down approach	96
6.2.2	Cleaved edge overgrowth	97
6.2.3	Quantum wires formed by growth on pre-patterned substrates	98
6.2.4	Bottom-up grown GaAs and InAs nanowires	98
	References for 6.2	100
6.3	Growth and preparation of quantum dots and nano crystals on GaAs substrates	102
6.3.1	Self-assembled QDs on GaAs substrate based on In(Al,Ga)As alloys	102
6.3.2	Self-assembled QDs on GaAs substrate based on InGaNAs alloys	105
6.3.3	In(Ga)As quantum dot growth on high-index GaAs substrates	105
6.3.4	Self-assembled QDs on GaAs substrate based on droplet epitaxy	106
6.3.5	Self-assembled QDs on GaAs substrate based on GaAs monolayer fluctuations and submonolayer deposition	106
6.3.6	Site-controlled QDs on GaAs substrates: the top-down approach	107
6.3.7	Site-controlled (In,Ga)As QDs on GaAs substrates: growth on pre-patterned substrates	107
6.3.8	(In,Al,Ga)P quantum dots on GaAs substrates	109
	References for 6.3	111
6.4	Growth of group III–nitride compounds for nanostructure device applications	115
6.4.1	The role of substrates	115
	References for 6.4.1	117
6.4.2	Different growth techniques	118
	References for 6.4.2	119
6.4.3	Group III–nitride quantum wells	120
	References for 6.4.3	122

6.4.4	Group III–nitride based quantum wires	123
	References for 6.4.4	125
6.4.5	Group III–nitride based quantum dots	126
	References for 6.4.5	127
6.4.6	Devices based on group III–nitrides	128
	References for 6.4.6	129
6.5	Growth and fabrication of quantum wells and wires on InP substrate	130
6.5.1	Growth of GaInAs quantum wells on InP substrates	130
	References for 6.5.1	132
6.5.2	Lithographically defined nanowires	133
	References for 6.5.2	134
6.5.3	Growth and fabrication of InGaAsP nanowhiskers on InP and silicon substrates . . .	135
	References for 6.5.3	136
6.5.4	Site-controlled fabrication of nanowhiskers on InP substrate	137
	References for 6.5.4	138
6.5.5	Epitaxial quantum dots grown on InP substrate	139
6.5.5.1	Randomly grown InAs/InP QDs	139
6.5.5.1.1	Growth by molecular beam epitaxy	139
6.5.5.1.2	Growth by metal organic vapor phase epitaxy	141
	References for 6.5.5	143
6.5.6	Growth of InAs quantum dashes	144
6.5.6.1	Basic quantum dash growth and structure investigations	144
6.5.6.2	Properties of single quantum dashes	146
	References for 6.5.6	147
6.5.7	Site-selective growth of InAs quantum dots on InP	148
	References for 6.5.7	149
6.6	Growth of quantum wells and quantum dots on GaSb substrates	150
	References for 6.6	151
6.6.1	Growth of quantum wells in GaSb-based diode lasers	152
	References for 6.6.1	155
6.6.2	Growth of quantum wells in GaSb-based type-II diode lasers	156
	References for 6.6.2	157

6.6.3	Growth of quantum wells in GaSb-based quantum cascade laser structures	158
	References for 6.6.3	159
6.6.4	Growth of quantum wells in GaSb-based interband cascade lasers	160
	References for 6.6.4	162
6.6.5	Growth of quantum wells in GaSb-based superlattice detectors	163
	References for 6.6.5	166
6.6.6	Growth of quantum dots on GaSb	167
	References for 6.6.6	168
6.7	Growth and preparation of quantum dots and quantum wells on GaP substrates . . .	169
6.7.1	(GaIn)(NAsP) quantum-well growth on GaP substrates	169
6.7.2	InGaP quantum-well growth on metamorphic $\text{In}_x\text{Ga}_{1-x}\text{P}$ substrates	170
6.7.3	(Ga,In)NP quantum-well growth on GaP substrates	170
6.7.4	Properties of AlP/GaP neighboring confinement structure	171
6.7.5	Self-assembled QDs on GaP substrate based on In(Al,Ga)P alloys	172
6.7.6	Self-assembled QDs on GaP substrate based on InGaAs alloys	173
	References for 6.7	175
6.8	Properties of III-V materials on Si substrate	177
6.8.1	Integration of nearly lattice-matched GaP on Si	177
6.8.2	Growth and properties of III-V laser structures on Si	178
6.8.3	Growth of (In,Ga)As quantum dots on Si	180
	References for 6.8	181
6.9	Examples of III-V layers and nanostructures with diluted semiconductor materials . .	182
6.9.1	Quantum wells and superlattices containing diluted magnetic semiconductors in barrier and/or well	183
6.9.2	Quantum wires and nano rods of diluted magnetic semiconductors	184
6.9.3	Quantum dots and nano crystals of diluted magnetic semiconductors	186
	References for 6.9	189
7	Examples for the growth of nano-structures based on II^B-VI compounds (C. KLINGSHIRN)	193
	References for 7	195
7.1	Growth of quantum wells and of superlattices (C. KLINGSHIRN)	196
7.1.1	Quantum wells and superlattices containing Hg	196
	References for 7.1.1	198
7.1.2	Quantum wells and superlattices based on CdTe and its alloys	201
	References for 7.1.2	205
7.1.3	Quantum wells and superlattices based on CdSe and its alloys	208

	References for 7.1.3	212
7.1.4	Quantum wells and superlattices based on CdS and its alloys	214
	References for 7.1.4	217
7.1.5	Quantum wells and superlattices based on ZnTe and its alloys	219
	References for 7.1.5	222
7.1.6	Quantum wells and superlattices based on ZnSe and its alloys	225
	References for 7.1.6	230
7.1.7	Quantum wells and superlattices based on ZnS and its alloys	235
	References for 7.1.7	236
7.1.8	Quantum wells and superlattices based on ZnO and its alloys	237
	References for 7.1.8	240
7.1.9	Quantum wells and superlattices containing diluted magnetic semiconductors in barrier and/or well	243
	References for 7.1.9	249
7.2	Growth or production of quantum- or nano wires and of nano rods (C. KLINGSHIRN)	253
7.2.1	Quantum wires containing Hg	253
	References for 7.2.1	255
7.2.2	Quantum wires and nano rods based on CdTe and its alloys	256
	References for 7.2.2	258
7.2.3	Quantum wires and nano rods based on CdSe and its alloys	260
	References for 7.2.3	263
7.2.4	Quantum wires and nano rods based on CdS and its alloys	265
	References for 7.2.4	268
7.2.5	Quantum wires and nano rods based on ZnTe and its alloys	272
	References for 7.2.5	273
7.2.6	Quantum wires and nano rods based on ZnSe and its alloys	274
	References for 7.2.6	277
7.2.7	Quantum wires and nano rods based on ZnS and its alloys	279
	References for 7.2.7	281
7.2.8	Quantum wires and nano rods based on ZnO and its alloys	284
	References for 7.2.8	292

7.2.9	Quantum wires and nano rods of diluted magnetic semiconductors	299
	References for 7.2.9	302
7.3	Growth and preparation of quantum dots and nano crystals (C. KLINGSHIRN) . .	304
7.3.1	Quantum dots and nano crystals containing Hg	304
	References for 7.3.1	305
7.3.2	Quantum dots and nano crystals based on CdTe and its alloys	306
	References for 7.3.2	308
7.3.3	Quantum dots and nano crystals based on CdSe and its alloys	310
	References for 7.3.3	313
7.3.4	Quantum dots and nano crystals based on CdS and its alloys	318
	References for 7.3.4	322
7.3.5	Quantum dots and nano crystals based on ZnTe and its alloys	328
	References for 7.3.5	329
7.3.6	Quantum dots and nano crystals based on ZnSe and its alloys	330
	References for 7.3.6	333
7.3.7	Quantum dots and nano crystals based on ZnS and its alloys	335
	References for 7.3.7	337
7.3.8	Quantum dots and nano crystals based on ZnO and its alloys	339
	References for 7.3.8	344
7.3.9	Quantum dots and nano crystals of diluted magnetic semiconductors	348
	References for 7.3.9	350
7.4	Self-assembled quantum dots (F. HENNEBERGER)	352
7.4.1	Introduction	352
	References for 7.4.1	354
7.4.2	CdSe/ZnSe quantum dots	355
	References for 7.4.2	359
7.4.3	CdTe/ZnTe quantum dots	361
	References for 7.4.3	363
7.4.4	Diluted magnetic II-VI quantum dots	364
	References for 7.4.4	366

7.4.5	Other II-VI heterosystems	367
	References for 7.4.5	369
8	Examples for I-VII semiconductor compounds (B. HÖNERLAGE AND P. GILLIOT) .	370
8.1	General properties	370
	References for 8.1	372
8.2	Quantum-well structures	373
8.2.1	CuCl	373
8.2.2	CuBr	379
8.2.3	CuI	379
	References for 8.2	383
8.3	Quantum dots	384
8.3.1	CuCl	385
8.3.1.1	Growth and linear optical properties	385
8.3.1.2	Non-linear optical properties and exciton-exciton interactions	395
8.3.2	CuBr	396
8.3.3	CuCl _{1-x} Br _x	399
8.3.4	CuI	399
8.3.5	AgCl	401
8.3.6	AgBr	402
8.3.7	AgI	406
	References for 8.3	411
9	IV-VI Semiconductors (G. SPRINGHOLZ AND G. BAUER)	415
9.1	General properties	415
	References for 9.1	419
9.2	Band-gap engineering by alloying	422
	References for 9.2	424
9.2.1	Pseudo-binary IV-VI alloys	425
	References for 9.2.1	426
9.2.2	Higher-band-gap alloys	427
	References for 9.2.2	428
9.3	Epitaxial growth	430
9.3.1	Molecular beam epitaxy	430
	References for 9.3.1	433
9.3.2	Other epitaxial growth techniques	435
	References for 9.3.2	436

9.3.3	Substrate materials	437
	References for 9.3.3	438
9.3.4	Growth on BaF_2 (111)	439
	References for 9.3.4	442
9.3.5	Growth on IV-VI substrates	443
	References for 9.3.5	445
9.3.6	Growth on KCl and NaCl	446
	References for 9.3.6	447
9.3.7	Growth on silicon	448
	References for 9.3.7	450
9.3.8	Growth on GaAs and CdTe	451
	References for 9.3.8	453
9.3.9	Doping	454
	References for 9.3.9	455
9.4	2D structures: quantum wells and superlattices	456
9.4.1	Growth and material systems	456
	References for 9.4.1	459
9.4.2	Structural properties	462
	References for 9.4.2	465
9.4.3	Theoretical description of confined states	466
9.4.3.1	Bandstructure calculations: $k \cdot p$ basics	466
9.4.3.2	Envelope function calculations for quantum wells and superlattices	467
9.4.3.3	Strain effects on band alignments in heterostructures and quantum wells	469
	References for 9.4.3	472
9.4.4	Spectroscopic investigations of IV-VI quantum-well systems	473
9.4.4.1	Infrared spectroscopy	473
9.4.4.2	Photoluminescence and emission	475
9.4.4.3	Magnetooptics	476
	References for 9.4.4	478
9.4.5	Specific results for different material systems	480
9.4.5.1	PbTe-PbSe-PbS	480
9.4.5.2	$\text{PbTe/Pb}_{1-x}\text{Sn}_x\text{Te}$	480
9.4.5.3	$\text{PbTe/Pb}_{1-x}\text{Eu}_x\text{Te}$ and $\text{PbTe/Pb}_{1-x}\text{Eu}_x\text{Te}_{1-y}\text{Se}_y$	482
9.4.5.4	$\text{PbTe/Pb}_{1-x}\text{Sr}_x\text{Te}$ and $\text{PbTe/Pb}_{1-x}\text{Ca}_x\text{Te}$	484
9.4.5.5	$\text{PbSe/Pb}_{1-x}\text{Eu}_x\text{Se}$	485

9.4.5.6	Strained PbSe/Pb _{1-x} Eu _x Se _{1-y} Te _y	486
9.4.5.7	PbSe/Pb _{1-x} Mn _x Se	488
9.4.5.8	PbSe/PbSrSe	488
9.4.5.9	PbS/PbSrS	489
9.4.5.10	PbTe/CdTe, Pb _{1-x} Sn _x Te/CdTe, and Pb _{1-x} Sr _x Te/CdTe	489
	References for 9.4.5	491
9.4.6	Transport in 2D structures	493
	References for 9.4.6	495
9.5	1D Structures	496
9.5.1	Fabrication: lithography and nanowire growth	496
	References for 9.5.1	497
9.5.2	Transport in 1D structures	498
	References for 9.5.2	500
9.6	Self-assembled Stranski-Krastanow quantum dots	501
	References for 9.6	502
9.6.1	Growth of self-assembled lead-salt quantum dots	503
9.6.1.1	Growth and nucleation	503
9.6.1.2	Overgrowth of quantum dots	504
	References for 9.6.1	506
9.6.2	Ordering and stacking in quantum-dot superlattices	507
9.6.2.1	Lateral ordering	507
9.6.2.2	fcc-like dot stacking and formation of quantum-dot crystals	508
9.6.2.3	Stacking as a function of spacer thickness	510
9.6.2.4	Stacking as a function of dot size and growth conditions	512
	References for 9.6.2	513
9.6.3	Ordering mechanisms	514
9.6.3.1	Strain-field calculations and the effect of the elastic anisotropy	514
9.6.3.2	Dependence on spacer thickness and dot size	517
9.6.3.3	Monte-Carlo growth simulations	519
	References for 9.6.3	520
9.6.4	Optical and electronic properties	521
	References for 9.6.4	523
9.7	Quantum dots by phase separation and nanoprecipitation	524
	References for 9.7	526
9.7.1	Structural properties	527
	References for 9.7.1	528

9.7.2	Size control	529
	References for 9.7.2	530
9.7.3	Emission properties	531
	References for 9.7.3	534
9.7.4	Electroluminescence	535
	References for 9.7.4	537
9.8	Optoelectronic device applications	538
	References for 9.8	539
9.8.1	Mid-infrared diode lasers	541
	References for 9.8.1	545
9.8.2	Vertical-cavity surface-emitting lasers	547
	References for 9.8.2	552
9.8.3	Vertical-external-cavity surface-emitting lasers	553
	References for 9.8.3	555
9.8.4	Microdisk lasers	556
	References for 9.8.4	557
9.9	Thermoelectric devices	558
	References for 9.9	561
10	Conclusion and Outlook (C. KLINGSHIRN)	562