

Contents

List of Figures	4
List of Tables	10
1 Introduction	13
2 Magnetism	17
2.1 Magnetization	17
2.2 Non-interacting atoms in magnetic field	20
2.2.1 Diamagnetism	22
2.2.2 Paramagnetism	24
2.3 Interacting atoms	26
2.4 Ordered Magnetic Systems	29
2.4.1 Ferromagnetism	29
2.4.2 Antiferromagnetism	33
3 Electrotransport in two dimensional systems	37
3.1 Formation of two dimensional electron gas	37
3.2 Mobility	39
3.3 Characteristic lengths	41
3.3.1 Wavelength	41
3.3.2 Mean Free path	42
3.3.3 Phase-scattering length	42
3.4 Drude model	46
3.5 Quantum Hall Effect and Shubnikov-de Haas Oscillations	48
3.6 Quantum corrections to conductivity	55

3.6.1	Weak localization	55
3.6.2	Electron-electron interactions	57
3.6.3	Weak anti-localization	58
3.7	Anomalous Hall Effect	60
3.7.1	Phenomenological description	60
3.7.2	Two dimensional ferromagnetic Rashba model	62
4	Experimental Techniques and sample preparation	65
4.1	Focused ion beam	65
4.1.1	Liquid metal ion source	66
4.1.2	Beam focusing and ion filtering	67
4.1.3	Stopping and Range of Ions in Matter	69
4.2	Rapid thermal annealing	70
4.3	Electrotransport	71
4.3.1	Sample preparation	71
4.3.2	Hall effect and magnetoresistance measurements	71
4.4	Magnetometry	76
5	GaN for spintronics applications	77
5.1	Magnetic properties of Gd implanted GaN	77
5.1.1	Paramagnetism in Gd implanted GaN grown on Si (111)	77
5.1.2	Magnetic properties of MOCVD grown GaN	79
5.2	Effect of N implantation	84
5.3	Anomalous Hall effect	87
5.3.1	Anomalous Hall effect and paramagnetism of GaN/AlGa _N HEMT structures	87
5.3.2	Origin of anomalous Hall voltage in GaN/AlGa _N HEMT structures	91
5.4	Quantum corrections to the conductivity	97
5.4.1	Weak localization and electron-electron interactions	97
5.4.2	Weak antilocalization	100
5.5	Implantation tuned spin-orbit interactions in GaN HEMTs	103
6	Conclusions	107
	Bibliography	111

Appendices	119
A Appendix	121
A.1 Golub's model	121
A.2 Hikami-Larkin-Nagaoka model of weak-antilocalization	125
A.3 Tables	126