

Contents

1	Introduction	1
	References	5
2	Online Sample Injection and Multidimensional Chromatography Separation by Using Strong-Cation Exchange Monolithic Column	7
2.1	Introduction	7
2.2	Experimental Results	9
2.2.1	The Influence of Dead Volume on LC Separation Performance Using Different Types of Trap Columns	10
2.2.2	Online Sample Injection of Uncleaned Protein Sample SCX-RP 2D LC-MS/MS Analysis by SCX Trap Column	15
2.2.3	The Preparation and Characterization of Phosphate SCX Monolithic Column	18
2.2.4	Application of Phosphate SCX Monolithic Column in Automated Sample Injection and SCX-RP 2D LC-MS/MS Analyses	21
2.3	Conclusion	26
2.4	Experimental Section	26
2.4.1	Materials	26
2.4.2	Sample Preparation	27
2.4.3	Preparation of Particles Packed Columns	27
2.4.4	Preparation of Phosphate Monolithic Capillary Column	27
2.4.5	Binding Capacity Measurement of the Phosphate Monolithic Capillary Column	28
2.4.6	Sample Injection	28
2.4.7	One-Dimensional LC Separation	29
2.4.8	Multidimensional LC Separation	30
2.4.9	Mass Spectrometric Analysis	30
2.4.10	Data Analysis	30
	References	31

3	Development of Polymer-Based Hydrophobic Monolithic Columns and Their Applications in Proteome Analysis	35
3.1	Introduction	35
3.2	Experimental Results	37
3.2.1	LC Separation Performance and Proteome Coverage of the Reversed Phase C12 Monolithic Column	37
3.2.2	Online 2D LC-MS/MS Analysis by Using Biphasic Monolithic Column	44
3.2.3	Monolithic Electrospray Ionization Emitter and its Application in Label-Free Quantitative Proteome Analysis	50
3.2.4	Packed Capillary Column with Integrated Monolithic Frit	56
3.2.5	Conclusion	59
3.3	Experimental Section	60
3.3.1	Materials	60
3.3.2	Sample Preparation	60
3.3.3	Preparation of Monolithic Capillary Columns	60
3.3.4	Preparation of the C12 Monolithic ESI Emitter and IMFPC Column	61
3.3.5	Sample Injection and Chromatographic Separation	61
3.3.6	Mass Spectrometry Detection	62
3.3.7	Data Analysis	63
	References	63
4	Large-Scale Proteome and Phosphoproteome Quantification by Using Dimethylation Isotope Labeling	67
4.1	Introduction	67
4.2	Results	69
4.2.1	Online Isotope Labeling with Nanoflow 2D LC-MS/MS Analysis	69
4.2.2	Comparative Proteome Quantification of HCC and Normal Liver Tissues by Online Isotope Labeling	73
4.2.3	Pseudo Triplex Isotope Labeling Strategy	77
4.2.4	Application of the Pseudo Triplex Labeling Approach to Comparative Phosphoproteome Quantification of Human Liver Tissues	81
4.2.5	Phosphoproteome Analysis of an Early Onset Mouse Model (TgCRND8) of Alzheimer's Disease	84
4.2.6	Conclusion	86
4.3	Experimental Section	87
4.3.1	Materials	87
4.3.2	Sample Preparation	87

4.3.3	Column Preparation	89
4.3.4	RP Gradient Nanoflow LC Separation	89
4.3.5	Mass Spectrometry Analysis	89
4.3.6	Sequential Isotope Labeling and Online Multidimensional Separation	90
4.3.7	Protein Identification and Quantification	91
	References	91