

Contents

- 1 Introduction 1**
 - 1.1 Autonomous Manipulation 1
 - 1.2 State of the Art: SAUVIM for Autonomous Intervention Missions 3
 - References 5
- 2 Geometry, Kinematics and Dynamics of Multi-body Systems 7**
 - 2.1 Geometry 8
 - 2.1.1 Vector Operations 8
 - 2.1.2 Reference Systems 9
 - 2.1.3 Geometry of Robotics Structures 20
 - 2.2 Kinematics 23
 - 2.2.1 Introduction to General Kinematics 23
 - 2.2.2 Joint Kinematics 28
 - 2.2.3 Kinematics of Robotic Systems 39
 - 2.3 Dynamics 45
 - 2.3.1 Equilibrium of a Manipulation Structure 46
 - 2.3.2 The Lagrange Equation 47
 - References 52
- 3 Kinematic Control 53**
 - 3.1 Generation of the Velocity Reference 54
 - 3.1.1 Closing the Feedback Loop 55
 - 3.2 Inverse Kinematics 57
 - 3.2.1 Resolved Motion Rate Control 57
 - 3.2.2 Task-Priority-Based Decomposition 59
 - 3.2.3 Measure of Manipulability 61
 - 3.3 Task Reconstruction for Singularity Avoidance 63
 - 3.3.1 Task Reconstruction: Single Manipulation Variable 63
 - 3.3.2 Task Reconstruction: Case of Two Tasks with Order of Priority 67

3.3.3	Generalization of Task Reconstruction to Multiple Subtasks.	70
3.3.4	Experimental Results.	72
References		77
4	The SAUVIM Underwater Vehicle-Manipulator System	79
4.1	Modeling the SAUVIM Vehicle-Manipulator System.	79
4.2	Workspace Optimization with Task Reconstruction	85
4.2.1	Task Formulation for Workspace Optimization.	86
4.3	The SAUVIM Dynamic Control System.	90
4.3.1	Vehicle Dynamics.	90
4.4	Identification of Dynamic Parameters	95
4.4.1	COB Identification with Extended Kalman Filter	96
4.4.2	Optimal Configuration for Hovering	101
4.4.3	Implementation.	101
4.4.4	Simulation Results	102
4.4.5	Experimental Results.	103
References		105
5	Target Localization	107
5.1	Target Identification and Localization	107
5.2	Mid-Range Object Identification with DIDSON Sonar.	109
5.2.1	Model Building.	110
5.2.2	Image Acquisition and Filtering	112
5.2.3	Matched Filter	112
5.2.4	Localization and Iteration.	113
5.3	Underwater Short-Range Target Localization	116
5.3.1	Localization Using Video Processing.	119
5.3.2	The Cable-Cutting Demo.	121
References		122
6	Case Study	123
6.1	The Real-Time Architecture of SAUVIM.	123
6.1.1	Layer 0: The Hardware	124
6.1.2	Layer 1 and 2: Low Level Interface for Robotic Actuators	125
6.1.3	Layer 3: Medium Level Controller	131
6.1.4	Layer 4: High-Level Robot Programming Language	135
6.1.5	Layer 5: The Communication Layer	145
6.2	Application Example	146
6.2.1	Phase 1: Undock from the Pier and Navigate to a Search Area.	146
6.2.2	Phase 2: Search for the Submerged Platform	148
6.2.3	Phase 3: Navigate and Dive Toward the Platform.	149

6.2.4	Phase 4: Hover (Station Keeping)	150
6.2.5	Phase 5: Hook a Recovery Tool to the Target Object (Autonomous Manipulation).	151
6.2.6	Phase 6: Return to the Pier.	153
6.3	Conclusions	153
	References	155
Appendix A: Mathematical Supplement		157
Index		161