

# Contents

|          |                                                                                        |           |
|----------|----------------------------------------------------------------------------------------|-----------|
| <b>1</b> | <b>Introduction</b>                                                                    | <b>1</b>  |
| 1.1      | Motivation . . . . .                                                                   | 1         |
| 1.2      | Scope and Objective . . . . .                                                          | 2         |
| 1.3      | Outline . . . . .                                                                      | 2         |
| <b>2</b> | <b>Theoretical Background</b>                                                          | <b>5</b>  |
| 2.1      | Inorganic Semiconductors . . . . .                                                     | 5         |
| 2.1.1    | Energy Band Structures . . . . .                                                       | 6         |
| 2.1.2    | Charge Transport in Inorganic Semiconductors . . . . .                                 | 10        |
| 2.1.3    | Generation and Recombination Processes in<br>Semiconductors . . . . .                  | 15        |
| 2.1.4    | Photoconductivity in Semiconductors . . . . .                                          | 18        |
| 2.1.5    | Junctions of Semiconductors . . . . .                                                  | 19        |
| 2.2      | Colloidal Quantum Dots of Lead-Sulfide . . . . .                                       | 25        |
| 2.2.1    | Electro-optical Properties of QDs . . . . .                                            | 26        |
| 2.2.2    | Synthesis . . . . .                                                                    | 29        |
| 2.3      | Organic Semiconductor Devices . . . . .                                                | 29        |
| 2.3.1    | Conjugated Polymers . . . . .                                                          | 30        |
| 2.3.2    | Organic Bulk Heterojunction . . . . .                                                  | 39        |
| 2.3.3    | Organic Photodetectors . . . . .                                                       | 41        |
| 2.4      | Hybrid Organic/Inorganic Photodetectors with Colloidal<br>quantum dots (QDs) . . . . . | 44        |
| <b>3</b> | <b>Measurement and Characterization Methods</b>                                        | <b>47</b> |
| 3.1      | Device Properties . . . . .                                                            | 47        |
| 3.1.1    | Electro-optical Characterization of Device Properties . . . . .                        | 47        |
| 3.1.2    | Transient Measurements . . . . .                                                       | 52        |
| 3.1.3    | Imaging . . . . .                                                                      | 58        |
| 3.1.4    | Lifetime Analysis . . . . .                                                            | 62        |
| 3.2      | Structural Characterization Methods . . . . .                                          | 62        |
| 3.2.1    | Scanning Electron Microscopy . . . . .                                                 | 63        |
| 3.2.2    | Transmission Electron Microscopy . . . . .                                             | 63        |

|          |                                                                                |            |
|----------|--------------------------------------------------------------------------------|------------|
| 3.3      | Characterization Methods for Material and Blend Properties . . .               | 65         |
| 3.3.1    | Bulk Mobilities by Charge Extraction by Linear<br>Increasing Voltage . . . . . | 65         |
| 3.3.2    | Field Effect Mobilities . . . . .                                              | 67         |
| 3.3.3    | Temperature Induced Conductivity . . . . .                                     | 70         |
| 3.3.4    | Transmission Spectroscopy . . . . .                                            | 70         |
| <b>4</b> | <b>Materials, Sample Topology and Processing Technologies</b>                  | <b>71</b>  |
| 4.1      | Materials Used . . . . .                                                       | 71         |
| 4.1.1    | Photoactive Layer Materials . . . . .                                          | 71         |
| 4.1.2    | Materials for HTLs . . . . .                                                   | 74         |
| 4.1.3    | Materials for Electrodes . . . . .                                             | 75         |
| 4.2      | Manufacturing Technologies . . . . .                                           | 77         |
| 4.2.1    | Wet Chemical Deposition and Structuring . . . . .                              | 77         |
| 4.2.2    | Physical Vapor Deposition Technologies . . . . .                               | 81         |
| 4.3      | Preparation Methods by Device Layout . . . . .                                 | 84         |
| 4.3.1    | Bottom Electrode . . . . .                                                     | 84         |
| 4.3.2    | Hole Transporting Layer . . . . .                                              | 85         |
| 4.3.3    | Photoactive Layer . . . . .                                                    | 85         |
| 4.3.4    | Electron Transporting Layer . . . . .                                          | 85         |
| 4.3.5    | Top Electrode . . . . .                                                        | 85         |
| 4.3.6    | Encapsulation . . . . .                                                        | 86         |
| <b>5</b> | <b>Polymer Photodiodes for NIR Detectors</b>                                   | <b>87</b>  |
| 5.1      | Donor/Acceptor Ratio in PCDTBT:PCBM Films . . . . .                            | 90         |
| 5.2      | Deposition Techniques and Post-Annealing . . . . .                             | 92         |
| 5.3      | Tuning the Absorption Spectra . . . . .                                        | 94         |
| 5.4      | Transient Characteristics of NIR Polymer Diodes . . . . .                      | 101        |
| <b>6</b> | <b>Design of Hybrid Photodiodes</b>                                            | <b>107</b> |
| 6.1      | Optimizing the Photoactive Layer . . . . .                                     | 107        |
| 6.1.1    | Composition of the Photoactive Layer . . . . .                                 | 108        |
| 6.1.2    | Concentration Dependence of PbS-QDs on<br>Photodiode Performance . . . . .     | 113        |
| 6.2      | Interlayers . . . . .                                                          | 115        |
| 6.3      | Inorganic-Organic / Metal Interfaces . . . . .                                 | 117        |
| 6.4      | Deposition Technologies . . . . .                                              | 120        |
| 6.5      | Influence of PbS-QD Properties on IO-HPDs . . . . .                            | 122        |
| 6.5.1    | Variation of the PbS-QD Diameter . . . . .                                     | 122        |
| 6.5.2    | Blends with Various PbS-QD Diameters . . . . .                                 | 123        |
| 6.5.3    | Ligand Shells . . . . .                                                        | 124        |
| 6.5.4    | Oxidation of PbS-QDs . . . . .                                                 | 125        |
| 6.6      | State of the Art IO-HPDs . . . . .                                             | 128        |

|           |                                                                           |            |
|-----------|---------------------------------------------------------------------------|------------|
| <b>7</b>  | <b>Characterization of IO-HPDs</b>                                        | <b>131</b> |
| 7.1       | Structural Analysis by SEM and TEM Methods . . . . .                      | 131        |
| 7.2       | Charge Transport and Transfer Mechanisms in hybrid Films . . .            | 134        |
| 7.2.1     | Mobilities in Hybrid Films . . . . .                                      | 134        |
| 7.2.2     | Luminescence of Hybrid Films . . . . .                                    | 141        |
| 7.2.3     | Spatially Resolved Photocurrents in Hybrid Films . . . . .                | 141        |
| 7.3       | Electro-optical Characterization of hybrid Photodiodes . . . . .          | 142        |
| 7.3.1     | Static Device Properties of IO-HPDs . . . . .                             | 142        |
| 7.3.2     | Dynamic Device Properties of IO-HPDs . . . . .                            | 149        |
| 7.3.3     | Stability of IO-HPDs . . . . .                                            | 157        |
| <b>8</b>  | <b>PbS-QD NIR-Imager</b>                                                  | <b>159</b> |
| 8.1       | Integration of IO-HPDs on a-Si TFT Imaging Sensors . . . . .              | 159        |
| 8.2       | Near-Infrared Imaging . . . . .                                           | 162        |
| <b>9</b>  | <b>X-ray Detection with IO-HPDs</b>                                       | <b>167</b> |
| 9.1       | Conventional X-ray Detection with Flat Panel Detectors . . . . .          | 167        |
| 9.1.1     | Flat Detectors with Indirect X-ray Conversion . . . . .                   | 167        |
| 9.1.2     | Flat Detectors with Direct X-ray Conversion . . . . .                     | 168        |
| 9.1.3     | Organic Photodetectors for X-ray Detection . . . . .                      | 170        |
| 9.2       | Direct and Quasi-Direct Conversions in IO-HPDs . . . . .                  | 170        |
| 9.2.1     | Quasi Direct Conversion with Embedded Scintillator<br>Particles . . . . . | 174        |
| 9.2.2     | Direct Conversion with Embedded Lead Sulfide<br>Quantum Dots . . . . .    | 177        |
| 9.2.3     | Comparison of Quasi-Direct and Direct Conversion<br>Devices . . . . .     | 180        |
| <b>10</b> | <b>Outlook</b>                                                            | <b>185</b> |
|           | <b>Appendix</b>                                                           | <b>189</b> |
| <b>A</b>  | <b>Symbols and Abbreviations</b>                                          | <b>191</b> |
| A.1       | Symbols . . . . .                                                         | 191        |
| A.1.1     | English Symbols . . . . .                                                 | 191        |
| A.1.2     | Greek Symbols . . . . .                                                   | 193        |
| A.1.3     | Physical Constants . . . . .                                              | 194        |
| A.2       | Abbreviations . . . . .                                                   | 194        |
|           | <b>List of Figures</b>                                                    | <b>202</b> |
|           | <b>List of Tables</b>                                                     | <b>203</b> |

## *Contents*

---

|                         |            |
|-------------------------|------------|
| <b>Bibliography</b>     | <b>203</b> |
| <b>Acknowledgements</b> | <b>223</b> |