

# Contents

Preface — v

List of contributing authors — xvii

E. B. Gareth Jones, Kevin D. Hyde and Ka-Lai Pang

## 1 Introduction — 1

- 1.1 Origin of freshwater fungi and fungal-like organisms — 4
- 1.2 Classification of freshwater fungi — 5
- 1.3 Estimated number of freshwater fungi — 6
- 1.4 World distribution — 8
- 1.5 Endophytic fungi — 8
- 1.6 Predacious fungi — 9
- 1.7 Bioactive compounds — 10
- 1.8 Barcoding of freshwater fungi — 12
- 1.9 One name one fungus ruling — 13
- 1.10 Role of fungi in freshwater habitats — 14
- 1.11 Objectives and outline of the volume — 15
- 1.12 Phylogeny of true freshwater fungi — 15
- 1.13 Phylogeny of fungus-like organisms — 15
- 1.14 Biodiversity of freshwater fungi and fungus-like organisms — 16
- 1.15 Ecology — 16
- Acknowledgments — 16
- References — 17

## Phylogeny of freshwater fungi — 23

Carol A. Shearer, Ka-Lai Pang, Satinee Suetrong and Huzefa A. Raja

## 2 Phylogeny of the Dothideomycetes and other classes of freshwater fissitunicate Ascomycota — 25

- 2.1 Introduction — 25
- 2.2 Geographical distribution patterns — 26
- 2.3 Substrate distribution patterns — 26
- 2.4 Morphological adaptations — 26
- 2.5 Systematics — 28
  - 2.5.1 General introduction — 28
  - 2.5.2 Current phylogenetic placement based on molecular systematics — 32
    - 2.5.2.1 Dothideomycetes-Pleosporomycetidae-Pleosporales — 32
    - 2.5.2.2 Pleosporales *incertae sedis* — 36
  - 2.5.3 Zopfiaceae, Dothideomycetes, family *incertae sedis* — 38
  - 2.5.4 Dothideomycetes *incertae sedis* — 38

|         |                                                                   |
|---------|-------------------------------------------------------------------|
| 2.5.4.1 | Jahnulales — 38                                                   |
| 2.5.4.2 | Natipusillales — 39                                               |
| 2.5.4.3 | <i>Minutisphaera</i> clade — 39                                   |
| 2.5.4.4 | Freshwater asexual morphs with affinities to Dothideomycetes — 39 |
| 2.6     | Conclusions — 40                                                  |
|         | Acknowledgments — 40                                              |
|         | References — 40                                                   |

Lei Cai, Dian-Ming Hu, Fang Liu, Kevin D. Hyde and E. B. Gareth Jones

### **3 The molecular phylogeny of freshwater Sordariomycetes and discomycetes — 47**

|         |                                              |
|---------|----------------------------------------------|
| 3.1     | Introduction — 47                            |
| 3.2     | Materials and methods — 48                   |
| 3.2.1   | Taxon sampling — 48                          |
| 3.2.2   | Phylogenetic analysis — 48                   |
| 3.3     | Discussion — 48                              |
| 3.3.1   | Sordariomycetidae — 56                       |
| 3.3.1.1 | Annulatasceae — 56                           |
| 3.3.1.2 | Magnaporthales — 60                          |
| 3.3.1.3 | Calosphaeriales — 60                         |
| 3.3.1.4 | Coniochaetales — 61                          |
| 3.3.1.5 | Diaporthales — 61                            |
| 3.3.1.6 | Sordariales — 61                             |
| 3.3.2   | Sordariomycetidae <i>incertae sedis</i> — 62 |
| 3.3.3   | Hypocreomycetidae — 62                       |
| 3.3.3.1 | Savoryellales — 62                           |
| 3.3.3.2 | Microascales — 63                            |
| 3.3.3.3 | Hypocreales — 63                             |
| 3.3.4   | Xylariomycetidae — 64                        |
| 3.3.4.1 | Xylariales — 64                              |
| 3.3.4.2 | Phyllachorales — 64                          |
| 3.3.4.3 | Trichosphaeriales — 64                       |
| 3.3.5   | Discomycetes — 64                            |
| 3.3.5.1 | Helotiales — 64                              |
| 3.3.5.2 | Pezizales — 65                               |
| 3.3.5.3 | Rhytismatales — 66                           |
| 3.4     | Concluding remarks — 66                      |
|         | Acknowledgments — 66                         |
|         | References — 67                              |

E. B. Gareth Jones, Darlene Southworth, Diego Libkind and Ludmila Marvanová

### **4 Freshwater Basidiomycota — 73**

|     |                                |
|-----|--------------------------------|
| 4.1 | Group 1 freshwater yeasts — 82 |
|-----|--------------------------------|

|         |                                               |
|---------|-----------------------------------------------|
| 4.1.1   | Agaricomycotina — 83                          |
| 4.1.1.1 | Tremellomycetes — 83                          |
| 4.1.2   | Pucciniomycotina — 85                         |
| 4.1.2.1 | Cystobasidiomycetes — 85                      |
| 4.1.2.2 | Microbotryomycetes — 85                       |
| 4.1.2.3 | Microbotryomycetes <i>Incertae sedis</i> — 86 |
| 4.1.3   | Ustilaginomycotina — 87                       |
| 4.1.3.1 | Ustilaginomycetes — 87                        |
| 4.2     | Group 2 filamentous fungi — 87                |
| 4.2.1   | Agaricomycotina — 87                          |
| 4.2.1.1 | Agaricomycetes — 87                           |
| 4.2.1.2 | Exobasidiomycetes — 92                        |
| 4.2.1.3 | Tremellomycetes — 92                          |
| 4.2.2   | Pucciniomycotina — 92                         |
| 4.2.2.1 | Atractiellomycetes — 92                       |
| 4.2.2.2 | Classiculomycetes — 93                        |
| 4.2.2.3 | Microbotryomycetes — 94                       |
| 4.2.3   | Ustilaginomycotina — 95                       |
| 4.2.3.1 | Ustilaginomycetes — 95                        |
|         | Basidiomycota— <i>incertae sedis</i> — 95     |
| 4.3     | Group 3 endophytes — 99                       |
| 4.4     | Adaptation to freshwater habitats — 99        |
|         | Acknowledgments — 100                         |
|         | References — 100                              |

Dian-Ming Hu, Lei Cai, E. B. Gareth Jones, Huang Zhang, Nattawut Boonyuen and Kevin D. Hyde

## **5 Taxonomy of filamentous asexual fungi from freshwater habitats, links to sexual morphs and their phylogeny — 109**

|         |                                  |
|---------|----------------------------------|
| 5.1     | Introduction — 109               |
| 5.2     | Morphological taxonomy — 110     |
| 5.2.1   | Hyphomycetes — 110               |
| 5.2.2   | Coelomycetes — 112               |
| 5.2.3   | Asexual-sexual connections — 112 |
| 5.3     | Phylogeny — 113                  |
| 5.3.1   | Dothideomycetes — 114            |
| 5.3.1.1 | Capnodiales — 114                |
| 5.3.1.2 | Dothideales — 114                |
| 5.3.1.3 | Hysteriales — 117                |
| 5.3.1.4 | Jahnulales — 117                 |
| 5.3.1.5 | Mytilinidiales — 117             |
| 5.3.1.6 | Pleosporales — 117               |
| 5.3.1.7 | Tubeufiales — 118                |

|         |                       |
|---------|-----------------------|
| 5.3.2   | Leotiomycetes — 119   |
| 5.3.3   | Orbiliomycetes — 120  |
| 5.3.3.1 | Orbiliales — 120      |
| 5.3.4   | Sordariomycetes — 120 |
| 5.3.4.1 | Glomerellales — 123   |
| 5.3.4.2 | Hypocreales — 123     |
| 5.3.4.3 | Sordariales — 123     |
| 5.3.4.4 | Savoryellales — 124   |
| 5.4     | Discussion — 125      |
|         | Acknowledgment — 126  |
|         | References — 126      |

Martha J. Powell and Peter M. Letcher

## **6 Phylogeny and characterization of freshwater Chytridiomycota (Chytridiomycetes and Monoblepharidomycetes) — 133**

|       |                                                                                                                         |
|-------|-------------------------------------------------------------------------------------------------------------------------|
| 6.1   | Introduction — 133                                                                                                      |
| 6.2   | Chytridiomycetes — 138                                                                                                  |
| 6.2.1 | Order 1. Chytridiales (Chytridiaceae, Chytriomycetaceae) — 138                                                          |
| 6.2.2 | Order 2. Spizellomycetales (Spizellomycetaceae, Powellomycetaceae) — 140                                                |
| 6.2.3 | Order 3. Rhizophlyctidiales (Rhizophlyctidaceae, Sonoraphlyctidaceae, Arizonaphlyctidaceae, Borealophlyctidaceae) — 141 |
| 6.2.4 | Order 4. Rhizophydiales (10 families described) — 141                                                                   |
| 6.2.5 | Order 5. Lobulomycetales (Lobulomycetaceae) — 144                                                                       |
| 6.2.6 | Order 6. Cladochytriales (Cladochytriaceae, Nowakowskiellaceae, Septochytriaceae, Endochytriaceae) — 144                |
| 6.2.7 | Order 7. Polychytriales (no families described) — 146                                                                   |
| 6.3   | <i>Incertae sedis</i> — 147                                                                                             |
| 6.4   | Monoblepharidomycetes (Harpochytriales, Monoblepharidales, Hyaloraphidiales) — 148                                      |
|       | Acknowledgments — 148                                                                                                   |
|       | References — 148                                                                                                        |

## **Phylogeny of fungus-like organisms — 155**

Ray Kearney and Frank H. Gleason

## **7 Microsporidia — 157**

|     |                                             |
|-----|---------------------------------------------|
| 7.1 | Ecology — 160                               |
| 7.2 | Classification — 162                        |
| 7.3 | Evolutionary origins — 165                  |
| 7.4 | Cell structure and spore significance — 166 |
| 7.5 | Metabolism — 167                            |
| 7.6 | Genome structure — 168                      |

|     |                                 |
|-----|---------------------------------|
| 7.7 | Discussion and conclusion — 168 |
| 7.8 | Further research avenues — 170  |
|     | References — 171                |

Agostina V. Marano, Ana L. Jesus, Carmen L. A. Pires-Zottarelli, Timothy Y. James,  
Frank H. Gleason and Jose I. de Souza

## **8 Phylogenetic relationships of Pythiales and Peronosporales (Oomycetes, Straminipila) within the “peronosporalean galaxy” — 177**

|         |                                                                                                         |
|---------|---------------------------------------------------------------------------------------------------------|
| 8.1     | Introduction — 177                                                                                      |
| 8.2     | The monophyly of Chromalveolata and the relationships between heterotrophic straminipile lineages — 178 |
| 8.3     | Major lineages within the Oomycetes: the “galaxies” — 179                                               |
| 8.4     | The “peronosporalean galaxy”: a marine origin? — 179                                                    |
| 8.5     | Ecological and economical significance — 180                                                            |
| 8.6     | The phylogeny of Pythiales and Peronosporales — 181                                                     |
| 8.6.1   | Clade 1: Albuginales — 185                                                                              |
| 8.6.2   | Clade 2: Pythiales — 185                                                                                |
| 8.6.2.1 | <i>Pythiogeton</i> — 186                                                                                |
| 8.6.2.2 | <i>Pythium</i> , <i>Lagenidium</i> and <i>Phytopythium</i> — 186                                        |
| 8.6.3   | Clade 3: Peronosporales — 187                                                                           |
| 8.6.3.1 | Downy mildews — 188                                                                                     |
| 8.6.3.2 | <i>Phytophthora</i> and <i>Peronophythora</i> — 188                                                     |
| 8.6.3.3 | <i>Halophytophthora</i> and <i>Salisapilia</i> — 190                                                    |
| 8.7     | Conclusions and future perspectives — 192                                                               |
|         | Acknowledgments — 194                                                                                   |
|         | References — 194                                                                                        |

## **Biodiversity of freshwater fungi — 201**

Sally L. Glockling, Wyth L. Marshall, Rodolphe E. Gozlan, Agostina V. Marano, Osu Lilje and Frank H. Gleason

## **9 The ecological and economic importance of zoosporic Mesomycetozoean (Dermocystida) parasites of freshwater fish — 203**

|     |                                            |
|-----|--------------------------------------------|
| 9.1 | Phylogeny — 203                            |
| 9.2 | Life cycles — 205                          |
| 9.3 | The zoospore — 206                         |
| 9.4 | Symptoms of disease — 207                  |
| 9.5 | Ecological and economic significance — 209 |
| 9.6 | Discussion and conclusion — 211            |
|     | Acknowledgment — 212                       |
|     | References — 212                           |

Mohammad N. Sarowar, Marcia Saraiva, Casey N. Jessop,  
Osu Lilje, Frank H. Gleason and Pieter van West

|           |                                                                                                                |
|-----------|----------------------------------------------------------------------------------------------------------------|
| <b>10</b> | <b>Infection strategies of pathogenic oomycetes in fish — 217</b>                                              |
| 10.1      | Introduction — 217                                                                                             |
| 10.2      | Taxonomy of oomycetes pathogenic to fish — 221                                                                 |
| 10.3      | Physical adaptation and strategy for infection:<br>macroscopic infection, the face of infection on hosts — 223 |
| 10.4      | Oomycete zoospores, the first line of attack — 224                                                             |
| 10.5      | Triggers for zoospore formation, waking up the beast — 225                                                     |
| 10.6      | Encystment and germination, one step closer to infection — 225                                                 |
| 10.7      | Repeated zoospore emergence, the back-up plan — 227                                                            |
| 10.8      | Chemotactic response of zoospores, the specialization — 228                                                    |
| 10.9      | Proteins and amino acids as substrates for growth — 229                                                        |
| 10.10     | Sexual reproduction, seeing through the bad times — 231                                                        |
| 10.11     | Molecular adaptation and strategy in setting infection:<br>microscopic infection — 231                         |
| 10.12     | Host responses to oomycete infections — 233                                                                    |
| 10.13     | The animal trade is responsible for the spread of pathogens into novel<br>and wild ecosystems — 234            |
| 10.14     | Future perspectives — 235                                                                                      |
|           | Acknowledgments — 236                                                                                          |
|           | References — 236                                                                                               |

Frank H. Gleason, Jodi L. Rowley, Casey N. Jessop and Osu Lilje

|           |                                                                 |
|-----------|-----------------------------------------------------------------|
| <b>11</b> | <b>Zoosporic parasites of amphibians — 245</b>                  |
| 11.1      | Chytridiomycota — 245                                           |
| 11.2      | Mesomycetozoea — 247                                            |
| 11.3      | Oomycota (oomycetes or water moulds) — 250                      |
| 11.4      | Perkinsozoa — 251                                               |
| 11.5      | The Fisher concept of emerging infectious diseases (EIDs) — 252 |
| 11.6      | Host switching by parasites — 252                               |
| 11.7      | Genetic variation in parasite populations — 254                 |
| 11.8      | Proteases — 255                                                 |
| 11.9      | International animal trade — 255                                |
| 11.10     | Discussion and conclusion — 256                                 |
|           | Acknowledgments — 257                                           |
|           | References — 257                                                |

Angkana Chaiprasert and Theerapong Krajaeun

|           |                        |
|-----------|------------------------|
| <b>12</b> | <b>Pythiosis — 263</b> |
| 12.1      | History — 263          |
| 12.2      | Biology — 263          |
| 12.3      | Molecular typing — 265 |

|        |                          |
|--------|--------------------------|
| 12.4   | Epidemiology — 266       |
| 12.5   | Pathogenesis — 266       |
| 12.6   | Clinical features — 267  |
| 12.6.1 | Human pythiosis — 267    |
| 12.6.2 | Animal pythiosis — 269   |
| 12.7   | Diagnosis — 269          |
| 12.8   | Management — 271         |
| 12.9   | Research direction — 272 |
|        | Acknowledgment — 273     |
|        | References — 274         |

Frank H. Gleason, Sergey A. Karpov, Osu Lilje, Deborah J. Macarthur, Floris F. van Otgen and Telesphore Sime-Ngando

|           |                                                                               |
|-----------|-------------------------------------------------------------------------------|
| <b>13</b> | <b>Zoosporic parasites of phytoplankton — 279</b>                             |
| 13.1      | The main groups of zoosporic parasites and parasitoids of phytoplankton — 280 |
| 13.1.1    | Aphelidea — 280                                                               |
| 13.1.2    | Chytridiomycota — 283                                                         |
| 13.1.3    | Blastocladiomycota — 293                                                      |
| 13.2      | Ancient interactions — 294                                                    |
| 13.3      | Novel food webs — 295                                                         |
| 13.3.1    | <i>Vorticella</i> communities attached to cyanobacterial filaments — 295      |
| 13.3.2    | Communities involving other protists — 295                                    |
| 13.4      | Host parasite dynamics — 296                                                  |
| 13.5      | Conclusion — 298                                                              |
|           | Acknowledgments — 299                                                         |
|           | References — 300                                                              |

Sally L. Glockling, Agostina V. Marano, Osu Lilje and Frank H. Gleason

|           |                                                               |
|-----------|---------------------------------------------------------------|
| <b>14</b> | <b>Zoosporic parasites of freshwater invertebrates — 305</b>  |
| 14.1      | Parasites in the Blastocladiomycota and Chytridiomycota — 306 |
| 14.2      | Parasites in the Oomycota — 307                               |
| 14.3      | Parasites in the Mesomycetozoea — 311                         |
| 14.4      | Parasites of crayfish — 312                                   |
| 14.4.1    | Crayfish plague — 312                                         |
| 14.4.2    | <i>Psorospermium haekeli</i> — 313                            |
| 14.5      | Parasites of mosquitoes, blackflies and midges — 313          |
| 14.5.1    | <i>Coelomomyces</i> — 314                                     |
| 14.5.2    | <i>Lagenidium giganteum</i> — 315                             |
| 14.5.3    | <i>Pythium</i> — 316                                          |
| 14.5.4    | <i>Leptolegnia</i> — 316                                      |
| 14.5.5    | <i>Crypticola</i> — 316                                       |
| 14.5.6    | <i>Amoebidium</i> and <i>Paramoebidium</i> — 317              |

|        |                                           |
|--------|-------------------------------------------|
| 14.6   | Parasites of <i>Daphnia</i> — 317         |
| 14.7   | Parasites of rotifers and nematodes — 318 |
| 14.7.1 | <i>Sommerstorffia spinosa</i> — 320       |
| 14.7.2 | <i>Aquastella</i> — 321                   |
| 14.8   | Parasites of protozoans — 321             |
| 14.9   | Discussion — 321                          |
|        | Acknowledgments — 324                     |
|        | References — 324                          |

## Ecology — 331

Holger Thüs, André Aptroot and Mark R. D. Seaward

|           |                                                               |
|-----------|---------------------------------------------------------------|
| <b>15</b> | <b>Freshwater lichens — 333</b>                               |
| 15.1      | Ecology — 336                                                 |
| 15.1.1    | Habitats and diversity of freshwater lichens — 336            |
| 15.1.2    | Collecting and identifying freshwater lichens — 338           |
| 15.2      | Physiological challenges for freshwater lichens — 339         |
| 15.2.1    | Water saturation and diffusion resistance — 339               |
| 15.3      | Freshwater lichens as a food source for other organisms — 343 |
| 15.4      | Biogeography of freshwater lichens — 344                      |
| 15.5      | Zonation — 345                                                |
| 15.6      | Lichen trimlines — 348                                        |
| 15.7      | Freshwater lichen communities — 349                           |
| 15.8      | Freshwater lichens as bioindicators — 350                     |
| 15.9      | Water quality — 351                                           |
| 15.10     | Conservation — 352                                            |
|           | Acknowledgments — 353                                         |
|           | References — 353                                              |

Robert W. Lichtwardt

|           |                                                 |
|-----------|-------------------------------------------------|
| <b>16</b> | <b>Aquatic Trichomycetes — 359</b>              |
| 16.1      | Trichomycetes, an ecological group — 359        |
| 16.2      | Phylogenetic considerations — 359               |
| 16.3      | Distribution and success of Trichomycetes — 364 |
| 16.4      | Variations in symbiotic associations — 365      |
| 16.5      | Medical implications — 367                      |
|           | Acknowledgments — 368                           |
|           | References — 368                                |

Umpava Pinruan, Aom Pinnoi, Kevin D. Hyde and E. B. Gareth Jones

|           |                                                                                                                                                         |
|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>17</b> | <b>Tropical peat swamp fungi with special reference to palms — 371</b>                                                                                  |
| 17.1      | Material and methods — 373                                                                                                                              |
| 17.1.1    | Sample collection — 373                                                                                                                                 |
| 17.2      | Results — 373                                                                                                                                           |
| 17.2.1    | Abundance of fungi on four palms ( <i>Eleiodoxa conferta</i> ,<br><i>Licuala longicalycata</i> , <i>Metroxylon sagu</i> and <i>Nenga pumila</i> ) — 373 |



|          |                                                                      |
|----------|----------------------------------------------------------------------|
| 17.2.1.1 | <i>Eleiodoxa conferta</i> — 379                                      |
| 17.2.1.2 | <i>Licuala longicalycata</i> — 380                                   |
| 17.2.1.3 | <i>Metroxylon sagu</i> — 380                                         |
| 17.2.1.4 | <i>Nenga pumila</i> — 380                                            |
| 17.2.2   | Fungal diversity — 381                                               |
| 17.2.3   | Percentages overlap in fungal diversity between the four palms — 382 |
| 17.3     | Conclusion — 383                                                     |
|          | Acknowledgments — 385                                                |
|          | References — 386                                                     |

Verónica Ferreira, Vladislav Gulis, Cláudia Pascoal and Manuel A. S. Graça

|           |                                                                                        |
|-----------|----------------------------------------------------------------------------------------|
| <b>18</b> | <b>Stream pollution and fungi — 389</b>                                                |
| 18.1      | The importance of aquatic hyphomycetes in woodland streams — 389                       |
| 18.2      | Effects of nutrient enrichment on stream fungi — 391                                   |
| 18.3      | Effects of heavy metals and acidification on stream fungi — 394                        |
| 18.4      | Ecological and toxicological effects of engineered nanoparticles on stream fungi — 395 |
| 18.5      | Effects of organic xenobiotics on stream fungi — 397                                   |
| 18.6      | Effects of thermal pollution on stream fungi — 398                                     |
| 18.7      | Effects of the interaction among factors on stream fungi — 403                         |
| 18.8      | Conclusions — 404                                                                      |
|           | Acknowledgments — 404                                                                  |
|           | References — 405                                                                       |

Felix Bärlocher and Kandikere R. Sridhar

|           |                                                                              |
|-----------|------------------------------------------------------------------------------|
| <b>19</b> | <b>Association of animals and fungi in leaf decomposition — 413</b>          |
| 19.1      | History — 413                                                                |
| 19.2      | Effects of the leaf-fungus complex on invertebrate consumers — 416           |
| 19.2.1    | Nutritional value of mycelium vs. leaf substrate — 416                       |
| 19.2.2    | Modifications of leaf substrate — 417                                        |
| 19.2.3    | Do invertebrates differ in their feeding strategies? — 420                   |
| 19.2.4    | What factors ultimately determine food choice and feeding selectivity? — 421 |
| 19.2.5    | Stoichiometric considerations — 423                                          |
| 19.2.6    | Stimulation of fungi by invertebrate feeding — 424                           |
| 19.2.7    | Anthropogenic changes — 424                                                  |
| 19.2.8    | Research outside temperate regions — 426                                     |
| 19.3      | Effects of invertebrate consumers on the leaf-fungus complex — 428           |
| 19.3.1    | Invertebrate ingestion of conidia — 429                                      |
| 19.3.2    | Invertebrate ingestion of the leaf-fungus complex — 429                      |
| 19.4      | Conclusions — 431                                                            |
|           | Acknowledgments — 432                                                        |
|           | References — 432                                                             |

Diego Libkind, Gabriel Russo and María Rosa van Broock

**20 Yeasts from extreme aquatic environments: hyperacidic freshwaters — 443**

- 20.1 Introduction — 443
- 20.2 The River Agrio-Lake Caviahue acidic aquatic system — 444
- 20.2.1 Yeast occurrence — 445
- 20.2.2 Yeast diversity — 446
- 20.3 Comparative yeast diversity study between RAC and the acidic environments of the Iberian Pyrite Belt (IPB) — 451
- 20.4 Acidic rock drainage (ARD) yeasts ecoclade — 454
- 20.5 Physiological aspects of acidophilic yeasts — 456
- 20.6 Possible ecological roles of yeasts in acidic aquatic environments — 457
- 20.7 Final remarks — 458
- Acknowledgments — 459
- References — 460

Nattawut Boonyuen, Somsak Sivichai and E. B. Gareth Jones

**21 Decomposition of wood in tropical habitats — 465**

- 21.1 Review of fungal diversity on wood in freshwater streams — 466
- 21.2 Colonization of 15 timbers exposed at two locations in Thailand — 467
- 21.2.1 Materials and methods — 467
- 21.2.2 Results — 468
- 21.2.3 Rate of decay of selected timbers at two contrasting freshwater ecosystems in Thailand — 472
- 21.2.4 Discussion — 473
- 21.2.4.1 Fungal community — 473
- 21.2.4.2 Decay of wood in freshwater habitats — 474
- Acknowledgments — 476
- References — 477

Ka-Lai Pang, Kevin D. Hyde and E. B. Gareth Jones

**22 Eplilogue — 481**

- 22.1 Introduction — 481
- 22.2 Freshwater fungi — 481
- 22.3 Freshwater fungus-like organisms — 482
- 22.4 Knowledge gaps and future work in freshwater mycology — 482
- 22.5 Conclusions — 486
- References — 486

**Index — 489**