

Content

Preface—VII

1 **Physiology—1**

- 1.1 The mature placenta—5
- 1.1.1 Structure, function—5
- 1.1.2 The placenta as an endocrine organ: hCG, hPL, progesterone, and estrogen—7
- 1.2 Amniotic fluid, liquor amnii—10
- 1.3 Embryonic and fetal development—11
- 1.4 The maternal organism—13

2 **Diagnosis of pregnancy—17**

- 2.1 Early pregnancy—17
- 2.2 Diagnosis of late pregnancy—18

3 **Prenatal care—19**

- 3.1 Prenatal checkup—19
- 3.1.1 History—19
- 3.1.2 Obstetric examination—22
- 3.1.3 General examination—32
- 3.1.4 Examination of the woman at risk—35
- 3.1.5 Prenatal diagnosis of genetic defects—61
- 3.2 Antenatal counseling—65
- 3.2.1 Lifestyle—68
- 3.2.2 Common pregnancy complaints—69

4 **Maternal disorders in pregnancy—73**

- 4.1 Pregnancy-specific disorders—73
- 4.1.1 Hyperemesis gravidarum—73
- 4.1.2 Cholestasis—73
- 4.1.3 Pregnancy-induced hypertension (PIH), preeclampsia, eclampsia, HELLP syndrome—74
- 4.1.4 Dermatoses of pregnancy—84
- 4.2 Disorders not specific to pregnancy—84
- 4.2.1 Cardiac disease—84
- 4.2.2 Pulmonary tuberculosis—86
- 4.2.3 Pyelonephritis in pregnancy—86
- 4.2.4 Diabetes mellitus—87
- 4.2.5 Thrombophilia—91
- 4.2.6 Thyroid disorders—92
- 4.2.7 Acute abdomen—93

4.2.8	Adnexal tumors — 95
4.2.9	Cervical cytology — 96
5	Problems in the second half of pregnancy — 99
5.1	Preterm birth (PTB) — 99
5.2	Premature rupture of membranes; chorioamnionitis — 105
5.3	Intrauterine growth restriction (IUGR) — 107
5.4	Postterm pregnancy — 108
5.5	Stillbirth — 109
6	Disorders of the fetus — 113
6.1	Hemolytic disease — 113
6.2	Fetal alloimmune thrombocytopenia — 118
6.3	Prenatal infections — 118
6.3.1	Prenatal rubella infection, congenital rubella syndrome — 119
6.3.2	Cytomegalovirus (CMV) — 121
6.3.3	Varicella-zoster-virus (VZV) — 122
6.3.4	Herpes simplex virus (HSV) — 123
6.3.5	Virus hepatitis — 125
6.3.6	Parvovirus B19 — 126
6.3.7	AIDS, HIV seropositivity — 127
6.3.8	Pregnancy and neonatal listeriosis — 129
6.3.9	Toxoplasmosis — 129
6.3.10	Syphilis — 132
6.3.11	Gonorrhea — 134
6.3.12	Vaccination in pregnancy — 136
6.4	Malformations — 136
6.4.1	Hydrocephalus — 136
7	Normal labor — 141
7.1	Birth factors — 141
7.1.1	Fetus — 141
7.1.2	Birth route — 143
7.1.3	Force of labor, contractions — 147
7.2	Mechanism of labor — 150
7.2.1	Signs, onset of labor, preparation for labor — 151
7.2.2	History taking, examination, spontaneous vaginal delivery — 152
7.2.3	Passage of the head through the birth canal — 155
7.2.4	Station. Level of the head in the pelvis — 162
7.3	Examination of the fetus during labor — 167
7.3.1	Auscultation, amniotic fluid color — 167
7.3.2	Cardiotocography (CTG), electronic fetal monitoring (EFM) — 168

7.3.3	Fetal blood sampling (FBS) — 177
7.4	Management of labor — 180
7.4.1	Management of first stage — 180
7.4.2	Management of second stage — 189
7.5	Management of third stage — 199
7.6	Postplacental period — 204
7.7	Duration of labor — 208
8	Pathological labor — 211
8.1	Malpresentations and malpositions of the occiput — 211
8.1.1	Persistent occipitotransverse position (POT) — 211
8.1.2	High anteroposterior head — 214
8.1.3	Occipitoposterior position — 215
8.1.4	Extended presentations — 220
8.2	Breech presentation — 233
8.2.1	Classification, diagnosis, differential diagnosis — 234
8.2.2	Mechanism of labor — 236
8.2.3	Antenatal counseling — 244
8.2.4	Mode and management of delivery — 245
8.3	Transverse lie/shoulder presentation — 264
8.3.1	Course of labor in transverse lie — 266
8.3.2	Management of transverse lie — 268
8.4	Multifetal gestations — 270
8.4.1	Antenatal care — 272
8.4.2	Birth complications, mode — 275
8.5	Pathological contractions, uterine dystocia — 278
8.6	Arrested labor — 280
8.7	Cervical priming and induction of labor — 282
8.8	Intrauterine (perinatal) hypoxia — 284
8.9	Cord complications: presentation, prolapse — 288
8.9.1	Cord presentation — 288
8.9.2	Cord prolapse — 288
8.10	Arm complications: Compound presentation, arm presentation, prolapse — 290
8.11	Shoulder dystocia — 292
8.12	Cephalopelvic disproportion (CPD) — 294
8.12.1	Generally contracted pelvis — 296
8.12.2	Funnel-shaped pelvis — 302
8.12.3	Long pelvis — 303
8.13	Uterine rupture — 306
8.14	Management of birth after prior cesarean section — 311
8.15	Amniotic fluid embolism (AFE) — 312

9	Obstetrical operations — 315
9.1	Indication — 315
9.2	Preparation for the operation — 316
9.3	Episiotomy, perineotomy — 316
9.4	Laceration of the vagina, perineum, clitoris, labia — 320
9.5	Forceps operation — 322
9.6	Vacuum extraction, ventouse extraction (VE) — 332
9.7	Cesarean section — 335
9.8	Combined version — 340
9.8.1	Version from transverse lie — 340
9.8.2	Version from cephalic presentation — 343
9.9	Dismembering operations: perforation, cranioclastm — 343
10	Antepartum and postpartum hemorrhage — 351
10.1	Miscarriage, spontaneous abortion — 351
10.1.1	Induced abortion — 351
10.1.2	Spontaneous abortion — 352
10.2	Gestational trophoblastic disease (GTD) — 360
10.3	Ectopic pregnancy — 363
10.4	Placenta previa — 369
10.5	Placental abruption — 374
10.6	Velamentous insertion — 379
10.7	Postpartum hemorrhage (PPH) — 380
10.7.1	Separation hemorrhage, atonic PPH — 380
10.7.2	Hemorrhage from a laceration — 388
11	Normal puerperium — 391
11.1	Process of involution — 391
11.1.1	Position and attitude of the uterus in the puerperium — 392
11.1.2	Closure of the cervix — 392
11.1.3	Fundal height in the first days postpartum — 393
11.2	Wound-healing processes in the puerperium — 393
11.2.1	Lochia — 394
11.3	Lactation — 395
11.4	Resumption of ovarian function — 396
11.5	Clinical picture of the puerperal period — 397
11.5.1	The postpartum pulse — 397
11.5.2	Temperature postpartum — 398
11.5.3	Monitoring fundal height — 398
11.5.4	Monitoring lochia — 398
11.5.5	Micturition in early puerperium — 399
11.5.6	Bowel movements — 400
11.5.7	Postpartum exercises — 400

- 11.5.8 Ambulation postpartum – early ambulation — **400**
- 11.5.9 Discharge from hospital and the end of the clinical puerperium — **400**
- 11.5.10 Breastfeeding — **401**

12 Pathological puerperium — 405

- 12.1 Puerperal fever = childbed fever — **405**
- 12.1.1 Localized puerperal infections — **406**
- 12.1.2 Disseminated puerperal infection — **407**
- 12.2 Hemorrhage in the puerperal period — **412**
- 12.2.1 Retained placental tissue and placental polyp — **412**
- 12.2.2 Puerperal endometritis — **413**
- 12.2.3 Functional hemorrhage in the puerperium — **414**
- 12.2.4 Bleeding from birth traumas in the puerperium — **414**
- 12.3 Injury to the symphysis pubis — **414**
- 12.4 Mastitis puerperalis — **416**
- 12.5 Pelvic vein thrombosis — **420**
- 12.6 Postpartum thyroiditis — **422**
- 12.7 Psychiatric disorders — **422**

M. Obladen

13 The newborn — 425

- 13.1 The healthy newborn — **425**
- 13.1.1 The baby and its parents — **425**
- 13.1.2 Initial care — **425**
- 13.1.3 Examination — **426**
- 13.1.4 Screening program — **428**
- 13.1.5 Other preventative measures — **429**
- 13.2 Diet and care — **429**
- 13.2.1 Lactation, breastfeeding, medication in breast milk — **429**
- 13.2.2 Dietary plan for artificial feeding — **431**
- 13.2.3 Dietary disorders — **432**
- 13.2.4 Care of the healthy newborn — **432**
- 13.3 Postnatal adaptation — **433**
- 13.3.1 Physiological adaptation — **433**
- 13.3.2 Pathological adaptation — **438**
- 13.4 Birth trauma — **443**
- 13.5 The preterm baby — **446**
- 13.5.1 Gestational age — **446**
- 13.5.2 Complications — **446**
- 13.5.3 Diseases of preterm babies — **447**
- 13.6 Hypotrophic newborn — **451**
- 13.7 The infant of the diabetic mother (IDM) — **452**
- 13.7.1 Glucose metabolism and hypoglycemia — **452**

- 13.7.2 Fetopathia diabetica and complications — 453**
- 13.8 Common newborn diseases — 454**
- 13.8.1 Respiratory disorders — 454**
- 13.8.2 Anemia, polycythemia, hyperviscosity — 455**
- 13.8.3 Hyperbilirubinemia, icterus, phototherapy — 456**
- 13.8.4 Hemolytic disease (HD) — 457**
- 13.8.5 Drug addiction, drug withdrawal — 459**
- 13.8.6 Neonatal seizures — 459**
- 13.9 Common congenital abnormalities — 459**
- 13.9.1 Gastrointestinal tract — 460**
- 13.9.2 Congenital cardiac malformations — 463**
- 13.9.3 Skeletal malformations — 463**
- 13.9.4 Down syndrome — 466**
- 13.9.5 Alcohol embryopathy, -fetopathy (fetal alcohol syndrome; FAS) — 467**
- 13.10 Neonatal infections — 468**
- 13.10.1 Immune status of the neonate — 468**
- 13.10.2 Sepsis and GBS infection — 468**
- 13.10.3 Other vertical infections — 469**
- 13.11 Level of Care and Regionalization — 470**
- 13.11.1 Prenatal transfer to a perinatal center — 470**
- 13.11.2 Neonatal consultation — 470**
- 13.11.3 Indications for transfer to neonatal intensive care unit (NICU) — 471**
- 13.11.4 Transfer to NICU not indicated — 471**
- 13.11.5 Postnatal transport — 471**

Index—475