

# Contents

<b>1</b>	<b>Modeling on the Coverage of Free-Form Surfaces</b>	<b>1</b>
1.1	Questions for the Mapping of Free-Form Surfaces	1
1.2	Short Segments Generation	4
1.3	Modeling in Parallelogram Regions	6
1.4	Mapping Coverage of 3D Surfaces	9
1.4.1	Scanning the $u$ -Strips	10
1.4.2	Partitioning	11
1.4.3	Simulations	12
1.5	Multiple Diagonal Segments	14
1.5.1	A Row of Parallelograms	15
1.5.2	Path with Multiple Diagonal Segments	17
1.5.3	Simulations	19
1.6	Process Validation	23
	References	25
<b>2</b>	<b>Define and Synthesis on Orbit Diversity</b>	<b>27</b>
2.1	Basic Model Along Orbit	27
2.2	Linear Orbit Features	31
2.2.1	Transformation Model of Gaussian Function	31
2.2.2	The Processing Steps with Multiplex Orbit	36
2.3	Curve Orbit Features	37
2.3.1	Effects of Curvatures	38
2.3.2	Effects of Corners with Different Angles	41
2.4	Combined Effect	44
2.4.1	Spiral Orbit	45
2.4.2	Raster Orbit	47
2.5	Process Validation	48
2.5.1	Spiral Orbit Finishing	48
2.5.2	Optimized Spiral Orbit	48

2.5.3 Raster Orbit Finishing . . . . .	55
2.5.4 Optimized Raster Orbit . . . . .	55
References . . . . .	62
<b>3 Conquering the Dynamic Limitation of Velocity . . . . .</b>	<b>65</b>
3.1 Velocity Analysis. . . . .	65
3.1.1 Analysis of Velocity and Position . . . . .	67
3.1.2 Velocity Checking and Smoothing. . . . .	69
3.2 Concept of Velocity-Variant Regime . . . . .	71
3.2.1 Velocity-Variant Regime and Conflicts Between Convergence Rate and Efficiency . . . . .	71
3.3 Models for Suppressing Velocity Limitation . . . . .	74
3.3.1 Adding a Fictitious Removal Layer . . . . .	74
3.3.2 Reducing the Removal Rate of TIFs . . . . .	74
3.3.3 Traversing Nonuniform Orbits . . . . .	75
3.4 The Controllable and Time-Variant TIFs Finishing Regime. . . . .	76
3.4.1 The Construction of CTVT Regime. . . . .	76
3.4.2 The Comparisons . . . . .	79
3.5 Process Validation . . . . .	80
3.5.1 Without CTVT Regime . . . . .	80
3.5.2 With CTVT Regime . . . . .	81
3.5.3 With CTVT and Larger Removal Rate. . . . .	82
References . . . . .	83
<b>4 Prediction on Dwell Effects and Nonlinear Pressure Distribution . . . . .</b>	<b>85</b>
4.1 Analysis of Nonuniform Dwell . . . . .	85
4.1.1 Material Removal Profile . . . . .	87
4.1.2 Discrepancy in Removal Near the Edge . . . . .	88
4.1.3 Simulation of Edge Rectification . . . . .	90
4.2 Weaken of Edge Dwell Effects . . . . .	99
4.2.1 Situation of Different Tools . . . . .	100
4.2.2 Orbit Extension . . . . .	101
4.2.3 Surface Error Matrix Extension . . . . .	102
4.2.4 Extension Algorithms . . . . .	102
4.3 Effects of Nonlinear Pressure Related Distribution . . . . .	107
4.3.1 Tool Influence Functions (TIFs) . . . . .	108
4.3.2 Modified Pressure Distribution Model . . . . .	109
4.3.3 Modified Emulational TIFs Model. . . . .	111
4.3.4 Reverse-Calculation of Material Removal Rate . . . . .	113
4.4 Process Validation . . . . .	113
4.4.1 Validating the Edge Correction . . . . .	113
4.4.2 Validating the Edge Extension . . . . .	116

4.4.3	Validating the Removal Shape of e-TIFs . . . . .	120
4.4.4	Validating the Effectiveness of the Predicting Model . . . . .	123
References	.....	124
<b>5</b>	<b>Correction on Data Matching and Remounting Errors . . . . .</b>	<b>127</b>
5.1	Aspheric Calculation and Nonlinear Mapping Correction . . . . .	127
5.1.1	Description of an Off-Axis Aspheric Surface . . . . .	128
5.1.2	Non-negative Minimized Removal Criterion . . . . .	129
5.1.3	The Estimate of Radius of Curvature and Conic Constant . . . . .	131
5.1.4	Design on the Interferometric Testing System . . . . .	132
5.1.5	Calculation on the Distorted Surface Error . . . . .	134
5.1.6	Multiregion Distribution Strategy . . . . .	137
5.1.7	Process Validation . . . . .	140
5.2	Remounting Errors Correction . . . . .	144
5.2.1	Effect of Dismatched Coordinate Systems . . . . .	144
5.2.2	Strategy for Reducing Remounting Errors . . . . .	146
5.2.3	Process Validation . . . . .	149
References	.....	153