

1	Introduction	1
2	Kinematics	19
2.1	Coordinate Transformations	19
2.1.1	World Coordinates	19
2.1.2	Local Coordinates and Homogeneous Transformations	20
2.1.3	Local Coordinate Systems Local to Local Coordinate Systems	23
2.1.4	Homogeneous Transformations and Chain Rules	25
2.2	Characteristics of Rotational Motion	25
2.2.1	Roll, Pitch and Yaw Notation	26
2.2.2	The Meaning of Rotation Matrices	27
2.2.3	Calculating the Inverse of a Rotation Matrix	28
2.2.4	Angular Velocity Vector	29
2.2.5	Differentiation of the Rotation Matrix and Angular Velocity Vectors	32
2.2.6	Integration of the Angular Velocity Vector and Matrix Exponential	34
2.2.7	Matrix Logarithm	35
2.3	Velocity in Three Dimensional Space	36
2.3.1	The Linear and Angular Velocity of a Single Object	36
2.3.2	The Linear and Angular Velocity of Two Objects	38
2.4	Robot Data Structure and Programming	40
2.4.1	Data Structure	40
2.4.2	Programming with Recursions	42
2.5	Kinematics of a Humanoid Robot	45
2.5.1	Creating the Model	45

2.5.2	Forward Kinematics: Calculating the Position of the Links from Joint Angles	47
2.5.3	Inverse Kinematics: Calculating the Joint Angles from a Link's Position and Attitude	49
2.5.4	Numerical Solution to Inverse Kinematics	53
2.5.5	Jacobian	57
2.5.6	Jacobian and the Joint Velocity	59
2.5.7	Singular Postures	62
2.5.8	Inverse Kinematics with Singularity Robustness	63
2.5.9	Appendix: Supplementary Functions	65
3	ZMP and Dynamics	69
3.1	ZMP and Ground Reaction Forces	69
3.1.1	ZMP Overview	69
3.1.2	2D Analysis	71
3.1.3	3D Analysis	73
3.2	Measurement of ZMP	77
3.2.1	General Discussion	77
3.2.2	ZMP of Each Foot	79
3.2.3	ZMP for Both Feet Contact	82
3.3	Dynamics of Humanoid Robots	83
3.3.1	Humanoid Robot Motion and Ground Reaction Force	83
3.3.2	Momentum	85
3.3.3	Angular Momentum	87
3.3.4	Angular Momentum and Inertia Tensor of Rigid Body	89
3.3.5	Calculation of Robot's Center of Mass	92
3.3.6	Calculation of Link Speed and Angular Velocity	93
3.3.7	Calculation of Robot's Momentum	94
3.3.8	Calculation of Robot's Angular Momentum	94
3.4	Calculation of ZMP from Robot's Motion	95
3.4.1	Derivation of ZMP	95
3.4.2	Calculation of ZMP Using Approximation	97
3.5	Some Notes for ZMP	98
3.5.1	Two Explanations	98
3.5.2	Does ZMP Exist Outside the Support Polygon due to the Acceleration of the Center of Mass?	98
3.5.3	Limitation of ZMP	101
3.6	Appendix: Convex Set and Convex Hull	102

4	Biped Walking	105
4.1	How to Realize Biped Walking?	105
4.2	Two Dimensional Walking Pattern Generation	107
4.2.1	Two Dimensional Inverted Pendulum	107
4.2.2	Behavior of Linear Inverted Pendulum	108
4.2.3	Orbital Energy	112
4.2.4	Support Leg Exchange	113
4.2.5	Planning a Simple Biped Gait	115
4.2.6	Extension to a Walk on Uneven Terrain	116
4.3	3D Walking Pattern Generation	120
4.3.1	3D Linear Inverted Pendulum	120
4.3.2	Natures of the 3D Linear Inverted Pendulum	122
4.3.3	3D Walking Pattern Generation	126
4.3.4	Introducing Double Support Phase	133
4.3.5	From Linear Inverted Pendulum to Multi-body Model	135
4.3.6	Implementation Example	137
4.4	ZMP Based Walking Pattern Generation	138
4.4.1	Cart-Table Model	138
4.4.2	Off-Line Walking Pattern Generation	140
4.4.3	On-Line Walking Pattern Generation	142
4.4.4	Dynamics Filter Based on Preview Control	147
4.4.5	Advanced Pattern Generators	149
4.5	Stabilizer	149
4.5.1	Principles of Stabilizing Control	150
4.5.2	Stabilizing Control of Honda Humanoid Robot	154
4.5.3	Advanced Stabilizers	155
4.6	Pioneers of Dynamic Biped Walking Technology	155
4.7	Additional Methods for Biped Control	156
4.7.1	Passive Dynamic Walk	157
4.7.2	Nonlinear Oscillator and Central Pattern Generators	158
4.7.3	Learning and Evolutionary Computing	158
5	Generation of Whole Body Motion Patterns	159
5.1	How to Generate Whole Body Motion	159
5.2	Generating Rough Whole Body Motion	160
5.2.1	Using Motion Capture	162
5.2.2	Using a Graphical User Interface	163
5.2.3	Using High Speed Multivariate Search Methods	164
5.3	Converting Whole Body Motion Patterns to Dynamically Stable Motion	165
5.3.1	Dynamics Filter	165
5.3.2	Auto Balancer	166
5.3.3	Strict Trunk Motion Computation Algorithm	167

5.4	Remote Operation of Humanoid Robots with Whole Body Motion Generation	169
5.4.1	Remote Generation of Whole Body Motion Using the Operation Point Switching Method	170
5.4.2	Full Body Motion Generation of Stable Motion Using Split Momentum Control	172
5.4.3	Application and Experiments with the Humanoid Robot HRP-2	174
5.5	Reducing the Impact of a Humanoid Robot Falling Backwards	177
5.6	Making a Humanoid Robot Get Up Again	180
6	Dynamic Simulation	183
6.1	Dynamics of Rotating Rigid Body	184
6.1.1	Euler's Equation of Motion	184
6.1.2	Simulation of Rigid Body Rotation	185
6.2	Spatial Velocity	186
6.2.1	Speed of Rigid Body	186
6.2.2	Integration of Spatial Velocity	188
6.3	Dynamics of Rigid Body	189
6.3.1	Newton-Euler Equations	189
6.3.2	Dynamics by Spatial Velocity	191
6.3.3	Rigid Body Simulation Based on Spatial Velocity	192
6.3.4	Simulation of a Spinning Top	193
6.4	Dynamics of Link System	196
6.4.1	Forward Kinematics with Acceleration	196
6.4.2	Inverse Dynamics of Link System	197
6.4.3	Forward Dynamics of Link System	200
6.4.4	Featherstone's Method	203
6.5	Background Material for This Section	205
6.6	Appendix	206
6.6.1	Treatment of Force and Moment	206
6.6.2	Subroutines	207
	References	211
	Index	221