

Contents

IV/22 High Pressure Materials Properties

Subvolume A: Magnetic Properties of d-Elements, Alloys and Compounds Under Pressure

1	Introduction	1
1.1	General remarks	1
1.1.1	On the selection of the data	2
1.2	List of symbols	3
1.3	Definitions, units, and conversion factors	5
1.4	List of abbreviations	6
2	Iron group 3d elements	7
2.1	Cr	7
2.2	α -Mn	10
2.3	α -Fe	13
2.4	ε -Co	16
2.5	Ni	18
3	Disordered alloys	22
3.1	Disordered alloys between 3d elements	22
3.1.1	Cr-based alloys	22
3.1.1.1	<u>Cr</u> -V	22
3.1.1.2	<u>Cr</u> -Mn	26
3.1.1.3	<u>Cr</u> -Fe	28
3.1.1.4	<u>Cr</u> -Co	32
3.1.2	Mn-based alloys	36
3.1.2.1	<u>Mn</u> -Fe	36
3.1.3	Fe-based alloys	37
3.1.3.1	Fe-Mn	37
3.1.3.2	Fe-Ni	39
3.1.3.3	Fe-Ni-Mn	44
3.1.3.4	Fe-Ni-Cu	47
3.1.4	Co-based alloys	49
3.1.4.1	Co-Fe-Cr	49
3.1.4.2	Co-Ni	50
3.1.5	Ni-based alloys	52
3.1.5.1	<u>Ni</u> -V	52
3.1.5.2	<u>Ni</u> -Cr	54
3.1.5.3	<u>Ni</u> -Mn	56
3.1.5.4	<u>Ni</u> -Cu	59

3.2	Disordered alloys of 3d elements with 4d or 5d elements	61
3.2.1	Cr-based alloys	61
3.2.1.1	<u>Cr</u> -Ru	61
3.2.1.2	<u>Cr</u> -Re	63
3.2.1.3	<u>Cr</u> -Ir	64
3.2.2	Mn-based alloys	65
3.2.2.1	β -MnRu	65
3.2.2.2	β -MnOs	66
3.2.2.3	β -MnIr	69
3.2.3	Fe-based alloys	70
3.2.3.1	Fe- <u>Pd</u>	70
3.2.3.2	Fe-Pt	72
3.2.4	Co-based alloys	75
3.2.4.1	Co- <u>Pd</u>	75
3.2.5	Ni-based alloys	76
3.2.5.1	Ni-Rh	76
3.2.5.2	Ni-Pd	78
3.2.5.3	Ni-Pt	81
3.3	Disordered alloys of 3d elements with nonmagnetic elements	83
3.3.1	Cr-based alloys	83
3.3.1.1	<u>Cr</u> -Al	83
3.3.1.2	<u>Cr</u> -Si	85
3.3.1.3	<u>Cr</u> -Ge	87
3.3.1.4	<u>Cr</u> -Ga	89
3.3.1.5	<u>Cr</u> -Mo	91
3.3.2	Fe-based alloys	93
3.3.2.1	<u>Fe</u> -Si	93
3.3.3	Ni-based alloys	95
3.3.3.1	<u>Ni</u> -Si	95
4	Ordered alloys and intermetallic compounds	96
4.1	Binary ordered alloys and intermetallic compounds	96
4.1.1	$T_1T'_1$ alloys	96
4.1.1.1	Ti(Fe _x Co _{1-x})	96
4.1.2	T_1D_1 alloys	98
4.1.2.1	FeRh	98
4.1.2.2	(Fe _{1-x} Ni _x)Rh	101
4.1.2.3	Fe(Rh _{1-x} Ir _x)	103
4.1.2.4	FePt	104
4.1.2.5	CoPt	105

4.1.3	T_1T_2 alloys	106
4.1.3.1	$(Sc_{1-x}Ti_x)Fe_2$	106
4.1.3.2	$Ti(Be_{1-x}Cu_x)_2$	109
4.1.4	T_1D_2 alloys	111
4.1.4.1	$MnAu_2$	111
4.1.5	T_1D_3 alloys	114
4.1.5.1	$CrPt_3$	114
4.1.5.2	$MnPd_3$	115
4.1.5.3	$MnPt_3$	116
4.1.5.4	$FePt_3$	117
4.1.5.5	$CoPt_3$	118
4.1.6	T_1D_4 alloys	119
4.1.6.1	VAu_4	119
4.1.6.2	$MnAu_4$	121
4.1.7	T_2D_1 alloys	123
4.1.7.1	Mn_2Y	123
4.1.7.2	Fe_2Y	125
4.1.7.3	Fe_2Zr	127
4.1.7.4	$(Fe_{1-x}Co_x)_2Zr$	129
4.1.7.5	$(Fe_{1-x}Co_x)_2Hf$	131
4.1.7.6	$Fe_2(Hf_{1-x}Ta_x)$	133
4.1.7.7	$(Co_{1-x}Al_x)_2Y$	135
4.1.7.8	$(Co_{1-x}Al_x)_2Lu$	138
4.1.7.9	$Co_2(Ca_{1-x}Sc_x)$	140
4.1.7.10	$(Co_{1-x}Ga_x)_2Lu$	142
4.1.7.11	Co_2Y	145
4.1.7.12	Zn_2Zr	146
4.1.8	T_2D_5 alloys	149
4.1.8.1	Mn_2Au_5	149
4.1.9	T_3D_1 alloys	150
4.1.9.1	Mn_3Rh	150
4.1.9.2	Mn_3Pt	151
4.1.9.3	Fe_3Y	153
4.1.9.4	Fe_3Pt	155
4.1.9.5	Co_3Y	159
4.1.9.6	Co_3Lu	161
4.1.9.7	Ni_3Y	162
4.1.10	T_3X_1 alloys	163
4.1.10.1	Sc_3In	163
4.1.10.2	Ni_3Al	165
4.1.11	T_5D_1 alloys	167
4.1.11.1	Co_5Y	167
4.1.11.2	Co_5La	168
4.1.11.3	$(Co_xNi_{1-x})_5La$	169
4.1.11.4	$(Co_xCu_{1-x})_5La$	171

4.1.12	T₇D₂ alloys	173
4.1.12.1	Co ₇ Y ₂	173
4.1.12.2	Ni ₇ Y ₂	175
4.1.13	(T_xX_{1-x})₁₃D₁ alloys	176
4.1.13.1	(Fe _x Si _{1-x}) ₁₃ La	176
4.1.13.2	(Fe _{0.88-x} Co _x Al _{0.12}) ₁₃ La	178
4.1.13.3	(Fe _x Al _{1-x}) ₁₃ La	180
4.1.14	T₁₇D₂ alloys	182
4.1.14.1	Fe ₁₇ Y ₂	182
4.1.14.2	Fe _{17-x} Al _x Y ₂	185
4.1.14.3	Fe _{17-x} Si _x Y ₂	186
4.1.14.4	Fe ₁₇ Lu ₂	187
4.1.14.5	Fe _{16.5} Ru _{0.5} Lu ₂	189
4.1.14.6	Co ₁₇ Y ₂	190
4.1.14.7	Ni ₁₇ Y ₂	191
4.1.15	T₂₃D₆ alloys	192
4.1.15.1	Fe ₂₃ Y ₆	192
4.1.15.2	(Fe _{1-x} Mn _x) ₂₃ Y ₆	194
4.2	Ternary ordered alloys and intermetallic compounds	195
4.2.1	T₁T'₁X₁ alloys	195
4.2.1.1	TiCoSn	195
4.2.2	T₁D₁X₁ alloys	196
4.2.2.1	MnPtSn	196
4.2.2.2	MnPt _{1-x} Au _x Sb	197
4.2.3	T₁D₂X₁ alloys	198
4.2.3.1	MnRh ₂ Ge	198
4.2.3.2	MnRh ₂ Sn	199
4.2.3.3	MnPd ₂ Sn	200
4.2.3.4	MnPd ₂ Sb	202
4.2.3.5	MnAu ₂ Al	203
4.2.3.6	FeRh ₂ Sn	204
4.2.3.7	CoRh ₂ Sn	205
4.2.3.8	NiRh ₂ Ge	206
4.2.4	T₂T'₁X₁ alloys	207
4.2.4.1	Co ₂ TiAl	207
4.2.4.2	Co ₂ TiGa	208
4.2.4.3	Co ₂ VGa	209
4.2.4.4	Co ₂ MnSn	211
4.2.4.5	Ni ₂ MnAl	212
4.2.4.6	Ni ₂ MnGa	213
4.2.4.7	Ni ₂ MnIn	215
4.2.4.8	Ni ₂ MnSn	217
4.2.4.9	Ni ₂ MnSb	219
4.2.5	T₂D₁X₁ alloys	220
4.2.5.1	Co ₂ ZrAl	220

4.2.6	T₄D₁X₁ alloys	222
4.2.6.1	Co ₄ YSi	222
4.2.6.2	Co ₄ YGe	223
4.2.7	T₉D₁X₄ alloys	224
4.2.7.1	Co ₉ YSi ₄	224
4.2.8	T₁₁T'₁D₁ alloys	225
4.2.8.1	Fe ₁₁ TiY	225
4.2.8.2	Fe _{10.5} Mo _{1.5} Y	227
4.2.9	T₁₆T'₁D₂ alloys	228
4.2.9.1	Fe ₁₆ CrLu ₂	228
4.2.9.2	Fe ₁₆ NiLu ₂	230
4.2.10	T₁₆D₂X₁ alloys	232
4.2.10.1	Fe ₁₆ Lu ₂ Si	232
5	Transition metal compounds	233
5.1	Compounds of 3d elements with F, Cl, Br, and I	233
5.1.1	CrBr ₃	233
5.1.2	MnF ₂	234
5.1.3	MnRb ₂ F ₄	235
5.1.4	MnCs ₂ F ₄	236
5.1.5	FeF ₂	237
5.1.6	FeCl ₂	239
5.1.7	FeBr ₂	241
5.1.8	FeI ₂	243
5.1.9	CoI ₂	246
5.1.10	NiKF ₃	248
5.1.11	NiK ₂ F ₄	249
5.1.12	NiBr ₂	250
5.1.13	NiI ₂	252
5.1.14	CuK ₂ F ₄	254
5.1.15	CuCs ₂ F ₄	256
5.2	Compounds of 3d elements with S, Se, and Te	257
5.2.1	Cr ₅ S ₆	257
5.2.2	Cr ₂ S ₃	259
5.2.3	Cr _{1/3} TaS ₂	260
5.2.4	CrTe	261
5.2.5	CrTe _{1-x} Se _x	264
5.2.6	CrTe _{1-x} Sb _x	266
5.2.7	Cr ₇ Te ₈	268
5.2.8	Cr ₅ Te ₆	270
5.2.9	Cr ₃ Te ₄	272
5.2.10	Cr ₂ Te ₃	275
5.2.11	Cr ₂ Te _{3-x} Se _x	277
5.2.12	Cr ₅ Te ₈	278
5.2.13	Cr ₂ FeS ₄	280
5.2.14	Cr ₂ CoS ₄	282

5.2.15	Cr_2CuS_4	283
5.2.16	Cr_2CuSe_4	284
5.2.17	$\text{Cr}_2\text{CuSe}_{4-x}\text{Br}_x$	285
5.2.18	Cr_2CuTe_4	286
5.2.19	Cr_2ZnSe_4	287
5.2.20	Cr_2CdS_4	288
5.2.21	Cr_2CdSe_4	290
5.2.22	$\text{Cr}_2\text{Cd}_{1-x}\text{Zn}_x\text{Se}_4$	292
5.2.23	Cr_2HgS_4	294
5.2.24	Cr_2HgSe_4	296
5.2.25	MnS	298
5.2.26	MnS_2	299
5.2.27	MnTe	300
5.2.28	MnTe_2	302
5.2.29	FeS	303
5.2.30	Fe_7S_8	305
5.2.31	$\text{Fe}_{1/3}\text{NbS}_2$	308
5.2.32	Fe_3Se_4	309
5.2.33	CoS_2	310
5.2.34	$\text{Co}_{1-x}\text{Fe}_x\text{S}_2$	313
5.2.35	$\text{Co}(\text{S}_{1-x}\text{Se}_x)_2$	315
5.2.36	NiS	318
5.2.37	NiS_2	320
5.2.38	$\text{Ni}(\text{S}_{1-x}\text{Se}_x)_2$	322
5.3	Compounds of 3d elements with N, P, As, Sb, and Bi	324
5.3.1	CrNiP	324
5.3.2	CrAs	325
5.3.3	$\text{CrAs}_{1-x}\text{Sb}_x$	327
5.3.4	CrNiAs	329
5.3.5	CrRhAs	330
5.3.6	CrSb	331
5.3.7	CrSb_2	333
5.3.8	$\text{Cr}_{1-x}\text{Fe}_x\text{Sb}_2$	334
5.3.9	Mn_4N	336
5.3.10	$\text{Mn}_3\text{Zn}_{1-x}\text{Ge}_x\text{N}$	338
5.3.11	MnP	339
5.3.12	MnAs	341
5.3.13	$\text{Mn}_{1-x}\text{Ti}_x\text{As}$	344
5.3.14	$\text{Mn}_{1-x}\text{V}_x\text{As}$	346
5.3.15	$\text{Mn}_{1-x}\text{Cr}_x\text{As}$	348
5.3.16	$\text{Mn}_{1-x}\text{Fe}_x\text{As}$	351
5.3.17	$\text{Mn}_{1-x}\text{Co}_x\text{As}$	353
5.3.18	$\text{MnAs}_{1-x}\text{Sb}_x$	354
5.3.19	$\text{Mn}_x\text{Fe}_{a-x}\text{As}$	356
5.3.20	$(\text{Mn}_x\text{Co}_{1-x})_2\text{P}$	358
5.3.21	$\text{MnFeP}_{1-x}\text{Ge}_x$	360
5.3.22	$\text{MnFeP}_{1-x}\text{As}_x$	362
5.3.23	MnZnSb	364
5.3.24	MnRhP	366
5.3.25	MnRuAs	368
5.3.26	MnRhAs	370
5.3.27	$\text{MnRhAs}_{1-x}\text{P}_x$	372

5.3.28	$\text{MnRh}_{1-x}\text{Co}_x\text{As}$	374
5.3.29	MnPdAs	376
5.3.30	MnSb	378
5.3.31	$\text{Mn}_{1-x}\text{Cr}_x\text{Sb}$	380
5.3.32	Mn_2Sb	382
5.3.33	$\text{Mn}_{2-x}\text{Cr}_x\text{Sb}$	384
5.3.34	$\text{Mn}_{2-x}\text{Fe}_x\text{Sb}$	386
5.3.35	$\text{Mn}_{2-x}\text{Co}_x\text{Sb}$	388
5.3.36	$\text{Mn}_2\text{Sb}_{1-x}\text{Ge}_x$	391
5.3.37	$\text{Mn}_2\text{Sb}_{1-x}\text{As}_x$	392
5.3.38	MnBi	393
5.3.39	$\text{Mn}_5\text{Rh}_2\text{Bi}_4$	395
5.3.40	$\text{Mn}_5\text{Pd}_2\text{Bi}_4$	396
5.3.41	Fe_4N	397
5.3.42	Fe_2P	399
5.3.43	$\text{Fe}_2\text{P}_{1-x}\text{As}_x$	401
5.3.44	$(\text{Fe}_{1-x}\text{Ni}_x)_2\text{P}$	402
5.3.45	FeAs	404
5.3.46	Fe_2CaAs_2	405
5.3.47	Fe_2SrAs_2	406
5.3.48	Fe_2BaAs_2	408
5.4	Compounds of 3d elements with C, Si, Ge, and Sn	410
5.4.1	Mn_3GaC	410
5.4.2	$\text{Mn}_3\text{Ga}_{1-x}\text{Al}_x\text{C}$	412
5.4.3	$\text{Mn}_{3-x}\text{Co}_x\text{GaC}$	414
5.4.4	$\text{Mn}_3\text{Ga}_{1-x}\text{In}_x\text{C}$	416
5.4.5	$\text{Mn}_3\text{Ga}_{1-x}\text{Zn}_x\text{C}$	418
5.4.6	$\text{Mn}_3\text{Ga}_{1-x}\text{Sn}_x\text{C}$	420
5.4.7	Mn_3ZnC	422
5.4.8	Mn_3InC	423
5.4.9	Mn_3SnC	424
5.4.10	MnAlGe	425
5.4.11	MnSi	426
5.4.12	$\text{Mn}_x\text{Fe}_{1-x}\text{Si}$	429
5.4.13	MnCoSi	430
5.4.14	$\text{MnCoSi}_3\text{Ge}_{1-x}$	431
5.4.15	$\text{MnNiSi}_3\text{Ge}_{1-x}$	433
5.4.16	Mn_2LaSi_2	435
5.4.17	$\text{Mn}_{1-x}\text{Ti}_x\text{NiGe}$	436
5.4.18	MnCoGe	438
5.4.19	$\text{MnCo}_x\text{Ni}_{1-x}\text{Ge}$	440
5.4.20	MnNiGe	443
5.4.21	Mn_5Ge_3	445
5.4.22	MnGaGe	446
5.4.23	Mn_2LaGe_2	447
5.4.24	$\text{Mn}_2\text{La}_{0.3}\text{Y}_{0.7}\text{Ge}_2$	448
5.4.25	Mn_7Sn_4	450
5.4.26	$(\text{Mn}_{1-x}\text{Fe}_x)_7\text{Sn}_4$	452
5.4.27	$(\text{Mn}_{1-x}\text{Co}_x)_7\text{Sn}_4$	453
5.4.28	$\text{Mn}_7(\text{Sn}_{4-x}\text{Ge}_x)$	455
5.4.29	Fe_3C	457
5.4.30	FeSi	459

5.4.31	$\text{Fe}_{1-x}\text{Co}_x\text{Si}$	461
5.4.32	Fe_3Ge	463
5.4.33	FeGe	464
5.4.34	FeSn_2	465
5.5	Compounds of 3d elements with B and Ga	467
5.5.1	MnPtGa	467
5.5.2	$\text{Fe}_{14}\text{Y}_2\text{B}$	469
5.5.3	Co_2B	471
5.5.4	$(\text{Co}_{1-x}\text{Mn}_x)_2\text{B}$	473
5.5.5	Co_4YB	475
5.5.6	$\text{Co}_4\text{Y}_{1-x}\text{Th}_x\text{B}$	477