

Contents

1	Introduction	1
1.1	General remarks	1
1.2	Neutron resonance spectroscopy for the characterization of materials and objects (P. SCHILLEBEECKX, B. BECKER, H. HARADA, S. KOPECKY)	4
1.2.1	Methodology	4
1.2.1.1	Doppler broadening	6
1.2.1.2	Neutron time-of-flight spectroscopy	8
1.2.1.3	Neutron resonance transmission analysis	14
1.2.1.4	Neutron resonance capture analysis	17
1.2.1.5	Data reduction	22
1.2.2	Data analysis	23
1.2.2.1	Resonance shape analysis	23
1.2.2.2	Calibration approach	24
1.2.3	Applications	27
1.2.3.1	Archaeology	27
1.2.3.2	Characterization of reference materials	31
1.2.3.3	Nuclear materials	31
1.2.3.4	Fast neutron transmission	33
1.2.3.5	Thermometry	35
1.2.3.6	Neutron resonance imaging	35
1.2.4	Characterization of melted fuel by neutron resonance densitometry	37
1.2.4.1	Temperature	38
1.2.4.2	Matrix material	39
1.2.4.3	Sample heterogeneity	41
1.2.5	Experimental validation of NRD for the characterization of melted fuel	45
1.2.5.1	Characterization of heterogeneous samples	45
1.2.5.2	Characterization of a U ₃ O ₈ reference material	46
1.2.6	Nuclear data	48
1.2.7	Summary and conclusions	51
	Acknowledgments	51
	Abbreviations	52
1.3	Presentation of the data	53
1.4	List of notations, definition of parameters	53
1.5	Few-nucleon effects in neutron resonance spacing	56
1.6	Conclusions	62
1.7	Acknowledgments	62
2	Tables	63

1-Hydrogen		14-Silicon		Cr-52	127
H-3	63	Si-28	80	Cr-53	136
2-Helium		Si-29	80	Cr-54	144
He-3	63	Si-30	80	Cr-(50-54)	147
He-4	63	Si-(28-30)	80	25-Manganese	
3-Lithium		15-Phosphorus		Mn-55	148
Li-6	64	P-31	81	26-Iron	
Li-7	64	16-Sulfur		Fe-54	153
Li-(6-7)	64	S-32	82	Fe-56	159
4-Beryllium		S-33	82	Fe-57	167
Be-7	65	S-34	82	Fe-58	168
Be-8	65	S-(32-36)	82	Fe-(54-58)	170
Be-9	65	17-Chlorine		27-Cobalt	
5-Boron		Cl-35	83	Co-59	171
B-10	66	Cl-36	83	Co-60	175
B-11	66	Cl-37	83	28-Nickel	
B-(10-11)	66	Cl-(35-37)	84	Ni-58	176
6-Carbon		18-Argon		Ni-59	189
C-12	67	Ar-36	85	Ni-60	189
C-13	67	Ar-37	85	Ni-61	200
C-14	68	Ar-40	85	Ni-62	200
C-(12-14)	68	Ar-(36-40)	85	Ni-63	202
7-Nitrogen		19-Potassium		Ni-64	203
N-14	69	K-39	86	Ni-(59-64)	203
N-15	69	K-40	94	29-Copper	
N-(14-15)	69	K-41	94	Cu-63	204
8-Oxygen		K-(39-41)	102	Cu-65	211
O-16	70	20-Calcium		30-Zinc	
O-17	70	Ca-40	103	Zn-64	216
O-18	70	Ca-41	103	Zn-66	216
O-(16-18)	70	Ca-42	104	Zn-67	216
9-Fluorine		Ca-43	104	Zn-68	217
F-19	71	Ca-(40-43)	104	Zn-70	217
10-Neon		Ca-44	104	Zn-(64-70)	217
Ne-20	72	Ca-46	105	31-Gallium	
Ne-21	72	Ca-48	105	Ga-69	218
Ne-22	72	Ca-(44-48)	105	Ga-71	218
Ne-(20-22)	72	21-Scandium		32-Germanium	
11-Sodium		Sc-45	106	Ge-70	219
Na-22	73	22-Titanium		Ge-72	219
Na-23	73	Ti-46	107	Ge-73	219
Na-(22-23)	73	Ti-47	109	Ge-74	219
12-Magnesium		Ti-48	111	Ge-76	220
Mg-24	74	Ti-49	114	Ge-(70-76)	220
Mg-25	75	Ti-50	115	33-Arsenic	
Mg-26	76	Ti-(46-50)	116	As-75	221
13-Aluminium		23-Vanadium		As-(74-75)	221
Al-26	77	V-50	117	34-Selenium	
Al-27	77	V-51	117	Se-74	222
Al-(26-27)	79	24-Chromium		Se-76	222
		Cr-50	118	Se-77	222

Se-78	222	44-Ruthenium		51-Antimony	
Se-80	222	Ru-99	248	Sb-121	296
Se-82	223	Ru-100	248	Sb-123	296
Se-(74-82)	223	Ru-101	248	Sb-(121-126) . . .	296
35-Bromine		Ru-102	248		
Br-79	224	Ru-103	248	52-Tellurium	
Br-81	224	Ru-(96-106) . . .	249	Te-122	297
36-Krypton		45-Rhodium		Te-123	297
Kr-78	225	Rh-103	250	Te-124	297
Kr-80	225	Rh-(103-105) . . .	256	Te-125	297
Kr-82	225	46-Palladium		Te-126	297
Kr-83	225	Pd-102	257	Te-128	298
Kr-84	225	Pd-104	257	Te-(120-132) . . .	298
Kr-86	226	Pd-105	257	53-Iodine	
Kr-(78-86)	226	Pd-(102-105) . . .	258	I-127	299
37-Rubidium		Pd-106	258	I-129	315
Rb-85	227	Pd-107	258	I-(127-135)	316
Rb-87	227	Pd-108	259		
Rb-(85-87)	227	Pd-110	259	54-Xenon	
38-Strontium		Pd-(106-110) . . .	259	Xe-124	317
Sr-84	228	47-Silver		Xe-126	317
Sr-86	228	Ag-107	260	Xe-128	317
Sr-87	228	Ag-109	260	Xe-129	318
Sr-88	228	Ag-110 m	261	Xe-130	320
Sr-(84-90)	229	Ag-(107-111) . . .	261	Xe-131	321
39-Yttrium		48-Cadmium		Xe-132	322
Y-89	230	Cd-106	262	Xe-134	322
Y-(89-91)	230	Cd-108	263	Xe-135	322
40-Zirconium		Cd-110	265	Xe-136	322
Zr-90	231	Cd-111	267	Xe-(123-136) . . .	323
Zr-91	231	Cd-112	271	55-Caesium	
Zr-92	231	Cd-113	274	Cs-133	324
Zr-93	234	Cd-114	287	Cs-134	324
Zr-94	236	Cd-116	289	Cs-135	324
Zr-96	237	Cd-(106-116) . . .	291	Cs-(133-135) . . .	324
Zr-(90-96)	238	49-Indium		56-Barium	
41-Niobium		In-113	292	Ba-130	325
Nb-93	239	In-115	292	Ba-132	325
Nb-94	239	In-(113-115) . . .	292	Ba-133	325
Nb-(93-95)	239	50-Tin		Ba-134	325
42-Molybdenum		Sn-112	293	Ba-135	325
Mo-92	240	Sn-114	293	Ba-136	326
Mo-94	240	Sn-115	293	Ba-137	326
Mo-95	240	Sn-116	293	Ba-138	326
Mo-(92-95)	242	Sn-117	293	Ba-(130-140) . . .	326
Mo-96	243	Sn-118	294	57-Lanthanum	
Mo-97	243	Sn-119	294	La-138	327
Mo-98	245	Sn-120	294	La-139	327
Mo-100	246	Sn-122	294	La-(138-140) . . .	327
Mo-(96-100) . . .	246	Sn-124	294	58-Cerium	
43-Technetium		Sn-(112-126) . . .	295	Ce-136	328
Tc-99	247			Ce-140	328
				Ce-141	328
				Ce-142	329
				Ce-(132-144) . . .	329

59-Praseodymium					
Pr-141	330	Dy-160	358	74-Tungsten	
Pr-143	330	Dy-161	358	W-180	390
Pr-(141-143) . . .	330	Dy-162	358	W-181	390
60-Neodymium		Dy-163	359	W-182	390
Nd-142	331	Dy-164	359	W-183	394
Nd-143	331	Dy-(156-164) . . .	359	W-184	398
Nd-144	334	67-Holmium		W-185	399
Nd-145	335	Ho-165	360	W-186	399
Nd-146	338	Ho-166 <i>m</i>	360	W-(182-186) . . .	403
Nd-147	338	Ho-(163-166) . . .	360	75-Rhenium	
Nd-148	339	68-Erbium		Re-185	404
Nd-150	341	Er-162	361	Re-186	404
Nd-(142-150) . . .	341	Er-164	361	Re-187	404
61-Promethium		Er-166	361	Re-(185-187) . . .	404
Pm-147	342	Er-167	361	76-Osmium	
Pm-148 <i>m</i>	342	Er-168	362	Os-186	405
Pm-(147-151) . . .	342	Er-170	363	Os-187	409
62-Samarium		Er-(162-170) . . .	363	Os-188	421
Sm-144	343	69-Thulium		Os-189	425
Sm-147	343	Tm-169	364	Os-190	426
Sm-148	348	Tm-170	364	Os-192	426
Sm-149	348	Tm-171	364	Os-(184-192) . . .	426
Sm-150	348	Tm-(169-171) . . .	364	77-Iridium	
Sm-151	348	70-Ytterbium		Ir-191	427
Sm-152	348	Yb-168	365	Ir-192	427
Sm-154	349	Yb-169	365	Ir-193	427
Sm-(144-154) . . .	349	Yb-170	365	Ir-(191-193) . . .	427
63-Europium		Yb-171	365	78-Platinum	
Eu-151	350	Yb-172	365	Pt-192	428
Eu-152	350	Yb-173	366	Pt-194	428
Eu-152 <i>m</i>	350	Yb-174	366	Pt-195	428
Eu-153	350	Yb-176	366	Pt-196	429
Eu-154	351	Yb-(168-176) . . .	366	Pt-(192-196) . . .	430
Eu-155	351	71-Lutetium		Pt-198	431
Eu-(151-157) . . .	351	Lu-175	367	Pt-(190-198) . . .	431
64-Gadolinium		Lu-176	367	79-Gold	
Gd-152	352	Lu-(175-176) . . .	367	Au-197	432
Gd-153	352	72-Hafnium		Au-(197-198) . . .	438
Gd-154	352	Hf-174	368	80-Mercury	
Gd-155	352	Hf-176	368	Hg-196	439
Gd-156	355	Hf-177	369	Hg-198	439
Gd-157	355	Hf-178	377	Hg-199	439
Gd-158	355	Hf-178 <i>m</i>	379	Hg-200	439
Gd-160	356	Hf-179	379	Hg-201	439
Gd-(152-160) . . .	356	Hf-180	384	Hg-202	439
65-Terbium		Hf-(174-182) . . .	386	Hg-204	440
Tb-159	357	73-Tantalum		Hg-(196-204) . . .	440
Tb-160	357	Ta-180 <i>m</i>	387	81-Thallium	
Tb-(159-160) . . .	357	Ta-181	387	Tl-203	441
66-Dysprosium		Ta-182	389	Tl-204	443
Dy-156	358	Ta-(179-182) . . .	389	Tl-205	443
Dy-158	358			Tl-(203-205) . . .	446

82-Lead		92-Uranium		95-Americium	
Pb-204	447	U-232	474	Am-241	501
Pb-206	447	U-233	474	Am-242 _m	509
Pb-207	447	U-234	474	Am-243	510
Pb-208	447	U-235	475	Am-(241-243) . . .	515
Pb-(204-208) . . .	448	U-236	475		
83-Bismuth		U-237	475	96-Curium	
Bi-209	449	U-238	475	Cm-242	516
Bi-(209-210) . . .	449	U-(232-236) . . .	476	Cm-243	516
		U-(237-241) . . .	476	Cm-244	517
88-Radium				Cm-245	517
Ra-226	450	93-Neptunium		Cm-246	517
Ra-(223-226) . . .	450	Np-236	477	Cm-247	518
		Np-237	477	Cm-248	519
90-Thorium		Np-238	492	Cm-(242-248) . . .	520
Th-228	451	Np-(235-239) . . .	492		
Th-229	451			97-Berkelium	
Th-230	451	94-Plutonium		Bk-249	521
Th-232	452	Pu-236	493	Bk-(247-250) . . .	521
Th-(227-234) . . .	472	Pu-238	493		
		Pu-239	493	98-Californium	
91-Protactinium		Pu-240	493	Cf-249	521
Pa-231	473	Pu-241	497	Cf-250	522
Pa-232	473	Pu-242	498	Cf-251	522
Pa-233	473	Pu-244	499	Cf-252	522
		Pu-(236-240) . . .	500	Cf-(249-254) . . .	523
		Pu-(241-246) . . .	500		
3 References	525				
Supplement (complete sets of data)					

www.springermaterials.com

DOI: 10.1007/978-3-662-45603-3