Contents

Part I Background Materials

| 1 | Over | view | 3 |
|---|------|--|---|
| | 1.1 | Introduction | 3 |
| | 1.2 | | 3 |
| | | | 3 |
| | | | 4 |
| | | | 4 |
| | 1.3 | | 5 |
| | | | 5 |
| | | | 6 |
| | | | 7 |
| | 1.4 | | 8 |
| | 1.5 | | 8 |
| | | | 9 |
| 2 | Engi | neering Activities in Product Life Cycle | 1 |
| | 2.1 | · · · · · · · · · · · · · · · · · · · | 1 |
| | 2.2 | | 1 |
| | | - | 1 |
| | | | 2 |
| | 2.3 | | 5 |
| | | | 5 |
| | | J1 | 6 |
| | | , , | 9 |
| | | | 2 |

viii Contents

| | 2.4 | Engine | eering Activities in Post-manufacturing Phase | 22 |
|---|------|---------|---|----|
| | | 2.4.1 | Main Activities in Marketing Stage | 22 |
| | | 2.4.2 | Main Activities in Post-sale Support Stage | 22 |
| | | 2.4.3 | Recycle, Refurbishing, and Remanufacturing | 23 |
| | 2.5 | Approx | ach for Solving Quality and Reliability Problems | 24 |
| | Refe | rences | | 24 |
| 3 | Fund | łamenta | l of Reliability | 27 |
| | 3.1 | | uction | 27 |
| | 3.2 | | pts of Reliability and Failure | 27 |
| | | 3.2.1 | Reliability | 27 |
| | | 3.2.2 | Failure | 28 |
| | | 3.2.3 | Failure Mode and Cause | 29 |
| | | 3.2.4 | Failure Mechanism | 29 |
| | | 3.2.5 | Failure Severity and Consequences | 30 |
| | | 3.2.6 | Modeling Failures | 30 |
| | 3.3 | Reliab | ility Basic Functions | 31 |
| | | 3.3.1 | Probability Density Function | 31 |
| | | 3.3.2 | Cumulative Distribution and Reliability Functions | 32 |
| | | 3.3.3 | Conditional Distribution and Residual Life | 33 |
| | | 3.3.4 | Failure Rate and Cumulative Hazard Functions | 34 |
| | | 3.3.5 | Relations Between Reliability Basic Functions | 35 |
| | 3.4 | Compo | onent Bathtub Curve and Hockey-Stick Line | 36 |
| | | | haracteristics | 37 |
| | | 3.5.1 | Measures of Lifetime | 37 |
| | | 3.5.2 | Dispersion of Lifetime | 40 |
| | | 3.5.3 | Skewness and Kurtosis of Life Distribution | 41 |
| | 3.6 | Reliab | ility of Repairable Systems | 41 |
| | | 3.6.1 | Failure-Repair Process | 41 |
| | | 3.6.2 | Reliability Measures | 43 |
| | | 3.6.3 | Failure Point Process | 44 |
| | 3.7 | Evolut | ion of Reliability Over Product Life Cycle | 46 |
| | | 3.7.1 | Design Reliability | 46 |
| | | 3.7.2 | Inherent Reliability | 47 |
| | | 3.7.3 | Reliability at Sale | 47 |
| | | 3.7.4 | Field Reliability | 47 |
| | | 3.7.5 | Values of Weibull Shape Parameter Associated | |
| | | | with Different Reliability Notions | 48 |
| | Refe | rences | *************************************** | 48 |

Contents ix

| 4 | Distr | | 1 |
|---|-------|---|----|
| | 4.1 | | 1 |
| | 4.2 | | 1 |
| | | 4.2.1 Basic Functions of a Discrete Distribution 5 | 1 |
| | | 4.2.2 Single-Parameter Models | 2 |
| | | 4.2.3 Two-Parameter Models | 3 |
| | | 4.2.4 Hypergeometric Distribution | 6 |
| | 4.3 | Simple Continuous Distributions | 57 |
| | | | 57 |
| | | | 8 |
| | | | 59 |
| | 4.4 | Complex Distribution Models Involving Multiple Simple | |
| | | | 59 |
| | | 4.4.1 Mixture Model | 59 |
| | | | 60 |
| | | . • | 51 |
| | | | 52 |
| | 4.5 | | 54 |
| | Refe | | 66 |
| | | | |
| 5 | Stati | stical Methods for Lifetime Data Analysis 6 | 57 |
| | 5.1 | | 57 |
| | 5.2 | | 57 |
| | | | 57 |
| | | 5.2.2 Life Data 6 | 58 |
| | | 5.2.3 Performance Degradation Data | 72 |
| | | | 72 |
| | 5.3 | Nonparametric Estimation Methods for Cdf | 73 |
| | | 5.3.1 Complete Data Case | 73 |
| | | 5.3.2 Grouped Data Case | 73 |
| | | | 74 |
| | 5.4 | Parameter Estimation Methods | 79 |
| | | 5.4.1 Graphical Method | 79 |
| | | 5.4.2 Method of Moments | 30 |
| | | 5.4.3 Maximum Likelihood Method | 31 |
| | | 5.4.4 Least Square Method | 33 |
| | | | 33 |
| | 5.5 | • | 34 |
| | | • | 34 |
| | | 1 | 35 |
| | 5.6 | | 35 |
| | 0 | | 36 |
| | | | 37 |
| | Dofo | | 27 |

Contents

| 5 | Relia | ability M | Iodeling of Repairable Systems | 89 |
|----|-------|-----------|--|-----|
| | 6.1 | Introdu | action | 89 |
| | 6.2 | Failure | Counting Process Models | 90 |
| | | 6.2.1 | Renewal Process | 90 |
| | | 6.2.2 | Homogeneous Poisson Process | 91 |
| | | 6.2.3 | Nonhomogeneous Poisson Process | 91 |
| | | 6.2.4 | Empirical Mean Cumulative Function | 92 |
| | 6.3 | | oution Models for Modeling Failure Processes | 93 |
| | | 6.3.1 | Ordinary Life Distribution Models | 93 |
| | | 6.3.2 | Imperfect Maintenance Models | 94 |
| | | 6.3.3 | Variable-Parameter Distribution Models | 94 |
| | 6.4 | A Proc | cedure for Modeling Failure Processes | 94 |
| | | 6.4.1 | An Illustration | 94 |
| | | 6.4.2 | Modeling Procedure | 95 |
| | 6.5 | Tests f | For Stationarity | 96 |
| | | 6.5.1 | Graphical Methods | 97 |
| | | 6.5.2 | Tests with HPP Null Hypothesis | 97 |
| | | 6.5.3 | Tests with RP Null Hypothesis | 100 |
| | | 6.5.4 | Performances of Trend Tests | 101 |
| | 6.6 | Tests f | For Randomness | 102 |
| | | 6.6.1 | Runs Above and Below Median Test | 102 |
| | | 6.6.2 | Sign Test | 104 |
| | | 6.6.3 | Runs Up and Down | 104 |
| | | 6.6.4 | Mann-Kendall Test | 105 |
| | | 6.6.5 | Spearman Test | 105 |
| | | 6.6.6 | Discussion | 106 |
| | 6.7 | Tests f | for Normality and Constant Variance | 106 |
| | | 6.7.1 | Tests for Normality | 107 |
| | | 6.7.2 | Tests for Constant Variance | 108 |
| | Refe | rences | | 108 |
| | | | | |
| | | | | |
| Pa | rt II | Product | Quality and Reliability in Pre-manufacturing Phase | |
| 7 | Proc | luct Desi | ign and Design for X | 113 |
| | 7.1 | Introdu | action | 113 |
| | 7.2 | Produc | et Design and Relevant Issues | 113 |
| | | 7.2.1 | Product Design | 113 |
| | | 7.2.2 | Key Issues | 114 |
| | | 7.2.3 | Time-Based Product Design | 114 |
| | | 7.2.4 | Design for Life Cycle | 115 |
| | | 7.2.5 | Design for X | 115 |

Contents xi

| | 7.3 | Design for Several Overall Performances |
|---|-------|---|
| | | 7.3.1 Design for Safety |
| | | 7.3.2 Design for Environment |
| | | 7.3.3 Desígn for Quality |
| | | 7.3.4 Design for Reliability |
| | | 7.3.5 Design for Testability |
| | 7.4 | Design for Production-Related Performances |
| | | 7.4.1 Design for Manufacturability 121 |
| | | 7.4.2 Design for Assembliability |
| | | 7.4.3 Design for Logistics |
| | 7.5 | Design for Use-Related Performances |
| | | 7.5.1 Design for Serviceability |
| | | 7.5.2 Design for Maintainability |
| | | 7.5.3 Design for Supportability |
| | 7.6 | Design for Retirement-Related Performances |
| | | 7.6.1 Design for Recyclability |
| | | 7.6.2 Design for Disassembliability 126 |
| | Refe | rences |
| | | |
| 8 | Desig | gn Techniques for Quality |
| | 8.1 | Introduction |
| | 8.2 | House of Quality and Quality Function Deployment 129 |
| | | 8.2.1 House of Quality |
| | | 8.2.2 Priorities of Engineering Characteristics 131 |
| | | 8.2.3 Satisfaction Degrees of Customer Attributes 132 |
| | | 8.2.4 Quality Function Deployment |
| | 8.3 | Cost of Quality and Loss Function |
| | | 8.3.1 Quality Costs |
| | | 8.3.2 Loss Function |
| | | 8.3.3 Applications of Quality Loss Function 136 |
| | 8.4 | Experimental Optimum Method |
| | | 8.4.1 Basic Idea |
| | | 8.4.2 Specific Procedure |
| | | 8.4.3 Design of Experiments |
| | | 8.4.4 Data Analysis |
| | 8.5 | Model-Based Optimum Method |
| | | 8.5.1 Constraint Conditions |
| | | 8.5.2 Objective Function |
| | Refe | rences |
| | | |
| 9 | Desi | gn Techniques for Reliability |
| | 9.1 | Introduction |
| | 9.2 | Process of Design for Reliability |
| | 0.3 | Poliphility Paguiraments 149 |

xii Contents

| | 9.4 | Reliabil | lity Analysis | 149 |
|----|-------|----------|--|-----|
| | | 9.4.1 | Change Point Analysis | 149 |
| | | 9.4.2 | FMEA | 149 |
| | | 9.4.3 | System Reliability Analysis | 150 |
| | 9.5 | Reliabil | lity Prediction | 154 |
| | | 9.5.1 | Empirical Methods | 154 |
| | | 9.5.2 | Physics of Failure Analysis Method | 155 |
| | | 9.5.3 | Life Testing Method | 157 |
| | | 9.5.4 | Simulation Method | 157 |
| | 9.6 | Reliabil | lity Allocation | 158 |
| | | 9.6.1 | Reliability Allocation Methods for Nonrepairable | |
| | | | Systems | 158 |
| | | 9.6.2 | Reliability Allocation Methods for Repairable | |
| | | | Systems | 160 |
| | 9.7 | Technic | ques to Achieve Desired Reliability | 162 |
| | | 9.7.1 | Component Deration and Selection | 162 |
| | | 9.7.2 | Redundancy | 165 |
| | | 9.7.3 | Preventive Maintenance | 165 |
| | | 9.7.4 | Reliability Growth Through Development | 166 |
| | 9.8 | Reliabi | lity Control and Monitoring | 166 |
| | | 9.8.1 | Reliability Control in Manufacturing Process | 166 |
| | | 9.8.2 | Reliability Monitoring in Usage Phase | 167 |
| | Refer | ences | | 167 |
| | | | | |
| 10 | | • | esting and Data Analysis | 169 |
| | 10.1 | | ction | 169 |
| | 10.2 | | t Reliability Tests in Product Life Cycle | 169 |
| | | 10.2.1 | Reliability Tests Carried Out During Product | |
| | | | Development Stage | 169 |
| | | 10.2.2 | Reliability Tests Carried Out During Product | |
| | | | Manufacturing Phase | 170 |
| | | 10.2.3 | Reliability Tests Carried Out During Product | |
| | | | Usage Phase | 171 |
| | 10.3 | | rated Testing and Loading Schemes | 171 |
| | | 10.3.1 | Accelerated Life Testing | 171 |
| | | 10.3.2 | Accelerated Degradation Testing | 172 |
| | | 10.3.3 | Loading Schemes | 172 |
| | 10.4 | Accelei | rated Life Testing Data Analysis Models | 174 |
| | | 10.4.1 | Life Distribution Models | 174 |
| | | 10.4.2 | Stress-Life Relationship Models | 176 |
| | | 10.4.3 | Inverse Power-Law Model | 177 |
| | | 10.4.4 | Proportional Hazard Model | 177 |
| | | 10.4.5 | Generalized Proportional Model | 179 |
| | | 10.4.6 | Discussion | 179 |

Contents xiii

| | 10.5 | Accelerated Degradation Testing Models | |
|-----|-------|--|-------|
| | | 10.5.1 Physical-Principle-Based Models | |
| | | 10.5.2 Data-Driven Models | _ |
| | | 10.5.3 Discussion | |
| | 10.6 | 10.5.4 A Case Study | |
| | 10.6 | Design of Accelerated Stress Testing | |
| | | 10.6.1 Design Variables and Relevant Performances | |
| | ъ. | 10.6.2 Empirical Approach for ALT Design | |
| | Refer | ences | . 192 |
| 11 | Relia | bility Growth Process and Data Analysis | |
| | 11.1 | Introduction | |
| | 11.2 | TAF Process | |
| | 11.3 | Reliability Growth Plan Model | |
| | | 11.3.1 Reliability Growth Plan Curve | |
| | | 11.3.2 Duane Model | |
| | 11.4 | Modeling Effectiveness of a Corrective Action | . 197 |
| | | 11.4.1 Type of Failure Modes | |
| | | 11.4.2 Effectiveness of a Corrective Action | . 197 |
| | 11.5 | Reliability Growth Evaluation Models | . 198 |
| | | 11.5.1 Software Reliability Growth Models | |
| | | and Parameter Estimation | . 199 |
| | | 11.5.2 Discrete Reliability Growth Models | |
| | | for Complex Systems | . 202 |
| | | 11.5.3 Continuous Reliability Growth Models | |
| | | for Complex Systems | . 204 |
| | 11.6 | Design Validation Test | . 208 |
| | 11.7 | A Case Study | |
| | | 11.7.1 Data and Preliminary Analysis | |
| | | 11.7.2 Assessment and Prediction of Failure Intensity | |
| | | of Each Mode | . 209 |
| | | 11.7.3 Prediction of Unobserved Failure Modes | |
| | | 11.7.4 Discussion | . 215 |
| | | 11.7.5 Reliability Growth Plan Curve | |
| | Refer | ences | |
| | | | |
| Par | t III | Product Quality and Reliability in Manufacturing Phase | |
| 12 | Prod | uct Quality Variations and Control Strategies | . 221 |
| | 12.1 | Introduction | |
| | 12.2 | Variations of Quality Characteristics and Their Effect | |
| | | on Product Quality and Reliability | . 221 |

xiv Contents

| | | 12.2.1 | Variations of Quality Characteristics | |
|----|-------|----------|---|-----|
| | | | and Variation Sources | 221 |
| | | 12.2.2 | Effect of Unit-to-Unit Variability on Product | |
| | | | Quality and Reliability | 223 |
| | | 12.2.3 | Effect of Operating and Environmental Factors | |
| | | | on Product Reliability | 225 |
| | 12.3 | Reliabil | lity and Design of Production Systems | 226 |
| | | 12.3.1 | Reliability of Production Systems | 226 |
| | | 12.3.2 | Design of Production Systems | 228 |
| | 12.4 | Quality | Control and Improvement Strategies | 228 |
| | | 12.4.1 | Inspection and Testing | 229 |
| | | 12.4.2 | Statistical Process Control | 229 |
| | | 12.4.3 | Quality Control by Optimization | 230 |
| | 12.5 | Quality | Management | 232 |
| | | 12.5.1 | Principles of Quality Management | 232 |
| | | 12.5.2 | Quality Management Strategies | 232 |
| | | 12.5.3 | ISO Quality Management System | 233 |
| | Refer | ences | | 234 |
| | | | | |
| 13 | Qual | ity Cont | rol at Input | 235 |
| | 13.1 | Introdu | ction | 235 |
| | 13.2 | Accepta | ance Sampling for Attribute | 235 |
| | | 13.2.1 | Concepts of Acceptance Sampling | 235 |
| | | 13.2.2 | Acceptance Sampling Plan | 236 |
| | | 13.2.3 | Operating-Characteristic Curve | 236 |
| | | 13.2.4 | Average Outgoing Quality | 237 |
| | | 13.2.5 | Acceptance Sampling Based on Binomial | |
| | | | Distribution | 237 |
| | | 13.2.6 | Acceptance Sampling Based on Hypergeometric | |
| | | | Distribution | 240 |
| | 13.3 | | ance Sampling for a Normally Distributed Variable | 241 |
| | 13.4 | | ance Sampling for Lifetime | 242 |
| | 13.5 | Accept | ance Sampling for Variable Based on the Binomial | |
| | | Distrib | ution | 245 |
| | 13.6 | Supplie | er Selection | 247 |
| | | 13.6.1 | A Mathematical Model for Component Purchasing | |
| | | | Decision | 247 |
| | | 13.6.2 | Supplier Selection Problem Involving Strategic | |
| | | | Partnership with Suppliers | 248 |
| | Refer | ences | | 249 |

Contents xv

| 14 | Statis | tical Pro | cess Control | 251 |
|----|--------|-----------|---|-----|
| | 14.1 | | tion | 251 |
| | 14.2 | Control | Charts for Variable | 251 |
| | | 14.2.1 | Concepts of Control Charts | 251 |
| | | 14.2.2 | Shewhart Mean Control Charts | 252 |
| | | 14.2.3 | Range Chart | 253 |
| | | 14.2.4 | Errors of a Control Chart | 253 |
| | | 14.2.5 | Average Run Length and Average Time to Signal | 254 |
| | 14.3 | Construc | ction and Implementation of the Shewhart | |
| | | Control | Chart | 256 |
| | | 14.3.1 | Construction of Trial Control Chart | 256 |
| | | 14.3.2 | Sampling Strategy | 257 |
| | | 14.3.3 | Nonrandom Patterns on Control Charts | 258 |
| | | 14.3.4 | Warning Limits | 259 |
| | | 14.3.5 | Out-of-Control Action Plan | 259 |
| | 14.4 | Process | Capability Indices and Fraction Nonconforming | 260 |
| | | 14.4.1 | Process Capability Indices | 260 |
| | | 14.4.2 | Fraction Nonconforming | 262 |
| | 14.5 | Multiva | riate Statistical Process Control Methods | 263 |
| | | 14.5.1 | Multivariate Control Charts | 263 |
| | | 14.5.2 | Multivariate Statistical Projection Methods | 263 |
| | 14.6 | Control | Charts for Attribute | 264 |
| | | 14.6.1 | Control Chart for Fraction Nonconforming | 264 |
| | | 14.6.2 | Control Chart for the Number of Defects Per | |
| | | | Inspected Item | 265 |
| | | 14.6.3 | Control Chart for the Average Number | |
| | | | of Defects Per Item | 265 |
| | Refer | ences | | 266 |
| | | | | |
| 15 | Qual | ity Contr | ol at Output | 267 |
| | 15.1 | Introduc | ction | 267 |
| | 15.2 | Optimal | Screening Limit Problem | 267 |
| | | 15.2.1 | Screening Limit Problem | 267 |
| | | 15.2.2 | An Optimization Model | 268 |
| | 15.3 | Screening | ng Tests | 270 |
| | | 15.3.1 | Types of Manufacturing Defects | 270 |
| | | 15.3.2 | Burn-in | 272 |
| | | 15.3.3 | Environmental Stress Screening | 273 |
| | | 15.3.4 | Comparison of ESS and Burn-in | 273 |
| | 15.4 | Optimal | Component-Level Burn-in Duration | 274 |
| | 15.5 | Optimal | System-Level Burn-in Duration | 277 |
| | | 15.5.1 | Reliability Model | 278 |
| | | 15.5.2 | Cost Model | 279 |
| | Refer | ences | | 280 |

xvi Contents

| Par | t IV | Product | Quality and Reliability in Post-manufacturing Phase | |
|-----|------|-----------|---|-----|
| 16 | Prod | luct Warr | ranty | 283 |
| | 16.1 | | tion | 283 |
| | 16.2 | Product | Warranties | 283 |
| | | 16.2.1 | Concepts and Roles of Warranty | 283 |
| | | 16.2.2 | Maintenance-Related Concepts | 284 |
| | 16.3 | Warrant | y Policies | 284 |
| | | 16.3.1 | Classification of Warranty Policies | 284 |
| | | 16.3.2 | Typical Warranty Policies | 285 |
| | | 16.3.3 | Special Policies for Commercial and Industrial | |
| | | | Products | 287 |
| | | 16.3.4 | Reliability Improvement Warranties | 288 |
| | 16.4 | Reliabili | ity Models in Warranty Analysis | 288 |
| | | 16.4.1 | Reliability Characteristics of Renewal Process | 289 |
| | | 16.4.2 | Reliability Characteristics of Minimal Repair | |
| | | | Process | 290 |
| | | 16.4.3 | Imperfect Repair Models for Modeling Effect | |
| | | | of Preventive Maintenance | 290 |
| | | 16.4.4 | Bivariate Reliability Models | 293 |
| | | 16.4.5 | Bi-failure-Mode Models | 294 |
| | 16.5 | Warrant | y Cost Analysis | 294 |
| | | 16.5.1 | Cost Analysis for Non-repairable Product | |
| | | | Under One-Dimensional FRW | 295 |
| | | 16.5.2 | Cost Analysis for Repairable Product Under | |
| | | | One-Dimensional FRW | 296 |
| | | 16.5.3 | Cost Analysis for One-Dimensional PRW Policy | 296 |
| | | 16.5.4 | Cost Analysis for Two-Dimensional FRW Policy | 297 |
| | 16.6 | | Warranty Servicing | 299 |
| | | 16.6.1 | Spare Part Demand Prediction | 299 |
| | | 16.6.2 | Optimal Repair–Replacement Decision | 300 |
| | | 16.6.3 | Field Information Collection and Analysis | 300 |
| | Refe | rences | | 301 |
| 17 | Mai | ntenance | Decision Optimization | 303 |
| | 17.1 | | ction | 303 |
| | 17.2 | Mainten | nance Policy Optimization | 303 |
| | | 17.2.1 | Maintenance Tasks | 304 |
| | | 17.2.2 | Timing of Maintenance Tasks | 307 |
| | | 17.2.3 | Optimization of Maintenance Policies | 308 |

Contents xvii

| 17.3 | Repair- | Replacement Policies | 308 |
|-------|----------|---|-----|
| | 17.3.1 | Repair Cost Limit Policy and Its Optimization | |
| | | Model | 309 |
| | 17.3.2 | Repair Time Limit Policy and Its Optimization | |
| | | Model | 310 |
| | 17.3.3 | Failure Counting Policy with a Reference | |
| | | Age and Its Optimization Model | 311 |
| 17.4 | Time-B | ased Preventive Replacement Policies | 313 |
| | 17.4.1 | Age Replacement Policy and Its Optimization | |
| | | Model | 313 |
| | 17.4.2 | Periodic Replacement Policy with Minimal | |
| | | Repair and Its Optimization Model | 315 |
| | 17.4.3 | Block Replacement Policy and Its Optimization | |
| | | Model | 315 |
| | 17.4.4 | Discussion | 316 |
| 17.5 | Inspecti | ion Policies | 316 |
| | 17.5.1 | Inspection Policy with Perfect Maintenance | |
| | | and Its Optimization Model | 317 |
| | 17.5.2 | Inspection Policy with Minimal Repair | |
| | | and Its Optimization Model | 318 |
| 17.6 | | on-Based Maintenance | 319 |
| 17.7 | System | -Level Preventive Maintenance Policies | 320 |
| | 17.7.1 | Group Preventive Maintenance Policy | 320 |
| | 17.7.2 | Multi-level Preventive Maintenance Program | 322 |
| | 17.7.3 | Opportunistic Maintenance Policy | 322 |
| 17.8 | A Simp | ble Maintenance Float System | 324 |
| Refer | ences | | 326 |