

# Contents

## Introduction — 1

|          |                                                                      |
|----------|----------------------------------------------------------------------|
| <b>1</b> | <b>Preliminaries and basic structural aspects — 7</b>                |
| 1.1      | Affine spaces — 7                                                    |
| 1.1.1    | Basic notations for affine spaces — 7                                |
| 1.1.2    | Volume and orientation — 8                                           |
| 1.1.3    | Dual determinant forms — 8                                           |
| 1.1.4    | Duality and cross-product construction — 9                           |
| 1.1.5    | Affine mappings and transformation groups — 9                        |
| 1.1.6    | Affine invariance and duality — 11                                   |
| 1.1.7    | Directional derivatives — 11                                         |
| 1.1.8    | Frames — 12                                                          |
| 1.2      | Euclidean spaces — 15                                                |
| 1.2.1    | Basic notations for Euclidean spaces — 15                            |
| 1.2.2    | Normed determinant forms — 15                                        |
| 1.2.3    | Different Euclidean structures — 15                                  |
| 1.2.4    | Isometries and orthogonal transformations — 16                       |
| 1.3      | Differential geometric structures of affine and Euclidean space — 16 |
| 1.3.1    | Differential geometric equiaffine structures — 16                    |
| 1.3.2    | Differential geometric Euclidean structures — 18                     |
| 1.3.3    | $\mathbb{R}^{n+1}$ as a standard space — 18                          |
| 1.4      | Klein's Erlangen program — 19                                        |
| 1.5      | Motivation: A short sketch of the Euclidean hypersurface theory — 20 |
| 1.6      | Hypersurfaces in equiaffine space — 24                               |
| 1.6.1    | Definition and notation — 24                                         |
| 1.6.2    | Bundles — 24                                                         |
| 1.7      | Structural motivation for further investigations — 25                |
| 1.8      | Transversal fields and induced structures — 26                       |
| 1.8.1    | Volume form — 26                                                     |
| 1.8.2    | Weingarten structure equation — 26                                   |
| 1.8.3    | Gauß structure equation — 26                                         |
| 1.8.4    | Compatibility of the induced volume form and the connection — 27     |
| 1.8.5    | Relative normal fields — 27                                          |
| 1.9      | Conormal fields and induced structures — 28                          |
| 1.9.1    | Volume form — 28                                                     |
| 1.9.2    | Bilinear form — 28                                                   |
| 1.10     | Relative normalizations — 29                                         |
| 1.11     | Nondegenerate hypersurfaces — 29                                     |
| 1.12     | Gauß structure equations for conormal fields — 30                    |

|          |                                                                          |           |
|----------|--------------------------------------------------------------------------|-----------|
| 1.12.1   | Compatibility of connections and volume forms in the conormal bundle —   | 31        |
| 1.12.2   | Compatibility of bilinear forms and connections; conjugate connections — | 31        |
| 1.12.3   | Cubic form —                                                             | 32        |
| 1.12.4   | Tchebychev form —                                                        | 32        |
| 1.12.5   | Local notation —                                                         | 32        |
| 1.12.6   | Relative Gauß maps —                                                     | 33        |
| 1.13     | Affine invariance of the induced structures —                            | 35        |
| 1.14     | A summary of relative hypersurface theory —                              | 36        |
| 1.14.1   | Structure equations in terms of $\tilde{\nabla}$ —                       | 36        |
| 1.14.2   | Integrability conditions in terms of $\tilde{\nabla}$ —                  | 37        |
| 1.15     | Special relative normalizations —                                        | 38        |
| 1.15.1   | Euclidean normalization as a relative normalization —                    | 38        |
| 1.15.2   | Equiaffine normalization —                                               | 38        |
| 1.15.3   | Centroaffine normalization —                                             | 40        |
| 1.16     | Comparison of relative normalizations —                                  | 41        |
| 1.16.1   | Comparison of corresponding geometric properties —                       | 42        |
| 1.16.2   | Gauge invariance —                                                       | 43        |
| <b>2</b> | <b>Local equiaffine hypersurface theory —</b>                            | <b>45</b> |
| 2.1      | Blaschke–Berwald metric and structure equations —                        | 45        |
| 2.2      | The affine normal and the Fubini–Pick form —                             | 48        |
| 2.2.1    | Affine normal —                                                          | 49        |
| 2.2.2    | Fubini–Pick form —                                                       | 52        |
| 2.2.3    | Affine curvatures —                                                      | 54        |
| 2.2.4    | Geometric meaning of the affine normal —                                 | 56        |
| 2.3      | The equiaffine conormal —                                                | 59        |
| 2.3.1    | Properties of the equiaffine conormal —                                  | 59        |
| 2.3.2    | The affine support function —                                            | 62        |
| 2.4      | Hyperquadrics —                                                          | 63        |
| 2.4.1    | Hyperquadrics —                                                          | 63        |
| 2.4.2    | Hypersurfaces with vanishing Pick invariant —                            | 68        |
| 2.5      | Integrability conditions and the local fundamental theorem —             | 72        |
| 2.5.1    | Relations between the coefficients —                                     | 73        |
| 2.5.2    | Integrability conditions —                                               | 73        |
| 2.5.3    | The fundamental theorem —                                                | 76        |
| 2.6      | Euclidean boundary points of locally convex immersed hypersurfaces —     | 80        |
| 2.7      | Graph immersions —                                                       | 85        |
| 2.7.1    | Graph immersions with equiaffine normalization —                         | 85        |
| 2.7.2    | Graph Immersions with Calabi metric —                                    | 89        |

|          |                                                                                                                |
|----------|----------------------------------------------------------------------------------------------------------------|
| <b>3</b> | <b>Affine hyperspheres — 93</b>                                                                                |
| 3.1      | Definitions and basic results for affine hyperspheres — 95                                                     |
| 3.1.1    | Definition of affine hyperspheres — 95                                                                         |
| 3.1.2    | Differential equations for affine hyperspheres — 96                                                            |
| 3.1.3    | Calabi compositions — 100                                                                                      |
| 3.2      | Affine hyperspheres with constant sectional curvature — 104                                                    |
| 3.2.1    | Examples — 104                                                                                                 |
| 3.2.2    | Local classification of two-dimensional affine spheres with constant scalar curvature — 107                    |
| 3.2.3    | Generalization to higher dimensions — 109                                                                      |
| 3.3      | Affine hypersurfaces with parallel Fubini–Pick form — 116                                                      |
| 3.3.1    | Implications from a parallel Fubini–Pick form — 116                                                            |
| 3.3.2    | Classification of affine hypersurfaces with parallel Fubini–Pick form — 117                                    |
| 3.4      | Affine completeness, Euclidean completeness, and Calabi completeness — 131                                     |
| 3.4.1    | Euclidean completeness and affine completeness — 131                                                           |
| 3.4.2    | The equivalence between Calabi metrics and Euclidean metrics — 137                                             |
| 3.4.3    | Remarks — 143                                                                                                  |
| 3.5      | Affine complete elliptic affine hyperspheres — 144                                                             |
| 3.6      | A differential inequality on a complete Riemannian manifold — 147                                              |
| 3.7      | Estimates of the Ricci curvatures of affine complete affine hyperspheres of parabolic or hyperbolic type — 151 |
| 3.8      | Qualitative classification of complete hyperbolic affine hyperspheres — 154                                    |
| 3.8.1    | Euclidean complete hyperbolic affine hyperspheres — 155                                                        |
| 3.8.2    | Affine complete hyperbolic affine hyperspheres — 159                                                           |
| 3.8.3    | Proof of the second part of the Calabi conjecture — 166                                                        |
| 3.9      | Complete hyperbolic affine 2-spheres — 172                                                                     |
| 3.9.1    | A splitting of the Levi–Civita operator — 173                                                                  |
| <b>4</b> | <b>Rigidity and uniqueness theorems — 181</b>                                                                  |
| 4.1      | Integral formulas for affine hypersurfaces and their applications — 181                                        |
| 4.1.1    | Minkowski-type integral formulas for affine hypersurfaces — 182                                                |
| 4.1.2    | Characterization of ellipsoids — 183                                                                           |
| 4.1.3    | Some further characterizations of ellipsoids — 186                                                             |
| 4.1.4    | Global solutions of a differential equation of Schrödinger type — 190                                          |
| 4.1.5    | Rigidity theorems for ovaloids — 191                                                                           |
| 4.1.6    | Hypersurfaces with boundary — 194                                                                              |
| 4.2      | The index method — 201                                                                                         |
| 4.2.1    | Fields of line elements and nets — 201                                                                         |

|          |                                                                                                         |            |
|----------|---------------------------------------------------------------------------------------------------------|------------|
| 4.2.2    | Vekua's system of partial differential equations —                                                      | 206        |
| 4.2.3    | Affine Weingarten surfaces —                                                                            | 207        |
| 4.2.4    | An affine analogue of the Cohn–Vossen theorem —                                                         | 214        |
| <b>5</b> | <b>Variational problems and affine maximal surfaces —</b>                                               | <b>217</b> |
| 5.1      | Variational formulas for higher affine mean curvatures —                                                | 218        |
| 5.2      | Affine maximal hypersurfaces —                                                                          | 223        |
| 5.2.1    | Definitions and fundamental results —                                                                   | 223        |
| 5.2.2    | An affine analogue of the Weierstraß representation —                                                   | 226        |
| 5.2.3    | Construction of affine maximal surfaces —                                                               | 227        |
| 5.2.4    | Construction of improper (parabolic) affine spheres —                                                   | 229        |
| 5.2.5    | Affine Bernstein problems —                                                                             | 231        |
| 5.3      | Differential inequalities for $\Delta^{(B)}J$ , $\Delta^{(B)}\Phi$ , and $\Delta^{(C)}\Phi$ —           | 232        |
| 5.3.1    | Notations from E. Calabi —                                                                              | 232        |
| 5.3.2    | Computation of $\Delta^{(B)}J$ —                                                                        | 234        |
| 5.3.3    | Computation of $\Delta^{(B)}(\ \hat{B}\ ^2)$ —                                                          | 235        |
| 5.3.4    | Estimations of $\Delta^{(C)}\Phi$ and $\Delta^{(B)}\Phi$ —                                              | 236        |
| 5.4      | Proof of Calabi's conjecture in dimension 2 —                                                           | 240        |
| 5.5      | Chern's affine Bernstein conjecture —                                                                   | 246        |
| 5.5.1    | Some tools from p.d.e. theory —                                                                         | 246        |
| 5.5.2    | A partial result on Chern's conjecture in arbitrary dimensions —                                        | 248        |
| 5.5.3    | Proof of Chern's conjecture in dimension 2 —                                                            | 250        |
| 5.5.4    | Estimates for the determinant of the Hessian —                                                          | 252        |
| 5.5.5    | First proof of Lemma 5.29 —                                                                             | 257        |
| 5.6      | An analytic proof of Chern's conjecture in dimension 2 —                                                | 259        |
| 5.6.1    | Technical estimates —                                                                                   | 259        |
| 5.6.2    | Estimates for $\sum f_{ii}$ —                                                                           | 263        |
| 5.6.3    | Estimates for the third order derivatives —                                                             | 266        |
| 5.6.4    | Second proof of Lemma 5.29 —                                                                            | 271        |
| 5.7      | An affine Bernstein problem with respect to the Calabi metric —                                         | 272        |
| <b>6</b> | <b>Hypersurfaces with constant affine Gauß–Kronecker curvature —</b>                                    | <b>277</b> |
| 6.1      | The affine Gauß–Kronecker curvature —                                                                   | 277        |
| 6.1.1    | Motivation —                                                                                            | 277        |
| 6.1.2    | Main results —                                                                                          | 278        |
| 6.2      | Splitting of the fourth order PDE $S_n = \text{const}$ into two (second order) Monge–Ampère equations — | 280        |
| 6.3      | Construction of Euclidean complete hypersurfaces with constant affine G-K curvature —                   | 282        |
| 6.4      | Completeness with respect to the Blaschke metric —                                                      | 290        |

|          |                                                               |
|----------|---------------------------------------------------------------|
| <b>7</b> | <b>Geometric inequalities — 303</b>                           |
| 7.1      | The affine isoperimetric inequality — 303                     |
| 7.1.1    | Steiner symmetrization — 303                                  |
| 7.1.2    | A characterization of ellipsoids — 306                        |
| 7.1.3    | The affine isoperimetric inequality — 308                     |
| 7.2      | Inequalities for higher affine mean curvatures — 310          |
| 7.2.1    | Mixed volumes — 310                                           |
| 7.2.2    | Integral inequalities for curvature functions — 312           |
| 7.2.3    | Total centroaffine area — 314                                 |
| <b>A</b> | <b>Basic concepts from differential geometry — 317</b>        |
| A.1      | Tensors and exterior algebra — 317                            |
| A.1.1    | Tensors — 317                                                 |
| A.1.2    | Exterior algebra — 319                                        |
| A.2      | Differentiable manifolds — 321                                |
| A.2.1    | Differentiable manifolds and submanifolds — 321               |
| A.2.2    | Tensor fields on manifolds — 324                              |
| A.2.3    | Integration on manifolds — 326                                |
| A.3      | Affine connections and Riemannian geometry: Basic facts — 328 |
| A.3.1    | Affine connections — 328                                      |
| A.3.2    | Riemann manifolds — 332                                       |
| A.3.3    | Manifolds of constant curvature, Einstein manifolds — 335     |
| A.3.4    | Examples — 336                                                |
| A.3.5    | Exponential mapping and completeness — 336                    |
| A.4      | Green's formula — 338                                         |
| <b>B</b> | <b>Laplacian comparison theorem — 341</b>                     |
|          | <b>Bibliography — 345</b>                                     |
|          | <b>Index — 362</b>                                            |