

Contents

Preface *IX*

General Remarks *XI*

1	Medicinal Gases – Manufacturing	1
1.1	Where Do the Gases Come from?	1
1.1.1	Gases Obtained from Air: Oxygen, Nitrogen, Argon, Xenon	1
1.1.1.1	Oxygen	6
1.1.1.2	Nitrogen	8
1.1.1.3	Argon	9
1.1.1.4	Xenon	9
1.1.2	Gases Separated from Other Sources: Helium, Carbon Monoxide, Methane	11
1.1.2.1	Helium	11
1.1.2.2	Carbon Monoxide	15
1.1.2.3	Methane	17
1.1.3	Gases from Chemical Synthesis: Carbon Dioxide, Nitric Oxide, Nitrous Oxide	17
1.1.3.1	Carbon Dioxide	17
1.1.3.2	Nitric Oxide	18
1.1.3.3	Nitrous Oxide	19
1.1.4	Gas Mixtures for Inhalation	20
1.1.4.1	Reconstituted (Synthetic) Air	21
1.1.4.2	Compressed Medical Air	22
1.1.4.3	Nitrous Oxide 50 vol% in Oxygen	22
1.1.4.4	Nitric Oxide Approximately 1000 ppm in Nitrogen	22
1.1.4.5	Mixtures with the General Composition Carbon Monoxide, Helium in Synthetic Air (Carbon Monoxide Ranging between 0.2 and 0.3 vol%, Helium between 8 and 18 vol%)	22
1.1.4.6	Carbogen (5 vol% Carbon Dioxide in Oxygen)	22
1.1.5	Gas Mixtures for Reference – Calibration Gas Mixtures	23

2	Pressure Vessels and Their Accessories	27
2.1	Transportable Pressure Receptacles: Pressure Cylinders	29
2.1.1	Seamless Steel Cylinders	30
2.1.2	Seamless Aluminum Cylinders	31
2.1.2.1	Specifics of Aluminum Cylinders	33
2.1.3	Welded Steel Vessels	34
2.1.4	Lightweight Wrapped Steel or Aluminum Cylinders	34
2.1.5	Pharmaceutical View on Cylinders as Containment for Drugs	36
2.1.5.1	European Pharmacopoeia View on Cylinders as Containment for Drugs	37
2.1.5.2	Inner and Outer Surfaces of Cylinders	37
2.1.6	Accessories for Cylinders: Valves	39
2.1.6.1	Accessories for Valves: Gaskets	42
2.1.6.2	Valves with Integrated Residual Pressure/Nonreturn Cartridge (NRV/PRV)	43
2.1.6.3	Integrated Valves	44
2.2	Non-transportable Pressure Receptacles: Stationary (Pressure) Tanks for Cryogenic Liquids	46
2.2.1	Safety Measures on Stationary Tanks	47
2.2.2	European Pharmacopoeia View on Cryo-Tanks as Containment for Drugs	48
2.2.3	Inner and Outer Surfaces of Cryo-Tanks	49
2.2.4	Accessories for Cryo-Containers	50
2.2.5	Choice of the Good Location for Tanks	52
2.3	Medicinal Gas Pipeline Systems (MGPS)	53
2.3.1	Elements of a Medical Gas Pipeline System (MGPS)	56
2.3.1.1	Gas Terminal Units (Wall Sockets)	57
2.3.2	Tests and Checks before Going Onstream	60
2.3.3	Operation of a Central Medical Supply System	60
2.3.4	Maintenance and Service, Pharmaceutical View	62
3	Analytical Methods for Gases (as Described in Ph. Eur.)	65
3.1	Sampling	65
3.1.1	Permanent Gases	65
3.1.2	Gases Liquefied under Pressure	66
3.1.3	Cryogenic Gases	69
3.2	Gas Analytical Methods	71
3.2.1	Infrared (IR-) Spectrometry	73
3.2.1.1	Calibration	74
3.2.2	Gas Chromatography (Lit)	76
3.2.2.1	Calibration	80
3.2.3	Chemiluminescence	80
3.2.3.1	Calibration	81
3.2.4	Paramagnetic Measurement	82
3.2.4.1	Calibration	82

3.2.5	Moisture Measurement	83
3.2.5.1	Calibration	85
3.2.6	Fluorescence Analysis	85
3.2.6.1	Calibration	86
3.2.7	Test Tubes	86
4	Monographs for Gases in the European and National Pharmacopoeias	91
4.1	European Pharmacopoeia Specifications	91
4.1.1	General Composition of Monographs	91
4.1.2	Use of Monographs in the Industry	93
4.1.3	Other Descriptions from the Ph. Eur.	96
5	Production of Medical Gases —Special Handling to Comply with GMP Rulings	99
5.1	History – Gases Becoming Medicinal Products	99
5.2	Classification of Gases or Gas Mixtures as Medicinal Products	102
5.2.1	Conclusion	105
5.3	Basic Requirements (Volume 4, Part I) ([79] – GMP-Guidelines)	107
5.3.1	Pharmaceutical Quality System (PQS) and ICH Q10	107
5.3.2	Personnel	109
5.3.3	Premises and Equipment	110
5.3.3.1	Annex 6	112
5.3.4	Documentation	112
5.3.5	Production	117
5.3.5.1	Annex 6	118
5.3.6	Quality Control	119
5.3.6.1	Annex 6	121
5.3.7	Outsourced Activities	121
5.3.8	Complaints and Product Recall	122
5.3.9	Self-Inspection	124
5.4	Basic Requirements for Active Substances Used as Starting Materials (Part II of the GMP-Guide)	124
5.4.1	Annex 6	126
5.5	GMP-Related Documents (Part III of the GMP Guide)	126
5.5.1	Site Master File (SMF)	126
5.5.2	ICH-Q9 Quality Risk Management	128
5.5.3	Q10 Note for Guidance: PQS	128
5.5.4	MRA Batch Certificate	128
5.5.5	Written Confirmation	129

6	Requirements of the New Good Distribution Practice (GDP)	131
6.1	Gas in Packages – No Difference from Other Medicinal Products	131
6.1.1	GDP – Targets and Tools	131
6.1.1.1	GDP – Quality Management	132
6.1.1.2	GDP – Personnel	133
6.1.1.3	GDP – Premises and Equipment	133
6.1.1.4	GDP – Documentation	133
6.1.1.5	GDP – Operations	135
6.1.1.6	GDP – Complaints, Returns, Suspected Falsified Medicinal Products, and Medicinal Product Recalls	135
6.1.1.7	GDP – Outsourced Activities	136
6.1.1.8	GDP – Self-Inspections	136
6.1.1.9	GDP – Transportation	136
6.1.1.10	GDP – Specific Provisions for Brokers	136
6.1.1.11	GDP – Conclusions	136
7	Safe Handling of Gases	139
7.1	Safe Handling of Gases	139
7.1.1	Hazards and Risks	139
7.1.2	Safety and the Pressure Container	142
7.1.3	Main Technical Risks	142
7.1.3.1	Storage	142
7.1.3.2	Transport	143
7.1.3.3	Application	144
7.1.4	Pharmaceutical Safety	144
7.2	Safety and Pressure	147
7.3	The Compound's Chemical Properties	148
7.4	Cryogenic Liquids: Low Temperature and Vast Development of Gas	151
7.5	Gases Tapped from Piping Systems: Cross-Contamination and Contamination by Insufficient Handling, Memory Effects	154
	References	157
	Abbreviations	163
	Index	165