

Contents

| | | |
|----------|--|-----------|
| 1 | Introduction | 1 |
| 1.1 | Micro-/Nanohierarchical Structures in Nature | 2 |
| 1.2 | Artificial Micro-/Nanohierarchical Structures | 3 |
| 1.2.1 | The Progress of Bottom-Up Method | 3 |
| 1.2.2 | The Progress of Top-Down Method | 6 |
| 1.3 | The Development Progress of Microenergy Field | 10 |
| 1.3.1 | Microenergy Technology | 10 |
| 1.3.2 | Nanogenerator | 12 |
| 1.3.3 | Triboelectric Nanogenerator | 13 |
| 1.4 | Research Purpose and Content | 15 |
| 1.4.1 | Research Purpose | 15 |
| 1.4.2 | Research Content | 16 |
| | References | 18 |
| 2 | Micro-/Nanointegrated Fabrication Technique for Silicon | 23 |
| 2.1 | Nanoforest Fabrication Based on an Improved DRIE Process | 23 |
| 2.1.1 | Deep Reactive-Ion Etching (DRIE) Process | 23 |
| 2.1.2 | Nanostructuring by an Improved DRIE Process | 26 |
| 2.1.3 | Mechanism of Controllable Formation of Nanostructures | 27 |
| 2.2 | Fabrication of Si-based Micro-/NanoHierarchical Structures | 30 |
| 2.2.1 | Structural Design | 30 |
| 2.2.2 | Fabrication Process | 31 |
| 2.2.3 | Characterization and Analysis of Micro-/NanoHierarchical Structures | 33 |
| 2.3 | Interaction of Multiscale Structures Based on Silicon | 35 |
| 2.4 | Properties of Si-Based Micro-/NanoHierarchical Structures | 38 |
| 2.4.1 | Anti-reflective Property | 39 |
| 2.4.2 | Super-hydrophobic Property | 41 |
| 2.5 | Conclusions | 46 |
| | References | 47 |

| | | |
|----------|--|-----------|
| 3 | Micro-/Nanointegrated Fabrication Technique for Flexible Materials . . . | 49 |
| 3.1 | Replication Process and Surface-Energy Control | 50 |
| 3.1.1 | Replication Process Based on Silicon Mold | 50 |
| 3.1.2 | Controllable Fabrication of Ultra-Low-Surface-Energy Silicon Mold. | 51 |
| 3.2 | Micro-/Nanohierarchical Structures Based on PDMS | 52 |
| 3.2.1 | Brief Introduction of PDMS. | 52 |
| 3.2.2 | Single-Step Fabrication of Micro-/Nanohierarchical Structures on PDMS. | 54 |
| 3.2.3 | Key Factors of Single-Step Replication Process | 56 |
| 3.2.4 | Effect of Process Parameters on Surface Properties of PDMS. | 57 |
| 3.3 | Micro-/Nanohierarchical Structures Based on Parylene-C | 61 |
| 3.3.1 | Fabrication and Method | 62 |
| 3.3.2 | The Properties of Fabricated MNHS Parylene-C Films. | 65 |
| 3.4 | The Interaction of Multiscale Structures on Flexible Materials. | 67 |
| 3.5 | The Surface Modification Based on Post-DRIE Process | 69 |
| 3.5.1 | Fluorocarbon Plasma Treatment Based on Post-DRIE Process | 69 |
| 3.5.2 | The Mechanism of Enhancing Hydrophobicity by Using Post-DRIE Process | 70 |
| 3.6 | Conclusions | 72 |
| | References | 73 |
| 4 | Flexible Triboelectric Nanogenerators: Principle and Fabrication . . . | 75 |
| 4.1 | Working Principle of TENG. | 76 |
| 4.2 | Design of Flexible Sandwich-Shaped TENG. | 80 |
| 4.2.1 | Structural Geometry and Surface Profile | 80 |
| 4.2.2 | Theoretical Analysis. | 81 |
| 4.2.3 | Finite Element Simulation | 83 |
| 4.3 | Fabrication of the Sandwich-Shaped TENG | 84 |
| 4.4 | Electric Properties Test and Analysis of the Sandwich-Shaped TENG | 85 |
| 4.4.1 | Test System and Brief Results | 85 |
| 4.4.2 | Frequency Effect of External Force on TENG. | 87 |
| 4.4.3 | Structural Effect on TENG. | 89 |
| 4.4.4 | Powering Ability for Practical Applications. | 90 |
| 4.5 | Conclusions | 90 |
| | References | 91 |
| 5 | Flexible Triboelectric Nanogenerators: Enhancement and Applications | 93 |
| 5.1 | Enhancement of TENG Based on Single-Step Fluorocarbon Plasma Treatment. | 93 |
| 5.1.1 | Structural Design and Fabrication | 94 |
| 5.1.2 | Triboelectric Mechanism Analysis Based on DFT Calculations | 95 |

| | | |
|----------|---|------------|
| 5.1.3 | Effect of Fluorocarbon Plasma Treatment on Output Performance of TENG | 98 |
| 5.1.4 | Reliability of Fluorocarbon Plasma Treatment for Enhancing TENG | 99 |
| 5.1.5 | The Performance Enhancement Analysis. | 101 |
| 5.2 | Enhancement of TENG Based on Hierarchical Structures | 103 |
| 5.2.1 | Enhancement of TENG Based on Micro-/Nanohierarchical Structures. | 103 |
| 5.2.2 | Enhancement of TENG Based on Hybrid Mechanisms. | 105 |
| 5.3 | Applications of TENG for Biomedical Microsystems. | 108 |
| 5.3.1 | Application of TENG for Driving Neural Prosthesis In Vitro | 108 |
| 5.3.2 | Application of TENG for Driving Neural Prosthesis In Vivo | 110 |
| 5.4 | Applications of TENG in the Other Fields. | 113 |
| 5.4.1 | Self-Powered Humidity Monitoring Sensor. | 113 |
| 5.4.2 | Application for Portable Electronics | 114 |
| 5.5 | Conclusions | 115 |
| | References | 116 |
| 6 | Summary and Perspectives | 119 |
| 6.1 | Summary | 119 |
| 6.2 | Main Contribution | 120 |
| 6.3 | Perspectives | 121 |
| | Reference. | 122 |