

# Contents

|                                                                                       |           |
|---------------------------------------------------------------------------------------|-----------|
| <b>Foreword</b>                                                                       | <b>I</b>  |
| <b>I. Preorganized Anion Receptors Exhibiting Anion-<math>\pi</math> Interactions</b> | <b>1</b>  |
| <b>1. Anion Reception</b>                                                             | <b>3</b>  |
| <b>2. Interactions between Anions and Arenes</b>                                      | <b>5</b>  |
| 2.1. Evolution of the 'Anion- $\pi$ ' Concept . . . . .                               | 5         |
| 2.2. Theoretical and Experimental Investigations . . . . .                            | 7         |
| 2.2.1. Assessment of Anion- $\pi$ Interactions . . . . .                              | 7         |
| 2.2.2. Anion:Arene Adducts . . . . .                                                  | 10        |
| 2.3. Experimental Evidence of Anion- $\pi$ Interactions . . . . .                     | 12        |
| <b>3. Objective</b>                                                                   | <b>21</b> |
| <b>4. The Receptors</b>                                                               | <b>23</b> |
| 4.1. Synthesis of Isoindoline-based Receptors . . . . .                               | 23        |
| 4.2. Synthesis of Carbazole-based Receptors . . . . .                                 | 25        |
| 4.3. First Investigations . . . . .                                                   | 27        |
| 4.3.1. Solution Studies . . . . .                                                     | 27        |
| 4.3.2. Molecular Structure Evaluation . . . . .                                       | 29        |
| <b>5. Evaluation of Anion-<math>\pi</math> Interactions</b>                           | <b>33</b> |
| 5.1. Anion Reception Ability . . . . .                                                | 33        |
| 5.2. Crystal Structure Analysis . . . . .                                             | 36        |
| 5.3. Calculations . . . . .                                                           | 39        |

|                                                                                                                                            |               |
|--------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 5.4. Determination of the Stability Constants . . . . .                                                                                    | 44            |
| 5.4.1. Theoretical Background . . . . .                                                                                                    | 45            |
| 5.4.2. Experimental Results . . . . .                                                                                                      | 47            |
| 5.4.3. Analysis with Linear and Non-linear Regression Methods . . . . .                                                                    | 51            |
| <b>6. Conclusion and Perspectives</b>                                                                                                      | <b>61</b>     |
| <br><b>II. Binuclear Copper and Nickel Complexes of Non-Innocent<br/>Pyrazolate-Based Ligands – An Electronic and Reactivity<br/>Study</b> | <br><b>65</b> |
| <b>7. Introduction</b>                                                                                                                     | <b>67</b>     |
| 7.1. Galactose Oxidase . . . . .                                                                                                           | 68            |
| 7.2. Model Complexes for Galactose Oxidase . . . . .                                                                                       | 70            |
| 7.2.1. Applied Ligands and their Copper Complexes . . . . .                                                                                | 71            |
| 7.2.2. Spectroscopic Analysis . . . . .                                                                                                    | 72            |
| 7.3. Metal-Phenoxyl Radical Complexes . . . . .                                                                                            | 74            |
| 7.3.1. Complexes with TACN-based Ligands . . . . .                                                                                         | 76            |
| 7.3.2. Complexes of a Tripodal Ligand . . . . .                                                                                            | 77            |
| 7.3.3. Complexes of Salen-derived Ligands . . . . .                                                                                        | 77            |
| 7.3.4. Valence Tautomerism . . . . .                                                                                                       | 78            |
| 7.4. Nature's other Concept: Dinuclear Complexes . . . . .                                                                                 | 80            |
| <b>8. Objective</b>                                                                                                                        | <b>83</b>     |
| <b>9. Parent Complexes – Structural and Spectroscopic Analysis</b>                                                                         | <b>85</b>     |
| 9.1. Synthetic Routes . . . . .                                                                                                            | 85            |
| 9.1.1. Ligands . . . . .                                                                                                                   | 85            |
| 9.1.2. Bridges . . . . .                                                                                                                   | 85            |
| 9.1.3. Complexes . . . . .                                                                                                                 | 87            |
| 9.2. Crystallographic Analysis . . . . .                                                                                                   | 89            |
| 9.2.1. Pyrazolate-bridged Complexes $L^1M_2(X-pz)$ . . . . .                                                                               | 89            |
| 9.2.2. Pyrazolate-bridged Complexes $L^2M_2(H-pz)$ . . . . .                                                                               | 93            |
| 9.2.3. Acetate-bridged Complexes $L^1M_2(OAc)$ . . . . .                                                                                   | 94            |

|                                                                            |            |
|----------------------------------------------------------------------------|------------|
| 9.2.4. Palladium Complex ( $L^1Pd_2(X)$ ) . . . . .                        | 96         |
| 9.3. Spectroscopic and Magnetic Studies . . . . .                          | 97         |
| 9.3.1. Mass Spectrometry . . . . .                                         | 97         |
| 9.3.2. NMR Measurements . . . . .                                          | 100        |
| 9.3.3. UV-vis Spectroscopy . . . . .                                       | 103        |
| 9.3.4. Magnetic Properties . . . . .                                       | 105        |
| 9.4. Influence of Additional Pyridine on Complex $L^1Ni_2(H-pz)$ . . . . . | 113        |
| <b>10. Oxidation Chemistry</b> . . . . .                                   | <b>119</b> |
| 10.1. Determination of Redox Potentials . . . . .                          | 119        |
| 10.1.1. Pyrazolate-bridged Nickel Complexes $L^1Ni_2(X-pz)$ . . . . .      | 120        |
| 10.1.2. Pyrazolate-bridged Copper Complexes $L^1Cu_2(X-pz)$ . . . . .      | 122        |
| 10.1.3. Palladium Complex $L^1Pd_2(Cl)$ . . . . .                          | 124        |
| 10.1.4. Pyrazolate-bridged Complexes $L^2M_2(H-pz)$ . . . . .              | 125        |
| 10.1.5. Addition of Pyridine . . . . .                                     | 126        |
| 10.1.6. Summary . . . . .                                                  | 127        |
| 10.2. Experimental Methods to Accomplish Bulk Oxidation . . . . .          | 128        |
| 10.3. Pyrazolate-bridged Nickel Complexes $L^1Ni_2(X-pz)$ . . . . .        | 130        |
| 10.3.1. Spectroelectrochemistry . . . . .                                  | 130        |
| 10.3.2. Bulk Oxidation . . . . .                                           | 136        |
| 10.3.3. Further Measurements . . . . .                                     | 139        |
| 10.3.4. Chemical Oxidation . . . . .                                       | 143        |
| 10.3.5. Calculations . . . . .                                             | 151        |
| 10.3.6. Discussion . . . . .                                               | 154        |
| 10.4. Addition of Pyridine to the Complex $L^1Ni_2(H-pz)$ . . . . .        | 159        |
| 10.4.1. UV-vis Measurements . . . . .                                      | 159        |
| 10.4.2. EPR Experiments . . . . .                                          | 160        |
| 10.4.3. Calculations . . . . .                                             | 163        |
| 10.4.4. Simulation of the $S = 3/2$ EPR signal . . . . .                   | 164        |
| 10.4.5. Discussion . . . . .                                               | 168        |
| 10.5. Pyrazolate-bridged Copper Complexes with Ligand $H_3L^1$ . . . . .   | 169        |
| 10.5.1. Spectroelectrochemistry . . . . .                                  | 169        |
| 10.5.2. Bulk Electrolysis . . . . .                                        | 171        |
| 10.5.3. Chemical Oxidation . . . . .                                       | 174        |

|                                                                                                      |            |
|------------------------------------------------------------------------------------------------------|------------|
| 10.5.4. Discussion . . . . .                                                                         | 177        |
| 10.6. Acetate-bridged Nickel Complexes with Ligand $\text{H}_3\text{L}^1$ . . . . .                  | 179        |
| 10.6.1. Previous Results . . . . .                                                                   | 179        |
| 10.6.2. Electrochemical Oxidation . . . . .                                                          | 179        |
| 10.6.3. Chemical Oxidation . . . . .                                                                 | 183        |
| 10.7. Pyrazolate-bridged Palladium Complex with Ligand $\text{H}_3\text{L}^1$ . . . . .              | 183        |
| 10.8. Pyrazolate-bridged Complexes with Ligand $\text{H}_3\text{L}^2$ . . . . .                      | 185        |
| <b>11. Preliminary Catalytic Studies</b>                                                             | <b>189</b> |
| <b>12. Conclusion</b>                                                                                | <b>195</b> |
| 12.1. Palladium Complexes of Ligand $\text{H}_3\text{L}^1$ . . . . .                                 | 195        |
| 12.2. Nickel Complexes . . . . .                                                                     | 196        |
| 12.2.1. Pyrazolate-bridged Nickel Complex with Ligand $\text{H}_3\text{L}^1$ . . . . .               | 196        |
| 12.2.2. Pyridine-coordinated Adduct $[\text{L}^1\text{Ni}_2(\text{H-pz})\cdot 4\text{py}]$ . . . . . | 198        |
| 12.2.3. Acetate-bridged Nickel Complex with Ligand $\text{H}_3\text{L}^1$ . . . . .                  | 198        |
| 12.2.4. Pyrazolate-bridged Nickel Complex of Ligand $\text{H}_3\text{L}^2$ . . . . .                 | 198        |
| 12.3. Copper Complexes . . . . .                                                                     | 199        |
| 12.4. Outlook . . . . .                                                                              | 200        |
| <b>III. Experimental Section</b>                                                                     | <b>201</b> |
| <b>13. General Methods</b>                                                                           | <b>203</b> |
| 13.1. Materials and Methods . . . . .                                                                | 203        |
| 13.2. Measurements and Instruments . . . . .                                                         | 203        |
| 13.3. Calculations . . . . .                                                                         | 206        |
| <b>14. Synthesis</b>                                                                                 | <b>209</b> |
| 14.1. Synthesis of Anion Receptors . . . . .                                                         | 209        |
| 14.1.1. 1,3-Bis(pentafluorophenylimino)isoindoline . . . . .                                         | 209        |
| 14.1.2. 1,3-Bis(2-pyrimidylimino)isoindoline ( $\text{I}^{\text{N}}$ ) . . . . .                     | 210        |
| 14.1.3. 3,6-Di- <i>tert</i> -butyl-9 <i>H</i> -carbazole (4) . . . . .                               | 210        |
| 14.1.4. 1,8-Dibromo-3,6-di- <i>tert</i> -butyl-9 <i>H</i> -carbazole (5) . . . . .                   | 211        |

|                                                                                                                                      |            |
|--------------------------------------------------------------------------------------------------------------------------------------|------------|
| 14.1.5. 3,6-Di- <i>tert</i> -butyl-1,8-bis(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-9 <i>H</i> -carbazole ( <b>6</b> ) . . . . . | 212        |
| 14.1.6. 3,6-Di- <i>tert</i> -butyl-1,8-bis(perfluorophenyl)-9 <i>H</i> -carbazole ( <b>C<sup>F</sup></b> ) . . . . .                 | 213        |
| 14.1.7. 3,6-Di- <i>tert</i> -butyl-1,8-diphenyl-9 <i>H</i> -carbazole ( <b>C<sup>H</sup></b> ) . . . . .                             | 214        |
| 14.2. Synthesis of Non-Innocent Ligands . . . . .                                                                                    | 215        |
| 14.2.1. 3,5-Bis[(2,4-di- <i>tert</i> -butylsalicylaldimino)methyl]pyrazole ( <b>H<sub>3</sub>L<sup>1</sup></b> ) . . . . .           | 215        |
| 14.2.2. 3,5-Bis[(4,6-di- <i>tert</i> -butylsalicylamino)methyl]pyrazole ( <b>H<sub>3</sub>L<sup>2</sup></b> ) . . . . .              | 215        |
| 14.2.3. 4-Bromopyrazole ( <b>Br-pzH</b> ) . . . . .                                                                                  | 216        |
| 14.3. Synthesis of Dinuclear Complexes . . . . .                                                                                     | 217        |
| 14.3.1. General Route towards Pyrazolate-bridged Complexes . . . . .                                                                 | 217        |
| 14.3.2. Analytic Data . . . . .                                                                                                      | 217        |
| <b>IV. Appendix</b>                                                                                                                  | <b>221</b> |
| <b>A. Anion Receptors</b>                                                                                                            | <b>223</b> |
| A.1. NMR spectra of <b>I<sup>F</sup></b> . . . . .                                                                                   | 223        |
| A.2. NMR spectra of <b>I<sup>N</sup></b> . . . . .                                                                                   | 227        |
| A.3. NMR spectra of <b>C<sup>F</sup></b> . . . . .                                                                                   | 228        |
| A.4. NMR spectra of <b>C<sup>H</sup></b> . . . . .                                                                                   | 236        |
| A.5. Derivation of all Formulas . . . . .                                                                                            | 239        |
| A.5.1. General Binding Isotherm for a 1:1 Binding System . . . . .                                                                   | 239        |
| A.5.2. Formula for the Non-linear Regression . . . . .                                                                               | 240        |
| <b>B. Nickel and Copper Complexes</b>                                                                                                | <b>243</b> |
| B.1. NMR Measurements . . . . .                                                                                                      | 243        |
| B.2. Cyclic Voltammetry . . . . .                                                                                                    | 244        |
| B.3. UV-vis Data . . . . .                                                                                                           | 245        |
| B.3.1. Temperature-dependent Measurements of <b>[L<sup>1</sup>Ni<sub>2</sub>(H-pz)·xpy]</b> . . . . .                                | 245        |
| B.3.2. Fitted UV-vis Spectra of oxidised <b>[L<sup>1</sup>Ni<sub>2</sub>(H-pz)]<sup>ox</sup></b> . . . . .                           | 246        |
| B.3.3. Fitted UV-vis Spectra of oxidised <b>[L<sup>2</sup>Ni<sub>2</sub>(H-pz)]<sup>ox</sup></b> . . . . .                           | 248        |
| B.4. EPR Measurements . . . . .                                                                                                      | 249        |
| B.4.1. EPR Spectra of Complex <b>[L<sup>1</sup>Ni<sub>2</sub>(Me-pz)]<sup>ox</sup></b> . . . . .                                     | 249        |
| B.4.2. EPR Spectra of Complex <b>[L<sup>1</sup>Ni<sub>2</sub>(H-pz)]<sup>ox</sup></b> . . . . .                                      | 251        |

---

|                                                                                                      |            |
|------------------------------------------------------------------------------------------------------|------------|
| B.4.3. EPR Spectra of Complex $[\text{L}^1\text{Ni}_2(\text{Br-pz})]^{\text{ox}}$ . . . . .          | 254        |
| B.4.4. EPR Spectra of Complex $[\text{L}^1\text{Ni}_2(\text{NO}_2\text{-pz})]^{\text{ox}}$ . . . . . | 256        |
| B.5. Computational Results . . . . .                                                                 | 257        |
| <b>C. Crystallographic Appendix</b>                                                                  | <b>259</b> |
| <b>D. Bibliography</b>                                                                               | <b>265</b> |
| <b>Abbreviations</b>                                                                                 | <b>279</b> |
| <b>List of Scientific Contributions</b>                                                              | <b>281</b> |