

Contents

Introduction	1
Paramagnetic Susceptibility Data Transition Metals	
Part I Titanium Ti	11
Magnetic properties of mixed ligand bent-sandwich titanium(III) complex	13
Magnetic properties of bis(phenyltetramethylcyclopentadienyl) titanium(III) hydride	15
Magnetic properties of dinuclear bridging oxo derivative of titanium(III)	16
Magnetic properties of ammonium di- μ -oxalatotitanate(III) dihydrate	19
Magnetic properties of trichlorotitanium(III) complex containing methanol	20
Magnetic properties of trichlorotitanium(III) complex containing methanol	21
Magnetic properties of trichlorotitanium(III) complex containing ethanol	22
Magnetic properties of trichlorotitanium(III) complex containing isopropanol	23
Magnetic properties of trichlorotitanium(III) complex containing <i>sec</i> -butanol	24
Magnetic properties of trichlorotitanium(III) complex containing cyclohexanol	25
Magnetic properties of trichlorotitanium(III) complex containing acetonitrile	26
Magnetic properties of trichlorotitanium(III) complex containing tetrahydrofuran	27
Magnetic properties of trichlorotitanium(III) complex containing <i>n</i> -propanol	28
Magnetic properties of trichlorotitanium(III) complex containing <i>n</i> -butanol	29
Magnetic properties of trichlorotitanium(III) complex containing <i>iso</i> -butanol	30
Magnetic properties of trichlorotitanium(III) complex containing acetonitrile	31
Magnetic properties of trichlorotitanium(III) complex containing pyridine	32
Magnetic properties of trichlorotitanium(III) complex containing 2-methylpyridine	33
Magnetic properties of trichlorotitanium(III) complex containing 3-methylpyridine	34
Magnetic properties of trichlorotitanium(III) complex containing 4-methylpyridine	35
Magnetic properties of trichlorotitanium(III) complex containing two tetrahydrofuran ligands	36
Magnetic properties of trichlorotitanium(III) complex containing two pyridine ligands	37
Magnetic properties of trichlorotitanium(III) complex containing mono pyridine and mono tetrahydrofuran ligands	38
Magnetic properties of trichlorotitanium(III) complex containing tetrahydrofuran and acetonitrile ligands	39
Magnetic properties of trichlorotitanium(III) complex containing tetrahydrofuran ligand	40

Magnetic properties of trichlorotitanium(III) complex containing acetonitrile ligand	41
Magnetic properties of trichlorotitanium(III) complex containing two tetrahydrofuran and one acetonitrile ligand	42
Magnetic properties of trichlorotitanium(III) complex containing two tetrahydrofuran and one pyridine ligand	43
Magnetic properties of trichlorotitanium(III) complex containing two tetrahydrofuran and one methanol ligand	44
Magnetic properties of trichlorotitanium(III) complex containing two tetrahydrofuran and one ethanol ligand	45
Magnetic properties of trichlorotitanium(III) complex containing two tetrahydrofuran and one isopropanol ligand	46
Magnetic properties of trichlorotitanium(III) complex containing two tetrahydrofuran and one <i>n</i> -butanol ligand	47
Magnetic properties of trichlorotitanium(III) complex containing two tetrahydrofuran and one isobutanol ligand	48
Magnetic properties of trichlorotitanium(III) complex containing one tetrahydrofuran and two acetonitrile ligands	49
Magnetic properties of trichlorotitanium(III) complex containing one tetrahydrofuran and two pyridine ligands	50
Magnetic properties of trichlorotitanium(III) complex containing one acetonitrile and two tetrahydrofuran ligands	51
Magnetic properties of trichlorotitanium(III) complex containing one acetonitrile and two pyridine ligands	52
Magnetic properties of trichlorotitanium(III) complex containing one acetonitrile and two methanol molecules	53
Magnetic properties of trichlorotitanium(III) complex containing one acetonitrile and two ethanol ligands	54
Magnetic properties of trichlorotitanium(III) complex containing one acetonitrile and two <i>n</i> -propanol ligands	55
Magnetic properties of trichlorotitanium(III) complex containing one acetonitrile and two <i>n</i> -butanol ligands	56
Magnetic properties of trichlorotitanium(III) complex containing one acetonitrile and two iso-butanol ligands	57
Part II Zirconium Zr	59
Magnetic properties of tris(cyclopentadienyl)zirconium(IV)	61
Magnetic properties of zirconium bis(porphyrinate)di(π -radial-cation) complex	62
Magnetic properties of zirconium(porphyrinate)mono(π -radial-cation) complex	64
Part III Vanadium V	65
Magnetic properties of carbonyl adduct of open vanadocene	67

Magnetic properties of trimethylphosphine adduct of open vanadocene	68
Magnetic properties of triethylphosphine adduct of open vanadocene	69
Magnetic properties of trimethylphosphite adduct of open vanadocene	70
Magnetic properties of trimethylphosphite adduct of bis(2,4-dimethylpentadienyl)vanadium(II)	71
Magnetic properties of cationic vanadium(IV) complex	72
Magnetic properties of a cationic vanadium(IV) complex	73
Magnetic properties of dinuclear $\{\mu\text{-}[\eta^{7:7}\text{-bi(cyclooctatrienyl)}]\text{bis-}$ $[(\eta^5\text{-cyclopentadienyl})\text{vanadium}]\}$ red complex	74
Magnetic properties of dinuclear $\{\mu\text{-}[\eta^{7:7}\text{-bi(cyclooctatrienyl)}]\}$ bis- $[(\eta^5\text{-cyclopentadienyl})\text{vanadium}]$ green, <i>endo</i> -complex	76
Magnetic properties of a vanadium(III) oxo-bridged complex	78
Magnetic properties of a layered mixed-valence vanadium phenanthroline complex	80
Magnetic properties of oxo-vanadium(IV) dimer of 3-hydroxy-3-methylglutarate	82
Magnetic properties of dinuclear vanadylthiophenolate containing 4, 4'-dimethylbipyridine	84
Magnetic properties of lithiated mixed-valent silver vanadium oxide	86
Magnetic properties of mixed-valent potassium vanadium selenite	87
Magnetic properties of mixed-valent vanadium(III/IV) oxosilicate	89
Magnetic properties of N, N-dimethylhydrazine complex of vanadium(III) chloride	91
Magnetic properties of N, N-dimethylhydrazine complex of vanadium(III) chloride	92
Magnetic properties of N, N-dimethylhydrazine complex of vanadium(III) chloride	93
Magnetic properties of dichloro-bis[1, 2-bis(dimethylphosphino)ethane]-vanadium(II)	94
Magnetic properties of dibromo-bis[1, 2-bis(dimethylphosphino)ethane]-vanadium(II)	95
Magnetic properties of diiodo-bis[1, 2-bis(dimethylphosphino)ethane]-vanadium(II)	96
Magnetic properties of dichloro-bis[1, 2-bis(diethylphosphino)ethane]-vanadium(II)	97
Magnetic properties of dibromo-bis[1, 2-bis(diethylphosphino)ethane]-vanadium(II)	98
Magnetic properties of dichloro-bis[1, 2-bis(diethylphosphino)ethane]-vanadium(II) ditetrahydrofuran solvate	99
Magnetic properties of dibromo-bis[1, 2-bis(diethylphosphino)ethane]-vanadium(II) ditetrahydrofuran solvate	100
Magnetic properties of dinuclear (V/V) complex of a novel oxamide-type ligand coordinating in the <i>trans</i> conformation	101
Magnetic properties of bis(<i>p</i> -toluene dithiocarboxylate)oxovanadium(IV)	103
Magnetic properties of cyclohexylamine adduct of bis(<i>p</i> -toluene dithiocarboxylate)oxovanadium(IV)	104
Magnetic properties of piperidine adduct of bis(<i>p</i> -toluene dithiocarboxylate)oxovanadium(IV)	105

Magnetic properties of morpholine adduct of bis(<i>p</i> -toluene dithiocarboxylate)oxovanadium(IV)	106
Magnetic properties of piperazine adduct of bis(<i>p</i> -toluene dithiocarboxylate)oxovanadium(IV)	107
Magnetic properties of pyrrolidine adduct of bis(<i>p</i> -toluene dithiocarboxylate)oxovanadium(IV)	108
Magnetic properties of oxovanadium(IV) complex of long chain fatty acid hydrazone	109
Magnetic properties of oxovanadium(IV) complex of long chain fatty acid hydrazone	110
Magnetic properties of oxovanadium(IV) complex of long chain fatty acid hydrazone	111
Magnetic properties of oxovanadium(IV) complex of long chain fatty acid hydrazone	112
Magnetic properties of oxovanadium(IV) complex of long chain fatty acid hydrazone	113
Magnetic properties of μ -phenolato binuclear oxovanadium(IV) complex of hydrazone	114
Magnetic properties of binuclear vanadium(IV, V) complex of caffeic acid	116
Magnetic properties of isonitrosoacetylacetone dithiosemicarbazone complex of oxovanadium(IV)	117
Part IV Niobium Nb	119
Magnetic properties of tertiary phosphine derivative of (pentamethylcyclopentadienyl)niobium(IV)	121
Magnetic properties of tertiary phosphine derivative of (pentamethylcyclopentadienyl)niobium(III)	122
Magnetic properties of (pentamethylcyclopentadienyl)niobium(V) oxo complex	123
Magnetic properties of niobiumphosphate bronze	125
Magnetic properties of niobium cobalt telluride	127
Magnetic properties of niobium iron telluride	129
Magnetic properties of oxychloroniobium(IV) complex	131
Part V Chromium Cr	133
Magnetic properties of half-open chromocene carbonyl complex	135
Magnetic properties of anionic chromium(III) sandwiched metallacarborane complex	136
Magnetic properties of bis(2, 3, 4, 6, 7- η^5)-bicyclo[3.2.1]octa-2, 6-dien-4-yl)chromium	138
Magnetic properties of TMEDA adduct of chromium(II) chloride	140
Magnetic properties of organochromate(II)	141
Magnetic properties of tetramethylchromate(II)	142
Magnetic properties of chromacyclobutane species	143
Magnetic properties of chromacycloneophyl species	145
Magnetic properties of tmeda adduct of benzylchromium(II)	146
Magnetic properties of alkylidenechromium(III)	147

Magnetic properties of [2, 6-pyridinediylbis(methylcyclopentadienyl)] chromium(II)	148
Magnetic properties of a (benzyl)(chloro)chromium(III) complex	150
Magnetic properties of a (benzyl)(pyridine)chromium(III) complex	151
Magnetic properties of a (benzyl)(THF)chromium(III) complex	152
Magnetic properties of bis(benzyl)chromium(III) complex	153
Magnetic properties of (benzyl)bis(thf)chromium(III) complex	154
Magnetic properties of (benzyl)(2, 2'-bipyridine)chromium(III) tetraphenylborate complex	155
Magnetic properties of lithium tris(benzyl)chromate(III) complex	156
Magnetic properties of bis(tmeda)lithium tris(benzyl)chromate(III) complex	157
Magnetic properties of (benzyl)(2, 2'-bipyridine)chromium(II) complex	158
Magnetic properties of benzylchromium(II) complex with a tridentate ancillary ligand	159
Magnetic properties of 16-electron-cyclopentadienylchromium(II) complex with a tridentate ancillary ligand	160
Magnetic properties of a trinuclear bis-(octamethylferrocenyl) chromium(II)	161
Magnetic properties of dinuclear chloride bridged Cr(II) amido diphosphine complex	162
Magnetic properties of dinuclear hydride bridged Cr(II) amido diphosphine complex	165
Magnetic properties of trinuclear chromium(III) oxobenzoate assembly	167
Magnetic properties of trinuclear chromium(III) oxoacetate assembly	169
Magnetic properties of tris(ethylenediamine)chromium: $[\text{Cr}(\text{en})_3]^{3+}$	171
Magnetic properties of bimetallic derivative of tris(ethylenediamine) chromium: $[\text{Cr}(\text{en})_3]^{3+}$	173
Magnetic properties of chromium(II) hydroborate TMEDA adduct	175
Magnetic properties of chromium(II) hydroborate pyridine adduct	176
Magnetic properties of dinuclear Cr(III)-Cu(II) complex containing salen and hfa as ligands	177
Magnetic properties of dinuclear Cr(III)-Ni(II) complex containing salen and hfa as ligands	179
Magnetic properties of dinuclear Cr(III)-Co(II) complex containing salen and hfa as ligands	181
Magnetic properties of tetranuclear, an adamantane-like complex ion of chromium(III) and 1, 3, 5-triaminocyclohexane, $[\text{Cr}_4(\text{tach})_4(\text{OH})_6]^{6+}$	183
Magnetic properties of chromium(II) bis-cyclohexyl(methyl)acetamidinate complex	185
Magnetic properties of chromium cyclohexyl(dimethylamino-methyl)benzamidinate complex	186
Magnetic properties of chromium bis{trimethylsilyl(phenyl)amidinate} complex	187
Magnetic properties of a salt containing the hexabromochromate(III) anion	188
Magnetic properties of bimetallic hexaminechromium(III) hexachloroferrate(III) salt	189

Magnetic properties of chromium(III) chloride complex of potassium dihydrobis(5-nitroindolyl)borate	190
Magnetic properties of chromium(II) chloride complex of potassium hydrotris(5-nitroindolyl)borate	191
Magnetic properties of chromium(III) chloride complex of potassium tetrakis(5-nitroindolyl)borate	192
Magnetic properties of cyanonitrosyl complex of chromium(I) with 6-methylpyridyl-2-carbaldehyde oxime	193
Magnetic properties of cyanonitrosyl complex of chromium(I) with pyridine-2-carbaldehyde- <i>O</i> -methyloxime	194
Magnetic properties of cyanonitrosyl complex of chromium(I) with quinoline-2-carbaldehyde oxime	195
Magnetic properties of cyanonitrosyl complex of chromium(I) with isoquinoline-3-carbaldehyde oxime	196
Magnetic properties of cyanonitrosyl complex of chromium(I) with syn-2-pyridylketoxime	197
Magnetic properties of cyanonitrosyl complex of chromium(I) with N ⁴ -(nicotinamido methyl)sulphanilamide	198
Magnetic properties of cyanonitrosyl complex of chromium(I) with N ⁴ -(nicotinamidomethyl)sulphathiazole	199
Magnetic properties of cyanonitrosyl complex of chromium(I) with N ⁴ -(nicotinamidomethyl)sulphadiazine	200
Magnetic properties of cyanonitrosyl complex of chromium(I) with N ⁴ -(nicotinamidomethyl)sulphamerizine	201
Magnetic properties of cyanonitrosyl complex of chromium(I) with N ⁴ -(nicotinamidomethyl)sulphasomidine	202
Magnetic properties of chromium(III) chelate of 1-phenyl-4-methylpent-4-en-1, 3-dione	203
Magnetic properties of novel mixed-ligand cyanonitrosyl chelate of chromium(I) with 5-chloro-7-iodo-8-hydroxyquinoline-4-(phenyl)sulphonamide	204
Magnetic properties of novel mixed-ligand cyanonitrosyl chelate of chromium(I) with bis(cyano)-5-chloro-7-iodo-8-hydroxyquinoline-4-(<i>o</i> -tolyl)sulphonamide	205
Magnetic properties of novel mixed-ligand cyanonitrosyl chelate of chromium(I) with 5-chloro-7-iodo-8-hydroxyquinoline-4-(<i>m</i> -tolyl)sulphonamide	206
Magnetic properties of novel mixed-ligand cyanonitrosyl chelate of chromium(I) with 5-chloro-7-iodo-8-hydroxyquinoline-4-(<i>p</i> -tolyl)sulphonamide	207
Magnetic properties of novel mixed-ligand cyanonitrosyl chelate of chromium(I) with 5-chloro-7-iodo-8-hydroxyquinoline-4-(<i>o</i> -ethoxyphenyl) sulphonamide	208
Magnetic properties of novel mixed-ligand cyanonitrosyl chelate of chromium(I) with 5-chloro-7-iodo-8-hydroxyquinoline-4-(<i>p</i> -ethoxyphenyl) sulphonamide	209
Magnetic properties of novel mixed-ligand cyanonitrosyl chelate of chromium(I) with 5-chloro-7-iodo-8-hydroxyquinoline-4-(<i>o</i> -methoxyphenyl) sulphonamide	210

Magnetic properties of novel mixed-ligand cyanonitrosyl chelate of chromium(I) with 5-chloro-7-iodo-8-hydroxyquinoline-4-(<i>p</i> -methoxyphenyl)sulphonamide	211
Magnetic properties of chromium(III) complex of <i>D</i> (-)-tartaric acid	212
Magnetic properties of chromium(III) complex of <i>D</i> (-)-tartaric acid	213
Magnetic properties of chromium(III) complex of <i>D</i> (-)-mandelic acid	214
Magnetic properties of chromium(III) complex of <i>L</i> (-)-mandelic acid	215
Magnetic properties of chromium(III) chelate of <i>N</i> -(2-pyridyl)methacrylamide	216
Magnetic properties of <i>N</i> , <i>N'</i> -ethylenebis(<i>p</i> -tolualideneimine)diiodochromium(II)	217
Magnetic properties of <i>N</i> , <i>N'</i> -ethylenebis(<i>p</i> - <i>N</i> , <i>N</i> -dimethylaminobenzalideneimine)diiodochromium(II)	218
Magnetic properties of <i>N</i> , <i>N'</i> -ethylenebis(methyl- <i>p</i> -methoxyphenylketimine) diiodochromium(II)	219
Magnetic properties of <i>N</i> , <i>N'</i> -ethylenebis(<i>p</i> -tolualideneimine)dibromochromium(II)	220
Magnetic properties of <i>N</i> , <i>N'</i> -ethylenebis(<i>p</i> - <i>N</i> , <i>N</i> -dimethylaminobenzalideneimine) dibromochromium(II)	221
Magnetic properties of <i>N</i> , <i>N'</i> -ethylenebis(methyl- <i>p</i> -methoxyphenylketimine) dibromochromium(II)	222
Magnetic properties of <i>N</i> , <i>N'</i> -ethylenebis(<i>p</i> -tolualideneimine)dichlorochromium(II)	223
Magnetic properties of <i>N</i> , <i>N'</i> -ethylenebis(<i>p</i> - <i>N</i> , <i>N</i> -dimethylaminobenzalideneimine) dichlorochromium(II)	224
Magnetic properties of <i>N</i> , <i>N'</i> -ethylenebis(methyl- <i>p</i> -methoxyphenylketimine) dichlorochromium(II)	225
Magnetic properties of dichlorotetrakis(3, 4-dicyano-5-aminopyrazole)chromium(II)	226
Magnetic properties of 5'-deoxyadenosine complex with chromium(III) perchlorate	227
Magnetic properties of chromium(III) chloride complex of <i>N</i> -salicylidene anthranilamide	228
Magnetic properties of 2-hydroxyacetophenonesemicarbazone chromium(III) complex	229
Magnetic properties of 2-hydroxynaphthaldehydesemicarbazone chromium(III) complex	230
Magnetic properties of 4-hydroxyacetophenonesemicarbazone chromium(III)chloride complex	231
Magnetic properties of 2-hydroxyacetophenonethiosemicarbazone chromium(III) complex	232
Magnetic properties of 2-hydroxynaphthaldehyde thiosemicarbazone chromium(III) complex	233
Magnetic properties of 4-hydroxyacetophenone thiosemicarbazone chromium(III) chloride complex	234
Magnetic properties of chromium(III) complex of <i>L</i> (-)-cysteine	235
Magnetic properties of chromium(III) complex of <i>L</i> (-)-histidine	236

Magnetic properties of chromium(III) complex of DL-alanine	237
Magnetic properties of chromium(III) chloride complex of L-(–)-threonine and pyridine	238
Magnetic properties of chromium(III) chloride complex of L-(–)-histidine	239
Magnetic properties of chromium(III) chloride complex of L-(–)-cysteine and pyridine	240
Magnetic properties of chromium(III) chloride complex of DL-alanine and pyridine	241
Magnetic properties of chlorosulphatochromate(III)	242
Magnetic properties of oxalatochlorosulphato chromate(III)	243
Magnetic properties of oxalatochlorosulphato chromate(III)	244
Magnetic properties of isonitrosoacetylacetone dithiosemicarbazone complex of chromium(III) chloride	245
Magnetic properties of chromium(III) complex derived from N-isonicotinamido-N'-benzoylthiocarbamide	246
Magnetic properties of 1, 3-pyrimidinyl(2, 4, 6-pyrimidinetrione) chelate of chromium(III) chloride	247
Part VI Molybdenum Mo	249
Magnetic properties of a trimolybdenum cluster	251
Magnetic properties of 16-electron cyclopentadienylmolybdenum(IV) adduct with trimethylphosphine	253
Magnetic properties of 16-electron cyclopentadienylmolybdenum(IV) adduct with trimethylphosphine	254
Magnetic properties of a 58-VSE cobalt-molybdenum thiolato cluster	255
Magnetic properties of a 58-VSE cobalt-molybdenum thiolato iodo cluster	256
Magnetic properties of a 58-VSE cobalt-molybdenum thiolato bromo cluster	258
Magnetic properties of a 58-VSE cobalt-molybdenum thiolato chloro cluster	260
Magnetic properties of Keggin polyoxosilicomolybdate salt containing 1-D-decamethylferrocenium networks	262
Magnetic properties of molybdenum barium oxide oligomer containing four <i>trans</i> edge-shared molybdenum octahedra	264
Magnetic properties of oxychloride molybdenum(V) 1, 2-diaminopropane complex	266
Magnetic properties of oxychloride molybdenum(V) 1, 2-diaminobutane complex	267
Magnetic properties of oxybromide molybdenum(V) 1, 2-diaminopropane complex	268
Magnetic properties of oxybromide molybdenum(V) 1, 4-diaminobutane complex	269
Magnetic properties of thiocyanato oxymolybdenum(IV) as potassium salt	270
Magnetic properties of thiocyanato oxymolybdenum(IV) as tetramethylamine salt	271
Magnetic properties of thiocyanatooxymolybdenum(IV) as 1, 10-phenanthroline salt	272
Magnetic properties of thiocyanatooxymolybdenum(IV) as 2, 2'-bipyridinium salt	273
Magnetic properties of chlorothiocyanatooxymolybdenum(IV) as tetramethylamine salt	274

Magnetic properties of N, N'-ethylenebis(<i>p</i> -tolualideneimine)diiodomolybdenum(II)	275
Magnetic properties of N, N'-ethylenebis(<i>p</i> -N, N-dimethylaminobenzalideneimine) diiodomolybdenum(II)	276
Magnetic properties of N, N'-ethylenebis(cinnamylideneimine)diiodomolybdenum(II)	277
Magnetic properties of N, N'-ethylenebis(methyl- <i>p</i> -methoxyphenylketimine) diiodomolybdenum(II)	278
Magnetic properties of N, N'-ethylenebis(methyl- <i>p</i> -methylphenylketimine) diiodomolybdenum(II)	279
Magnetic properties of N, N'-ethylenebis(<i>p</i> -tolualideneimine) tetrabromomolybdenum(IV)	280
Magnetic properties of N, N'-ethylenebis(<i>p</i> -N, N-dimethylaminobenzalideneimine) tetrabromomolybdenum(IV)	281
Magnetic properties of N, N'-ethylenebis(cinnamylideneimine) tetrabromomolybdenum(IV)	282
Magnetic properties of N, N'-ethylenebis(methyl- <i>p</i> -methoxyphenylketimine) tetrabromomolybdenum(IV)	283
Magnetic properties of N, N'-ethylenebis(methyl- <i>p</i> -methylphenylketimine) tetrabromomolybdenum(IV)	284
Magnetic properties of N, N'-ethylenebis(<i>p</i> -tolualideneimine) tetrachloromolybdenum(IV)	285
Magnetic properties of N, N'-ethylenebis(<i>p</i> -N, N-dimethylaminobenzalideneimine) tetrachloromolybdenum(IV)	286
Magnetic properties of N, N'-ethylenebis(cinnamylideneimine) tetrachloromolybdenum(IV)	287
Magnetic properties of N, N'-ethylenebis(methyl- <i>p</i> -methoxyphenylketimine) tetrachloromolybdenum(IV)	288
Magnetic properties of N, N'-ethylenebis(methyl- <i>p</i> -methylphenylketimine) tetrachloromolybdenum(IV)	289
Magnetic properties of hydroxamic acid dinuclear complex of molybdenum(III)	290
Magnetic properties of hydroxamic acid dinuclear complex of molybdenum(III)	291
Magnetic properties of hydroxamic acid dinuclear complex of molybdenum(III)	293
Part VII Wolfram W (Tungsten)	295
Magnetic properties of Keggin polyoxosilicotungastate salt containing 1-D-decamethylferrocenium networks	297
Magnetic properties of Keggin polyoxotungastate salt containing 3-D-decamethylferrocenium networks	299
Magnetic properties of substituted Keggin heteropolytungstates of type PW ₁₀ Cu ₂	301
Magnetic properties of ammonium salt of 21-tungsto-cerium-9-antimonate	303
Magnetic properties of ammonium salt of 21-tungsto-praseodymium-9-antimonate	304

Magnetic properties of ammonium salt of 21-tungsto-neodymium-9-antimonate	305
Magnetic properties of ammonium salt of 21-tungsto-europium-9-antimonate	306
Magnetic properties of ammonium salt of 21-tungsto-copper-9-antimonate	307
Part VIII Manganese Mn	309
Magnetic properties of manganese indenyl monoanionic species	311
Magnetic properties of cubane $[\text{Mn}_4\text{O}_3\text{Cl}]^{6+}$ complex with 3, 5-dichlorobenzoate ligation	312
Magnetic properties of manganese(II) [tris(2-pyridylmethyl)]amine complex with tetracyanoquinodimethane and methanol as auxillary ligands	314
Magnetic properties of manganese(II) [tris(2-pyridylmethyl)]amine complex with tetracyanoquinodimethane and acetate as auxillary ligands	316
Magnetic properties of Mn(II) dinuclear complex formed by 2, 6-dimethoxybenzoate and 2, 2'-bipyridine	318
Magnetic properties of mononuclear complex of Mn(II) formed by 2, 6-dimethoxybenzoate and 2-methylpyrazine	319
Magnetic properties of dinuclear manganese(II)-4, 5-dimercapto-1, 3-dithiole-2-thionate complex	320
Magnetic properties of Mn(II) dinitrobenzoate complex of pyridine-substituted nitronyl nitroxide radical	322
Magnetic properties of Mn(II) trinitrophenolate complex of pyridine-substituted nitronyl nitroxide radical	324
Magnetic properties of binuclear manganese(II) complex of a macrocyclic ligand derived from pyridine-N-oxide	326
Magnetic properties of linear trinuclear manganese chlorate complex with 3-methyl-4-phenyl-1, 2, 4-triazole	328
Magnetic properties of linear trinuclear manganese tetrafluoroborate with 3-methyl-4-phenyl-1, 2, 4-triazole	330
Magnetic properties of linear heterotrinuclear MnNiMn tetrafluoroborate complex with 3-methyl-4-phenyl-1, 2, 4-triazole	331
Magnetic properties of barium-manganese pyrophosphate	333
Magnetic properties of calcium-manganese pyrophosphate	336
Magnetic properties of binuclear manganese(II) complex of binucleating ligand 2, 6-diformyl-4-methylphenoldi(benzoylhydrazone)	339
Magnetic properties of manganese(II) thiocyanate complex with 4, 4'-bipyridine as bridging ligand	341
Magnetic properties of Mn(II) bromide complex with 1, 2, 4-triazole	343
Magnetic properties of 1, 10-phenanthroline adduct of Mn(II) <i>cis</i> -5-norbornene- <i>endo</i> -2-3-dicarboxylate	344
Magnetic properties of Mn(II) adduct of tetramethyl-2-butenediylidene bis(tri{4-methoxyphenyl}phosphorane)-1, 2, 3, 4-tetracarboxylate and iodide	345

Magnetic properties of Mn(II) complex of tetramethyl-2-butenediylidene bis (triorganophosphorane)-1, 2, 3, 4-tetracarboxylate and iodide	347
Magnetic properties of Mn(II) complex of tetramethyl-2-butenediylidene bis (trimethyldiphenylphosphane)-1, 2, 3, 4-tetracarboxylate and iodide	349
Magnetic properties of Mn(II) tetramethyl-2-butenediylidene bis(triphenylphosphane)-1, 2, 3, 4-tetracarboxylate iodide	351
Magnetic properties of Mn(II) bis{(tetramethyl-2-butenediylidene) bis(triphenylphosphorane)-1, 2, 3, 4-tetracarboxylate} iodide	353
Magnetic properties of Mn(II) tetramethyl-2-butenediylidene bis(methyldiphenylphosphorane)-1, 2, 3, 4-tetracarboxylate thiocyanate	354
Magnetic properties of Mn(II) bis{(tetramethyl-2-butenediylidene) bis (methyldiphenylphosphorane)-1, 2, 3, 4-tetracarboxylate} thiocyanate	355
Magnetic properties of Mn(II) tetramethyl-2-butenediylidenebis[tri{4-methoxyphenyl} phosphorane]-1, 2, 3, 4-tetracarboxylatethiocyanate	356
Magnetic properties of Mn(II) tetramethyl-2-butenediylidene bis(methyldiphenylphosphorane)-1, 2, 3, 4-tetracarboxylatebromide	358
Magnetic properties of Mn(II) tetramethyl-2-butenediylidene bis(tri{4-methoxyphenyl} phosphorane)-1, 2, 3, 4-tetracarboxylatebromide	360
Magnetic properties of Mn(II) perchlorate complex of diethylenediphosphine dioxide ligand	362
Magnetic properties of Mn(II) chlorate complex of diacetylenediphosphine dioxide ligand	363
Magnetic properties of Mn(II) chlorate complex of diethylenediarsine dioxide ligand	364
Magnetic properties of Mn(II) chlorate complex of diethylenephosphine oxide arsine oxide ligand	365
Magnetic properties of Mn(II) chlorate complex of diacetylenediarsine oxide ligand	366
Magnetic properties of sulfur dioxide adduct of Mn(II) diethylenediphosphinedioxide complex	367
Magnetic properties of sulfur dioxide adduct of Mn(II) diacetylenediphosphinedioxide complex	368
Magnetic properties of sulfur dioxide adduct of Mn(II) diethylenediarsinedioxide complex	369
Magnetic properties of sulfur dioxide adduct of Mn(II) diethylenephosphineoxidearsineoxide complex	370
Magnetic properties of sulfur dioxide adduct of Mn(II) diacetylenediarsinedioxide complex	371
Magnetic properties of dinuclear manganese(III, IV) complex with 1, 4, 7, 10-tetraazacyclododecane(cyclen)	372
Magnetic properties of dinuclear manganese(III, IV) complex with 1, 4, 7, 10-tetraazacyclododecane(cyclen)	373
Magnetic properties of <i>catena</i> - μ -bis(3, 5-diamino-1, 2, 4-triazole- N_2 , N_4)-bis (thiocyanato- N)manganese(II)	375

Magnetic properties of manganese(II) croconate trihydrate	377
Magnetic properties of mixed metal Mn(II)-Cr(III) oxalato complex as tetraphenylphosphonium salt	379
Magnetic properties of manganese(III) complex of tridimensional Schiff-base ligand derived from 3-methoxysalicylaldehyde and tris(2-aminoethyl)amine	381
Magnetic properties of manganese(III) complex of tridimensional Schiff-base derived from the condensation of 2, 3-dihydroxybenzaldehyde with tris(2-aminoethyl)amine	382
Magnetic properties of mixed valent dinuclear, oxo bridged Mn ₂ (III, IV) complex of 2-(2'-pyridyl)benzimidazole	383
Magnetic properties of dinuclear oxo bridged Mn ₂ (IV, IV) complex of 2-(2'-pyridyl)benzimidazole	384
Magnetic properties of manganese(II) chloride complex of potassium dihydrobis(5-nitroindolyl)borate	385
Magnetic properties of manganese(II) chloride complex of potassium-hydrotris(5-nitroindolyl)borate	386
Magnetic properties of manganese(II) chloride complex of potassium tetrakis(5-nitroindolyl)borate	387
Magnetic properties of manganese(II) chelate of 1-phenyl-4-methylpent-4-en-1, 3-dione	388
Magnetic properties of dinuclear manganese(III) complex of propane-1, 2-dithiolate	389
Magnetic properties of manganese(II) chelate of N-(2-pyridyl methacrylamide)	390
Magnetic properties of manganese(II) chloride complex of 2-(1-indazolyl)-pyridine	391
Magnetic properties of manganese(II) complex of complex of 2-(1-indazolyl)pyrimidine	392
Magnetic properties of dichlorotetrakis(3, 4-dicyano-5-aminopyrazole)-manganese(II)	393
Magnetic properties of manganese(II) aqua complex of N-salicylidene anthranilamide	394
Magnetic properties of complex of manganese(II) with tridentate Schiff base derived by the condensation of salicylaldehyde and furfuraldehyde with <i>o</i> -phenyldiamine	395
Magnetic properties of manganese(II) chelate of acetoacetanilide thiosemicarbazone	396
Magnetic properties of manganese(II) chloride complex of 2, 6-diacetyl-pyridinesalicylaldazine	397
Magnetic properties of manganese(II) complex of 2, 6-diacetylpyridine salicylaldazine	398
Magnetic properties of manganese(II) perchlorate complex of 1, 3-bis(aminomethyl)cyclohexane-N, N, N', N'-tetrakis-benzimidazole	399
Magnetic properties of manganese(II) acetate complex of 1, 3-bis(amino-methyl)cyclohexane-N, N, N', N'-tetrakis-benzimidazole	400
Magnetic properties of isonitrosoacetylacetone dithiosemicarbazone complex of manganese(II)	401
Magnetic properties of manganese(II) complex derived from N-isonicotinamido-N'-benzoylthiocarbamide	402
Magnetic properties of manganese(II) complex derived from N-isonicotinamido-N'-benzoylthiocarbamide	403

Magnetic properties of complex of manganese(II) chloride with tetradentate Schiff-base ligand 1, 2-bis(2'-pyridylmethyleneimino)benzene	404
Magnetic properties of 1, 3-pyrimidinyl(2, 4, 6-pyrimidinetrione) chelate of manganese(II)	405
Magnetic properties of <i>o</i> -vanillin-isonicotinoyl hydrazone complex of manganese(II)	406
Magnetic properties of manganese(II) complex of N, N'-bis(1-ferrocenyl-1-oxo-3-methyl) propenylethylenediamine	407
Part IX Rhenium Re	409
Magnetic properties of chiral and configurationally stable Rhenium cation radical	411
Magnetic properties of trichlororhenium complex of bis(diphenylphosphino)methane and bis(diphenylphosphino)methane oxide ligands	413
Magnetic properties of trichlororhenium complex of bis(diphenyl phosphino)methane and triphenylphosphine ligands	414
Magnetic properties of confacial bioctahedral dirhenium complex of the tripodal phosphine	415
Part X Iron Fe	417
Magnetic properties of iron(II) hydride	419
Magnetic properties of charge transfer complex of 1, 1'-disubstituted ferrocene with TCNQ	420
Magnetic properties of charge transfer complex of 1, 1'-disubstituted ferrocene with TCNQ	422
Magnetic properties of 1, 4-diethynylbenzene bridged bisiron(III) 34-electron complex	424
Magnetic properties of a trinuclear triferrocenium salt	426
Magnetic properties of a trinuclear octamethylferrocenium salt	427
Magnetic properties of a charge transfer octamethylferrocenyl tetracyanoethylene salt	428
Magnetic properties of integrated-stack charge-transfer salt [Cp ₂ *Fe] ⁺ [Co(hmpab)] ⁻	430
Magnetic properties of heptacoordinated dinuclear iron(II) complex of 2, 6-pyridinedicarboxylic acid	432
Magnetic properties of iron complex with Schiff base and <i>o</i> -benzoquinone ligands	434
Magnetic properties of iron complex with 3, 5-di- <i>tert</i> -butyl- <i>o</i> -benzoquinone	435
Magnetic properties of (selenolato)iron(II) complex with dimethylphenyl-phosphine as co-ligand	436
Magnetic properties of (selenolato)iron(II) complex with 1, 2-bis(diethylphosphino)ethane as co-ligand	437
Magnetic properties of tetramethylpiperazinium pentachloroferrate(III)	438
Magnetic properties of tris-bipyridyliron(II)[(μ-oxo)bis{trichloroferrate (III)}] salt	440
Magnetic properties of triethylbenzylammonium [(μ-oxo)bis{trichloroferrate(III)}] salt	441

Magnetic properties of triphenylbenzylphosphonium [(μ -oxo)bis{trichloroferrate(III)}] salt	443
Magnetic properties of tetraphenylphosphonium(μ -oxo)bis-{trichloroferrate(III)} salt	444
Magnetic properties of tetraphenylarsenium[(μ -oxo)bis-{trichloroferrate(III)}] salt	445
Magnetic properties of bis(tetraethylammonium)[(μ -oxo)bis{trichloroferrate(III)}] salt	446
Magnetic properties of bis (trimethylphenylammonium)[(μ -oxo)bis(trichloroferrate(III))] salt	447
Magnetic properties of bis(trimethylbenzylammonium)[(μ -oxo)bis[trichloroferrate(III)]] salt	448
Magnetic properties of bis(triphenylmethylphosphonium)[(μ -oxo)bis(trichloroferrate(III))] salt	449
Magnetic properties of bis(triphenylethylphosphonium)[(μ -oxo)bis{trichloroferrate(III)}] salt	450
Magnetic properties of carboxylate-bridged trinuclear ferrous complex with bis(1-methyl-2-imidazolyl)phenylmethoxymethane	451
Magnetic properties of carboxylate-bridged trinuclear ferrous complex with bis (1-methyl-2-imidazolyl)phenylhydroxymethane	453
Magnetic properties of carboxylate-bridged trinuclear ferrous complex with 1, 1-bis (1-methyl-2-imidazolyl)-1-(3, 5-di- <i>tert</i> -butyl-4-hydroxyphenyl) ethane	455
Magnetic properties of carboxylate-bridged trinuclear ferrous complex with bis[2-{(4S)-(1-methylethyl)-1, 3-oxazolinyl}]methane	457
Magnetic properties of carboxylate-bridged trinuclear ferrous complex with N, N, N'-trimethyl-N'-[4, 4, dimethyl-4-(3, 5-di- <i>tert</i> -butyl-4-hydroxy phenyl)butyl] ethylenediamine	459
Magnetic properties of iron(III) octaphenyltetraazaporphyrin containing chloride as an axial acido ligand	461
Magnetic properties of iron(III) octaphenyltetraazaporphyrin containing bromide as an axial acido ligand	462
Magnetic properties of iron(II) pyrazolylborate complex	463
Magnetic properties of iron(II)pyrazolylborate complex	465
Magnetic properties of mixed valence Fe(III)-Fe(IV) complex of (S-ethyl)-tetraiothiosemicarbazide	467
Magnetic properties of mixed valence Fe(III)-Fe(IV) complex of (S- <i>n</i> -propyl)-tetraiothiosemicarbazide	469
Magnetic properties of mixed valence Fe(III)-Fe(IV) complex of (S- <i>n</i> -butyl)-tetraiothiosemicarbazide	471
Magnetic properties of mixed valence Fe(III)-Fe(IV) complex of (S-methyl)-methyl-tetraiothiosemicarbazide	473
Magnetic properties of mixed valence Fe(III)-Fe(IV) complex of (S-ethyl)-methyl-tetraiothiosemicarbazide	475

Magnetic properties of mixed valence Fe(III)-Fe(IV) complex of (S- <i>n</i> -propyl)-methyl-tetraisothiosemicarbazide	477
Magnetic properties of mixed valence hydroxo-bridged Fe(III)-Fe(IV) complex of tetraisothiosemicarbazide	479
Magnetic properties of bis[hydrotris(3, 5-dimethyl-1-pyrazolyl)borate]iron(III), hexafluorophosphate salt	481
Magnetic properties of bis[hydrotris(3, 5-dimethyl-1-pyrazolyl)borate]iron(III), TCNQ salt	483
Magnetic properties of bis[hydrotris(3, 5-dimethyl-1-pyrazolyl)borate]iron(III), tetrabromoferrate salt	485
Magnetic properties of binuclear iron(II) complex of binucleating ligand 2, 6-diformyl-4-methylphenoldi(benzoylhydrazone)	487
Magnetic properties of iron(II) chloride complex with 1, 2, 4-triazole	489
Magnetic properties of (bis- μ -O, O'-acetato)(2, 6-bis[bis(2-pyridylmethyl)amino)methyl]4-methylphenolato)iron(III)manganese(II)bis(tetraphenyl-borate)	491
Magnetic properties of (bis- μ -O, O'-propionato)(2, 6-bis[bis(2-pyridyl methyl) amino)methyl]-4-methylphenolato)iron(III)manganese(II)tetraphenylborate	493
Magnetic properties of tris(diethanoldithiocarbamato)iron(III) trihydrate	495
Magnetic properties of tris(diethanoldithiocarbamato)iron(III)	496
Magnetic properties of bis(acetylacetonato)iron(III) nitrate	497
Magnetic properties of dinuclear iron(III) derivatives of dihydrolipoic acid	499
Magnetic properties of dinuclear iron(III) derivative of dihydrolipoamide	500
Magnetic properties of trinuclear iron(II) derivative of deprotonated dihydrolipoic acid	501
Magnetic properties of iron(II) complex of deprotonated dihydrolipoamide	502
Magnetic properties of Fe(III) complex of <i>N, N', N, N'</i> -bis[(2-hydroxyl-benzyl)(2-methylpyridyl)]-2-ol-1, 3-propanediamine	503
Magnetic properties of tetrachloroferrate(III) ion as chloropyridinium salt	505
Magnetic properties of iron(III) complex with pendant type polymeric ligand	506
Magnetic properties of iron(III) complex with pendant type polymeric ligand	508
Magnetic properties of iron(III) complex with pendant type polymeric ligand	510
Magnetic properties of iron(II) complex of N-2-pyridinylcarbonyl-2-pyridinecarboximide	512
Magnetic properties of iron(III) dichloro complex of N-2-pyridinylcarbonyl-2-pyridinecarboximide	514
Magnetic properties of iron(III) nitrate complex of N-2-pyridinylcarbonyl-2-pyridinecarboximide	516
Magnetic properties of iron(III) chlorate complex of N-2-pyridinylcarbonyl-2-pyridinecarboximide	517
Magnetic properties of monomeric iron(III) complex of <i>N, N'</i> -bis(2-pyridylmethyl)ethane-1, 2-diamine	518

Magnetic properties of binuclear oxo-bridged iron(III) complex of N, N'-bis(2-pyridylmethyl)ethane-1, 2-diamine	519
Magnetic properties of binuclear oxo and acetate bridged iron(III) complex of N, N'-bis(2-pyridylmethyl)ethane-1, 2-diamine	520
Magnetic properties of binuclear oxo- and carbonato-bridged iron(III) complex of N, N'-bis(2-pyridylmethyl)ethane-1, 2-diamine	521
Magnetic properties of tetranuclear Fe(III) complex containing an $[\text{Fe}(\mu_3\text{-O})_2]^{+8}$ core	522
Magnetic properties of tetranuclear Fe(III) complex containing an $[\text{Fe}(\mu_3\text{-O})_2]^{+8}$ core	524
Magnetic properties of iron(II) croconate trihydrate	526
Magnetic properties of dinuclear (Fe/Fe) complex of a novel oxamide-type ligand coordinating in the <i>trans</i> conformation	528
Magnetic properties of ferromagnetically coupled bis(μ -fluoro) diiron(II) complex containing tris(6-methyl-2-pyridylmethyl)amine	530
Magnetic properties of ferromagnetically coupled bis(μ -chloro) diiron(II) complex containing tris(3, 5-dimethyl-1-pyrazolylmethyl) amine	532
Magnetic properties of ferromagnetically coupled bis(μ -chloro) diiron(II) complex containing tris(2-pyridylmethyl) amine	534
Magnetic properties of a binuclear (μ -oxo) dichloro diiron(III) complex containing a tripodal polybenzimidazole ligand	536
Magnetic properties of a mononuclear iron(III) complex containing a tripodal polybenzimidazole ligand	538
Magnetic properties of a binuclear (μ -oxo)(μ -acetato) diiron(III) complex containing tripodal polybenzimidazole ligand	539
Magnetic properties of binuclear oxo-bridged iron(III) complex of N, N'-bis(2-pyridylmethyl)-N, N'-bis(methyl)-1, 2-ethanediamine	540
Magnetic properties of binuclear oxo-bridged iron(III) complex of N, N'-bis(2-pyridylmethyl)-N, N'-bis(methyl)-1, 2-ethanediamine	542
Magnetic properties of dinuclear iron(II) complex of 2, 2'-bis(2-mercaptophenylthio) diethylmethylamine	543
Magnetic properties of dinuclear iron(II) complex of 3-[N, N'-bis-2(2-mercaptophenylthio) ethylamino]propionic acid methyl ester	544
Magnetic properties of iron(II) complex of 3-[N, N'-bis-2(2-mercaptophenylthio)ethylamino] propionic acid methyl ester and hydrazine	545
Magnetic properties of iron(II) complex of 2, 2'-bis(2-mercaptophenylthio) diethylmethylamine) and nitrosyloxide	546
Magnetic properties of iron(III) hydroxo complex of a Schiff-base derived from 3-methoxysalicylaldehyde and 1, 2-diaminoethane	547
Magnetic properties of iron(III) hydroxo complex of a tridimensional Schiff-base ligand derived from 3-methoxysalicylaldehyde and 4-N-dodecyldiethylenetriamine	548
Magnetic properties of homodinuclear Fe(III) hydroxo-acetato complex of tridimensional Schiff-base ligand derived from 3-methoxysalicyl aldehyde and 1, 2-diamine	549

Magnetic properties of heterodinuclear Fe(III)-La(III) hydroxo nitrato complex of tridimensional Schiff-base ligand derived from 3-methoxy salicylaldehyde and 4-N-dodecyldiethylenetriamine	550
Magnetic properties of iron(III) complex of a tridimensional Schiff-base ligand derived from 3-methoxysalicylaldehyde and tris(2-aminoethyl)-amine	552
Magnetic properties of iron(III) complex of tridimensional Schiff-base ligand derived from 2, 3-dihydroxybenzaldehyde and tris(2-aminoethyl) amine	553
Magnetic properties of iron(III) chloride complex of potassium dihydrobis(5-nitroindolyl) borate	554
Magnetic properties of iron(III) chloride complex of potassium hydrotris(5-nitroindolyl)borate	555
Magnetic properties of iron(III) chloride complex of potassium tetrakis(5-nitroindolyl)borate	556
Magnetic properties of iron(III) complex with fluorenone thiosemicarbazone	557
Magnetic properties of iron(III) chelate of 1-phenyl-4-methylpent-4-en-1, 3-dione	558
Magnetic properties of dinuclear iron(III) complex of propane-1, 2-dithiolate	559
Magnetic properties of iron(III) chelate of N-(2-pyridyl)methacrylamide	560
Magnetic properties of dichlorotetrakis(3, 4-dicyano-5-aminopyrazole)-iron(II)	561
Magnetic properties of 5'-deoxyadenosine complex with iron(III) perchlorate	562
Magnetic properties of allopurinol complex with iron(II) perchlorate	563
Magnetic properties of allopurinol complex with iron(III) perchlorate	564
Magnetic properties of iron(III) chelate of acetoacetanilide thiosemicarbazone	565
Magnetic properties of complex of iron(III) with Schiff base derived from 2-aminocyclopent-1-ene-1-dithiocarboxylic acid and benzaldehyde	566
Magnetic properties of isonitrosoacetylacetone dithiosemicarbazone complex of iron(III) chloride	567
Magnetic properties of iron(II) complex with 2-pyridinone	568
Magnetic properties of iron(II) complex with 1-hydroxy-2-pyridine-thione	569
Magnetic properties of iron(III) complex with 1-hydroxy-2-pyridine thione	570
Magnetic properties of iron(II) complex with 2-pyridinemethanethiole-1-oxide	571
Magnetic properties of iron(II) mixed ligand complex with 1-hydroxy-2-pyridinethione and phenanthroline	572
Magnetic properties of iron(III) complex derived from N-isonicotinamido-N'-benzoylthiocarbamide	573
Magnetic properties of 1, 3-pyrimidinyl(2, 4, 6-pyrimidinetrione) chelate of iron(III)	574
Part XI Ruthenium Ru	575
Magnetic properties of 1, 1'-bis(diphenylphosphino)ferrocene derivative of hexaruthenium carbido cluster	577

Magnetic properties of α -RuCl ₃	579
Magnetic properties of β -RuCl ₃	581
Magnetic properties of indole-2-carboxylatodiruthenium(II, III) complex	583
Magnetic properties of N-methylpyrrole-2-carboxylatodiruthenium(II, III) complex	585
Magnetic properties of furan-2-carboxylatodiruthenium(II, III) complex	587
Magnetic properties of thiophen-2-carboxylatodiruthenium(II, III) complex	588
Magnetic properties of benzofuran-2-carboxylatodiruthenium(II, III) complex	589
Magnetic properties of quinoline-2-carboxylatoruthenium(III) complex	590
Magnetic properties of N-methylpyrrole-2-carboxylatodiruthenium(II, III). thf (solvated) complex	591
Magnetic properties of furan-2-carboxylatodiruthenium(II, III) thf (solvated) complex	592
Magnetic properties of thiophen-2-carboxylatodiruthenium(II, III) thf solvated complex	593
Magnetic properties of benzofuran-2-carboxylatodiruthenium(II, III) tetrafluoroborate complex	594
Magnetic properties of N-methylpyrrole-2-carboxylatotriphenyl phosphatodiruthenium(II, III) tetrafluoroborate complex	595
Magnetic properties of furan-2-carboxylatotriphenylphosphite diruthenium(II, III) tetrafluoroborate complex	597
Magnetic properties of thiophen-2-carboxylatotriphenylphosphite diruthenium(II, III) tetrafluoroborate complex	598
Magnetic properties of benzofuran-2-carboxylatotriphenylphosphate diruthenium(II, III) tetrafluoroborate complex	599
Magnetic properties of ethylenediaminetetraacetatoruthenate(III) complex with pyrazine as bridging ligand	600
Magnetic properties of ethylenediaminetetraacetatoruthenate(III) complex with 4, 4'-bipyridyl as bridging ligand	601
Magnetic properties of ethylenediaminetetraacetatoruthenate(III) complex with 3, 3'-dimethyl-4, 4'-bipyridyl as bridging ligand	602
Magnetic properties of ethylenediaminetetraacetatoruthenate(III) complex with <i>trans</i> -1, 2-bis(4-pyridyl)ethylene as bridging ligand	603
Magnetic properties of ruthenium(III) picolinate complex	604
Magnetic properties of 1-methylimidazoliumcarbonyl-1-methylimidazole tetrachlororuthenate(III)	605
Magnetic properties of mixed valent diruthenium diaqua tetracarboxylate	607
Magnetic properties of pyrazine-mediated intermolecular exchange in mixed-valent diruthenium tetracarboxylates	609
Magnetic properties of first isolated antineoplastic Ru(IV) complex of 1, 2-cyclohexanediaminotetraacetic acid	611
Magnetic properties of ruthenium(III) chloride complex derived from 3-hydroxy-2-pyridinone and triphenylphosphine	612

Magnetic properties of ruthenium(III) chloride complex derived from 3-hydroxy-2-pyridinone and triphenylarsine	613
Magnetic properties of ruthenium(III) bromide complex derived from 3-hydroxy-2-pyridinone and triphenylarsine	614
Magnetic properties of ruthenium(III) bromide complex derived from 1, 2-dimethyl-3-hydroxy-4-pyridinone and triphenylarsine	615
Magnetic properties of ruthenium(III)chloride complex derived from 1, 2-dimethyl-3-hydroxy-4-pyridinone and triphenylphosphine	616
Magnetic properties of dichloroacetylacetonato acetylacetone ruthenium(III)	617
Magnetic properties of dichloroacetylacetonato-bis(pyridine) ruthenium(III)	618
Magnetic properties of dichloroacetylacetonatophenanthroline ruthenium(III)	619
Part XII Osmium Os	621
Magnetic properties of tetrakis(carboxylato)diosmium(III) dichloride	623
Magnetic properties of mixed chelate of osmium(III)-8-quinolate and acetylacetonate	625
Magnetic properties of mixed chelate of osmium(IV)-8-hydroxyquinolates and acetylacetonate	626
Magnetic properties of mixed complex of osmium(III) 8-hydroxyquinolate and methylphenyl- β -ketonate	627
Magnetic properties of mixed complex of osmium(IV)-8-hydroxyquinolate and methylphenyl- β -ketonate	628
Magnetic properties of chelate osmium(III)-8-hydroxyquinolate and dibenzoyl- β -ketonate	629
Magnetic properties of mixed complex of osmium(IV)-8-hydroxyquinolate and dibenzoyl- β -ketonate	630
Magnetic properties of mixed complex of osmium(III)-8-quinolate and tropolonate	631
Magnetic properties of mixed complex of osmium(IV)-8-hydroxyquinolate and tropolonate	632
Part XIII Cobalt Co	633
Magnetic properties of a trinuclear bis(octamethylferrocenyl)cobalt(II)	635
Magnetic properties of integrated-stack charge-transfer salt $[\text{Cp}_2^*\text{Co}]^+[\text{Co}(\text{hmpab})]^-$	636
Magnetic properties of bimetallic derivative of tris(ethylenediamine) cobalt: $[\text{Co}(\text{en})_3]^{3+}$	638
Magnetic properties of bimetallic derivative of tris(ethylenediamine) cobalt: $[\text{Co}(\text{en})_3]^{3+}$	640
Magnetic properties of hexanuclear octahedral cobalt sulphur cluster	642
Magnetic properties of binuclear cobalt(II) complex of a macrocyclic ligand derived from pyridine-N-oxide	644
Magnetic properties of linear trinuclear cobalt chlorate complex with 3-methyl-4-phenyl-1, 2, 4-triazole	646

Magnetic properties of linear trinuclear cobalt tetrafluoroborate complex with 3-methyl-4-phenyl-1, 2, 4-triazole	648
Magnetic properties of linear trinuclear cobalt tetrafluoroborate complex with 3-methyl-4-ethyl-1, 2, 4-triazole	650
Magnetic properties of binuclear cobalt(II) complex of binucleating ligand 2, 6-diformyl-4-methylphenoldi(benzoylhydrazone)	652
Magnetic properties of cobalt(II) chloride complex with 1, 2, 4-triazole	654
Magnetic properties of cobalt(II) bromide complex with 1, 2, 4-triazole	656
Magnetic properties of cobalt(II) chloride complex with 1, 2, 4-triazole	657
Magnetic properties of cobalt(II) bromide complex with 1, 2, 4-triazole	658
Magnetic properties of cobalt(II) complex of 2-aminopyrimidine	659
Magnetic properties of cobalt(II) complex of dihydrolipoic acid	660
Magnetic properties of cobalt(II) complex of dihydrolipoamide	661
Magnetic properties of bis[(μ -hydroxo)bis(μ -2, 5-diamino-1, 3, 4-thia diazole- N' , N^2)-chloroaqua(2, 5-diamino-1, 3, 4-thiadiazole- N')cobalt(II)- O , N' , N^2] cobalt(II) dichloride dihydrate	662
Magnetic properties of tetrakis(benzylisocyanide)bis(tri- <i>p</i> -tolylarsineoxide)cobalt(III) tetrafluoroborate	664
Magnetic properties of cobalt(II) derivative of dihydrolipoic acid	665
Magnetic properties of cobalt(II) derivative of dihydrolipoamide	666
Magnetic properties of polymeric cobalt(II) complex of pyrazole	667
Magnetic properties of polymeric cobalt(II) complex of 3-methylpyrazole	670
Magnetic properties of polymeric cobalt(II) complex of 3, 5-dimethylpyrazole	673
Magnetic properties of polymeric cobalt(II) complex of 3, 4, 5-trimethylpyrazole	676
Magnetic properties of polymeric cobalt(II) complex of 4-chloro-3, 5-dimethylpyrazole	679
Magnetic properties of polymeric cobalt(II) complex of 4-bromo-3, 5-dimethylpyrazole	682
Magnetic properties of trimetallic cobalt(II) complex of 3, 5-dimethyl pyrazole	685
Magnetic properties of dimeric cobalt(II) complex of 3, 5-dimethyl-pyrazole	688
Magnetic properties of cobalt(II) complex of indol-3-carboxylic acid	691
Magnetic properties of cobalt(II) complex of indol-3-acetic acid	692
Magnetic properties of cobalt(II) complex of indol-N-acetic acid	693
Magnetic properties of cobalt(II) complex of indol-N-methyl-2-carboxylic acid	694
Magnetic properties of cobalt(II) complex of indol-3- β -acrylic acid	695
Magnetic properties of cobalt(II) chloride complex of potassium dihydrobis(5-nitroindolyl) borate	696
Magnetic properties of cobalt(II) chloride complex of potassium hydrotris(5-nitroindolyl) borate	697

Magnetic properties of cobalt(II) chloride complex of potassium tetrakis(5-nitroindolyl)borate	698
Magnetic properties of cobalt(II) chelate of 1-phenyl-4-methylpent-4-en-1, 3-dione	699
Magnetic properties of μ -phenolato binuclear cobalt(II) complex of hydrazone	700
Magnetic properties of cobalt(II) chelate of N-(2-pyridyl)methacrylamide	702
Magnetic properties of cobalt(II) chloride complex of 2-(1-indazolyl)-pyridine	703
Magnetic properties of cobalt(II) chloride complex of 2-(1-indazolyl)-pyrimidine	704
Magnetic properties of dichlorotetrakis(3, 4-dicyano-5-aminopyrazole)-cobalt(II)	705
Magnetic properties of 2-(3, 5-dimethyl-pyrazole-1-yl)benzothiazole complex of cobalt(II) chloride	706
Magnetic properties of 2-(3, 5-dimethyl-pyrazole-1-yl)benzothiazole complex of cobalt(II) bromide	707
Magnetic properties of 2-(3, 5-dimethyl-pyrazole-1-yl)benzothiazole complex of cobalt(II) nitrate	708
Magnetic properties of 2-(3, 5-dimethyl-pyrazole-1-yl)benzothiazole complex of cobalt(II) perchlorate	709
Magnetic properties of N-oxopyridine-2-thionato complex of cobalt(II)	710
Magnetic properties of bipyridyl derivative of N-oxopyridine-2-thionato complex of cobalt(II)	711
Magnetic properties of phenantroline derivative of N-oxopyridine-2-thionato complex of cobalt(II)	712
Magnetic properties of allopurinol complex with cobalt(II) perchlorate	713
Magnetic properties of complex of cobalt(II) with tridentate Schiff base derived by the condensation of salicylaldehyde and furfuraldehyde with <i>o</i> -phenyldiamine	714
Magnetic properties of cobalt(II) chelate of acetoacetanilide thiosemicarbazone	715
Magnetic properties of cobalt(II) complex with acetylacetone bis(benzoyl-hydrazone)	716
Magnetic properties of cobalt(II) complex with acetylacetone bis-(isonicotinoyl hydrazone)	717
Magnetic properties of complex of cobalt(II) with Schiff base derived from 2-aminocyclopent-1-ene-1-dithiocarboxylic acid and benzaldehyde	718
Magnetic properties of cobalt(II) chloride complex of 2, 6-diacetyl-pyridinesalicylaldazine	719
Magnetic properties of cobalt(II) complex of 2, 6-diacetylpyridine salicylaldazine	720
Magnetic properties of cobalt(II) complex of 1, 3, 8, 10, 15, 17, 22, 24-octanitrophthalocyanine	721
Magnetic properties of chlorosulphato cobaltate(III)	723
Magnetic properties of nitrito- <i>O</i> -chlorosulphato cobaltate(III)	724
Magnetic properties of nitrito- <i>O</i> -chlorosulphato cobaltate(III)	725
Magnetic properties of nitrito- <i>O</i> -chlorosulphato cobaltate(III)	726

Magnetic properties of nitrito- <i>O</i> -chlorosulphato cobaltate(III)	727
Magnetic properties of nitrito- <i>O</i> -chlorosulphato cobaltate(III)	728
Magnetic properties of isonitrosoacetylacetone dithiosemicarbazone complex of cobalt(II) chloride	729
Magnetic properties of benzoylacetoneisonicotinoylhydrazone complex of cobalt(II)	730
Magnetic properties of cobalt(II) complex derived from N-isonicotinamido-N'-benzoylthiocarbamide	731
Magnetic properties of cobalt(II) complex derived from N-isonicotin-amido-N'-benzoylthiocarbamide	732
Magnetic properties of complex of cobalt(II) chloride with tetradentate Schiff-base ligand 1, 2-bis(2'-pyridylmethyleimino)benzene	733
Magnetic properties of antipyrine-4-azo- β -ethylcyanoacetate complex of cobalt(II)	734
Magnetic properties of antipyrine-4-azo- β -acetylacetone complex of cobalt(II)	735
Magnetic properties of 1, 3-pyrimidinyl(2, 4, 6-pyrimidine trione)chelate of cobalt(II)	736
Magnetic properties of <i>o</i> -vanillin-isonicotinoyl hydrazone complex of cobalt(II)	737
Magnetic properties of cobalt(II) complex of N, N'-bis(1-ferrocenyl-1-oxo-3-methyl)propenylethylenediamine	738
Magnetic properties of cobalt(II) chloride complex of 3-hydroxypyridine	739
Magnetic properties of cobalt(II) chloride complex of 4-chloro-3-hydroxypyridine	740
Part XIV Rhodium Rh	741
Magnetic properties of Rh(II) isocyanide complex	743
Part XV Nickel Ni	745
Magnetic properties of 52 electron triangular nickel cluster	747
Magnetic properties of 53 electron triangular nickel cluster	750
Magnetic properties of nickel(II) chloride complex of 4-chloro-3-hydroxypyridine	752
Magnetic properties of binuclear nickel(II) complex of tetraamino diphenol macrocyclic ligand with thiocyanate and water as auxillary ligands	753
Magnetic properties of binuclear nickel(II) complex of tetraamino diphenol macrocyclic ligand with chlorate and water as auxillary ligands	755
Magnetic properties of binuclear nickel(II) complex of tetraamino diphenol macrocyclic ligand with chlorate and methanol as auxillary ligands	757
Magnetic properties of binuclear nickel(II) complex of tetraaminodiphenol macrocyclic ligand with imidazole as auxillary ligand	759
Magnetic properties of binuclear nickel(II) complex of tetraaminodiphenol macrocyclic ligand with pyridine as auxillary ligands	761
Magnetic properties of binuclear nickel(II) complex of tetraaminodiphenol macrocyclic ligand with aminoacetic acid as auxillary ligand	763

Magnetic properties of dinuclear oxalato-bridged Ni(II) compound of N, N'-bis(2-aminoethyl)-1, 3-propanediamine	765
Magnetic properties of dinuclear oxalato-bridged Ni(II) compound of N, N'-bis(3-aminopropyl)-1, 2-ethanediamine	767
Magnetic properties of dinuclear oxalato-bridged Ni(II) compound of N, N'-bis(aminopropyl)-1, 3-propanediamine	769
Magnetic properties of nickel(II) chloride complex of diphenyl-2-pyridylphosphine ligand	771
Magnetic properties of nickel(II) bromide complex of diphenyl-2-pyridylphosphine ligand	772
Magnetic properties of nickel(II) chloride complex of phenyl-bis-(2-pyridylphosphine) ligand	773
Magnetic properties of nickel(II) bromide complex of phenyl-bis-(2-pyridylphosphine) ligand	774
Magnetic properties of nickel(II) chloride complex of tris(2-pyridylphosphine) ligand	775
Magnetic properties of nickel(II) bromide complex of tris(2-pyridylphosphine) ligand	776
Magnetic properties of nickel(II) 1, 3-propanediamine-N, N'-diacetate complex	777
Magnetic properties of nickel(II) ethylenediamine-N, N'-di-3-propionate complex	778
Magnetic properties of tetranuclear nickel(II) acetate complex of macrocyclic ligand	779
Magnetic properties of tetranuclear nickel(II) chlorate complex of macrocyclic ligand	781
Magnetic properties of mononuclear Ni(II) complex of macrocyclic ligand	783
Magnetic properties of mononuclear Ni(II) complex of methylated macrocyclic ligand	785
Magnetic properties of binuclear nickel(II) complex of a macrocyclic ligand derived from pyridine-N-oxide	787
Magnetic properties of linear trinuclear nickel tetrafluoroborate complex with 3-methyl-4-phenyl-1, 2, 4-triazole	789
Magnetic properties of linear trinuclear nickel chlorate complex with 3-methyl-4-ethyl-1, 2, 4-triazole	791
Magnetic properties of linear trinuclear nickel tetrafluoroborate complex with 3-methyl-4-ethyl-1, 2, 4-triazole	793
Magnetic properties of <i>catena</i> - μ -azido-bis(μ' -azido)di{bis(3-amino-propyl)aminedinickel(II) chlorate	795
Magnetic properties of tris(ethylenediamine)nickel(II) bis(tetracyano-quinodimethanido) complex	797
Magnetic properties of bis(tetracyanoquinodimethanido)-bis(trimethylenediamine)nickel(II) complex	798
Magnetic properties of tris(tetracyanoquinodimethanido)-bis(trimethylenediamine)nickel(II)	799
Magnetic properties of bis(diethylenetriamine)nickel(II) bis(tetracyanoquinodimethanido) complex	800

Magnetic properties of bis(diethylenetriamine)nickel(II) tris(tetracyanoquinodimethanido) complex	802
Magnetic properties of binuclear nickel(II) complex of binucleating ligand 2, 6-diformyl-4-methylphenoldi(benzoylhydrazone)	804
Magnetic properties of nickel(II) chloride complex with 1, 2, 4-triazole	806
Magnetic properties of nickel(II) bromide complex with 1, 2, 4-triazole	808
Magnetic properties of nickel(II) bromide complex with 1, 2, 4-triazole	810
Magnetic properties of nickel(II) complex of 2-aminopyrimidine	811
Magnetic properties of dichlorotetrakis(pyridine)nickel(II) complex	812
Magnetic properties of bis(methanesulfonato)tetrakis(pyridine)nickel(II) complex	814
Magnetic properties of bis(<i>p</i> -toluenesulfonato)tetrakis(pyridine)nickel(II)	816
Magnetic properties of dinitratotetrakis(methylpyrazine)nickel(II) complex monohydrate	818
Magnetic properties of tris(pyrazine)nickel(II)methanesulfonate, methanol solvate	820
Magnetic properties of bis(pyrazine)nickel(II) nitrate	822
Magnetic properties of bis(pyrazine)nickel(II) chloride	824
Magnetic properties of mono(pyrazine)nickel(II) <i>p</i> -toluenesulfonate	826
Magnetic properties of mono(methylpyrazine)nickel(II) nitrate	828
Magnetic properties of mono(pyridine)nickel(II) chloride	830
Magnetic properties of mono(pyrazine)nickel(II) chloride	832
Magnetic properties of trinuclear pyridazine-bridged Ni ₃ complex	834
Magnetic properties of bis[2, 6-diacetylpyridine- bis(1'-phthalazinyldiazonate)nickel(II)	835
Magnetic properties of nickel(II) chloride adduct of undeprotonated 2, 6-diacetylpyridine-bis(1'-phthalazinyldiazone) water solvate	837
Magnetic properties of nickel(II) chloride adduct of undeprotonated 2, 6-diacetylpyridine-bis(1'-phthalazinyldiazone) dimethylformamide solvate	839
Magnetic properties of nickel(II) chloride adduct of undeprotonated 2, 6-diacetylpyridine-bis(1'-phthalazinyldiazone) dimethylsulphoxide solvate	841
Magnetic properties of nickel(II) complex of 4, 6-di- <i>tert</i> -butyl- <i>ortho</i> -quinone monoxime	843
Magnetic properties of four coordinate nickel(II) complex with bidentate NS ligand	844
Magnetic properties of bis(methazolamidate)tetraammine nickel(II)	845
Magnetic properties of nickel(II) chloride complex of 2-(2-pyridinyl)-4, 4'-bis(hydroxymethyl)-2-oxazoline	846
Magnetic properties of nickel(II) bromide complex of 2-(2-pyridinyl)-4, 4-bis(hydroxymethyl)-2-oxazoline	847
Magnetic properties of nickel(II) perchlorate complex of 2-(2-pyridinyl)-4, 4-bis(hydroxymethyl)-2-oxazoline	848

Magnetic properties of nickel(II) thiocyanate complex of 2-(2-pyridinyl)-4, 4-bis(hydroxymethyl)-2-oxazoline	849
Magnetic properties of nickel(II) thiocyanate complex of 2-(2-pyridinyl)-4-hydroxymethyl-4-methyl-2-oxazoline	850
Magnetic properties of nickel(II) thiocyanate complex of 2-(2-pyridinyl)-4, 4-dimethyl-2-oxazoline	851
Magnetic properties of nickel(II) complex of pyridine-2-carboxylic acid	852
Magnetic properties of bis(5, 6-dithio-benzo[d]-1, 3-dithiol-2-thione) nickelate as tetra(<i>n</i> -butyl)ammonium salt	853
Magnetic properties of bis[1, 2-di(isopropylthio)benzene-4, 5-dithiol] nickelate as tetra(<i>n</i> -butyl) ammonium salt	855
Magnetic properties of dinuclear μ -oxalato-nickel(II) complex with water and bis(3-aminopropyl)amine as blocking ligand	856
Magnetic properties of dinuclear μ -oxalato-nickel(II) complex with water and bis(3, 3'-diamino-N-methyl-dipropylamine) as blocking ligand	858
Magnetic properties of dinuclear μ -oxalato-nickel(II) complex with water and bis[N-(2-diaminoethyl)-1, 3-propanediamine] as blocking ligand	861
Magnetic properties of monodimensional nickel(II) complex with bridging thiocyanato ligands in <i>cis</i> position	863
Magnetic properties of mixed ligand nickel(II) chelate containing benzoylacetone and N, N-dimethyl-1, 2-diaminoethane	865
Magnetic properties of mixed ligand nickel(II) chelate containing benzoylacetone and N, N'-dimethyl-1, 2-diaminoethane	866
Magnetic properties of mixed ligand nickel(II) chelate containing benzoylacetone-N-nitrate and N, N'-dimethyl-1, 2-diaminoethane	867
Magnetic properties of mixed ligand nickel(II) chelate containing benzoylacetone and N, N'-dimethyl-1, 2-diaminoethane	868
Magnetic properties of mixed ligand nickel(II) chelate containing benzoylacetone and N, N-dimethyl-N'-ethyl-1, 2-diaminoethane	869
Magnetic properties of mixed ligand nickel(II) chelate containing benzoylacetone and N, N-dimethyl-N'-ethyl-1, 2-diaminoethane	870
Magnetic properties of mixed ligand nickel(II) chelate containing benzoylacetone and N, N-dimethyl-N'-ethyl-1, 2-diaminoethane	871
Magnetic properties of mixed ligand nickel(II) chelate containing benzoylacetone- <i>O</i> -nitrate and N, N-dimethyl-N'-ethyl-1, 2-diaminoethane	872
Magnetic properties of mixed ligand nickel(II) chelate containing benzoylacetone nitrate and N, N-dimethyl-N'-ethyl-1, 2-diaminoethane	873
Magnetic properties of mixed ligand nickel(II) chelate containing benzoylacetone, water, azide and N, N-dimethyl-N'-ethyl-1, 2-diaminoethane	874
Magnetic properties of mixed ligand nickel(II) chelate containing benzoylacetone, water, thiocyanate and N, N-dimethyl-N'-ethyl-1, 2-diaminoethane	875

Magnetic properties of mixed ligand nickel(II) chelate containing benzoylacetone, water, isocyanate and N, N-dimethyl-N'-ethyl-1, 2-diaminoethane	876
Magnetic properties of mixed ligand nickel(II) chelate containing benzoylacetone, water, chloride and N, N-dimethyl-N'-ethyl-1, 2-diaminoethane	877
Magnetic properties of mixed ligand nickel(II) chelate containing benzoylacetone, water, bromide and N, N-dimethyl-N'-ethyl-1, 2-diaminoethane	878
Magnetic properties of mixed ligand nickel(II) chelate containing benzoylacetone, water, iodide and N, N-dimethyl-N'-ethyl-1, 2-diaminoethane	879
Magnetic properties of mixed ligand nickel(II) chelate containing dipivaloylmethane and N, N-dimethyl-N'-ethyl-1, 2-diaminoethane	880
Magnetic properties of mixed ligand nickel(II) chelate containing acetylacetone and N, N-dimethyl-N'-ethyl-1, 2-diaminoethane	881
Magnetic properties of mixed ligand nickel(II) chelate containing benzoylacetone and N, N-dimethyl-N'-ethyl-1, 2-diaminoethane	882
Magnetic properties of mixed ligand nickel(II) chelate containing dibenzoylmethane and N, N-dimethyl-N'-ethyl-1, 2-diaminoethane	883
Magnetic properties of mixed ligand nickel(II) chelate containing trifluoro-2, 4-pentanedione, water and N, N-dimethyl-N'-ethyl-1, 2-diaminoethane	884
Magnetic properties of mixed ligand nickel(II) chelate containing 1-phenyl-4, 4, 4-trifluoro-1, 3-butanedione, water and N, N-dimethyl-N'-ethyl-1, 2-diaminoethane	885
Magnetic properties of nickel(II) chelate containing 1-(2-thienyl)-4, 4, 4-trifluoro-1, 3-butanedione, water and N, N-dimethyl-N'-ethyl-1, 2-diaminoethane	886
Magnetic properties of mixed ligand nickel(II) chelate containing benzoylacetone and N, N-dimethyl-N'-ethyl-1, 2-diaminoethane	887
Magnetic properties of mixed ligand nickel(II) chloride chelate containing N, N-dimethyl-N'-ethyl-1, 2-diaminoethane	888
Magnetic properties of nickel(II) complex of 2-acetylpyridine-3-(4-methyl)piperazinyl-thiosemicarbazone	889
Magnetic properties of nickel(II) complex of indol-3-carboxylic acid	890
Magnetic properties of nickel(II) complex of indol-3-acetic acid	891
Magnetic properties of nickel(II) complex of indol-N-acetic acid	892
Magnetic properties of nickel(II) complex of indol-N-methyl-2-carboxylic acid	893
Magnetic properties of nickel(II) complex of indol-3- β -acrylic acid	894
Magnetic properties of nickel(II) chloride complex of potassium dihydrobis(5-nitroindolyl) borate	895
Magnetic properties of nickel(II) chloride complex of potassium hydrotris(5-nitroindolyl) borate	896
Magnetic properties of nickel(II) chloride complex of tetrakis(5-nitroindolyl)borate	897
Magnetic properties of nickel(II) complex of fluorenone thiosemicarbazone	898
Magnetic properties of nickel(II) chelate of 1-phenyl-4-methylpent-4-en-1, 3-dione	899

Magnetic properties of nickel(II) chloride complex of 2-formylpyridine ⁴ N-methylthiosemicarbazone	900
Magnetic properties of nickel(II) bromide complex of 2-formylpyridine ⁴ N-methylthiosemicarbazone	901
Magnetic properties of nickel(II) complex of 2-formylpyridine ⁴ N-methylthiosemicarbazone	902
Magnetic properties of nickel(II) chloride complex of 2-formylpyridine ⁴ N-dimethylthiosemicarbazone	903
Magnetic properties of nickel(II) bromide complex of 2-formylpyridine ⁴ N-dimethylthiosemicarbazone	904
Magnetic properties of nickel(II) complex of 2-formylpyridine ⁴ N-dimethylthiosemicarbazone	905
Magnetic properties of nickel(II) chloride complex of 2-formylpyridine ⁴ N-diethylthiosemicarbazone	906
Magnetic properties of nickel(II) bromide complex of 2-formylpyridine ⁴ N-diethylthiosemicarbazone	907
Magnetic properties of nickel(II) chelate of N-(2-pyridyl)methacrylamide	908
Magnetic properties of nickel(II) chloride complex of 2-(1-indazolyl)pyridine	909
Magnetic properties of nickel(II) chloride complex of 2-(1-indazolyl)-pyrimidine	910
Magnetic properties of dichlorotetrakis(3, 4-dicyano-5-aminopyrazole)-nickel(II)	911
Magnetic properties of 2-(3, 5-dimethyl-pyrazole-1-yl)benzothiazole complex of nickel(II) chloride	912
Magnetic properties of 2-(3, 5-dimethyl-pyrazole-1-yl)benzothiazole complex of nickel(II) bromide	913
Magnetic properties of 2-(3, 5-dimethyl-pyrazole-1-yl)benzothiazole complex of nickel(II) nitrate	914
Magnetic properties of 2-(3, 5-dimethyl-pyrazole-1-yl)benzothiazole complex of nickel(II) perchlorate	915
Magnetic properties of bipyridyl derivative of N-oxypyridine-2-thionato complex of nickel(II)	916
Magnetic properties of phenantroline derivative of N-oxypyridine-2-thionato complex of nickel(II)	917
Magnetic properties of acetylpyrazine ⁴ N-methylthiosemicarbazone complex of nickel(II)	918
Magnetic properties of acetylpyrazine-3-azabicyclo[3.2.2]nonylthio semicarbazone complex of nickel(II)	919
Magnetic properties of nickel(II) complex of Schiff base derived from 8-aminoquinoline and salicylaldehyde	920
Magnetic properties of allopurinol complex with nickel(II) perchlorate	921
Magnetic properties of complex of nickel(II) with tridentate Schiff base derived by the condensation of salicylaldehyde and furfuraldehyde with <i>o</i> -phenyldiamine	922

Magnetic properties of nickel(II) complex of N-(2-carboxyphenyl) benzamide	923
Magnetic properties of nickel(II) complex of 2-amino-N-(2'-carboxyphenyl)benzamide	924
Magnetic properties of nickel(II) complex of N-isoxazolylbenzamide	925
Magnetic properties of nickel(II) complex of N-anilinobenzamide	926
Magnetic properties of nickel(II) chloride complex of N-(2-pyridyl)-3-carboxypropanamide	927
Magnetic properties of nickel(II) bromide complex of N-(2-pyridyl)-3-carboxypropanamide	928
Magnetic properties of nickel(II) nitrate complex of N-(2-pyridyl)-3-carboxypropanamide	929
Magnetic properties of nickel(II) thiocyanate complex of N-(2-pyridyl)-3-carboxypropanamide	930
Magnetic properties of nickel(II) chloride complex of N-(2-pyridyl)-2-carboxybenzamide	931
Magnetic properties of nickel(II) bromide complex of N-(2-pyridyl)-2-carboxybenzamide	932
Magnetic properties of nickel(II) nitrate complex of N-(2-pyridyl)-2-carboxybenzamide	933
Magnetic properties of nickel(II) thiocyanate complex of N-(2-pyridyl)-2-carboxybenzamide	934
Magnetic properties of nickel(II) chloride complex of 2, 6-diacetylpyridinesalicylaldazine	935
Magnetic properties of nickel(II) complex of 2, 6-diacetylpyridine salicylaldazine	936
Magnetic properties of nickel(II) chloride complex of 1, 3-bis(aminomethyl)cyclohexane-N, N, N', N'-tetrakis-benzimidazole	937
Magnetic properties of nickel(II) perchlorate complex of 1, 3-bis(aminomethyl)cyclohexane-N, N, N', N'-tetrakis-benzimidazole	938
Magnetic properties of nickel(II) chloride complex of pyridine-2-carboxaldehyde Schiff base of S-methyl- β -N-(2-aminophenyl)methylenedithiocarbazate	939
Magnetic properties of nickel(II) thiocyanate complex of pyridine-2-carboxaldehyde Schiff base of S-methyl- β -N-(2-aminophenyl) methylenedithiocarbazate	940
Magnetic properties of nickel(II) thiocyanate complex of 6-methyl-pyridine-2-carboxaldehyde Schiff base of S-methyl- β -N-(2-aminophenyl)methylenedithiocarbazate	941
Magnetic properties of isonitrosoacetylacetone dithiocarbazone complex of nickel(II) chloride	942
Magnetic properties of isonitrosoacetylacetone dithiocarbazone complex of nickel(II) bromide	943
Magnetic properties of isonitrosoacetylacetone dithiocarbazone complex of nickel(II) iodide	944
Magnetic properties of nickel(II) complex derived from N-isonicotinamido-N'- benzoylthiocarbamide	945

Magnetic properties of nickel(II) complex derived from N-isonicotinamido-N'-benzoylthiocarbamide	946
Magnetic properties of complex of nickel(II) chloride with tetradentate Schiff-base ligand 1, 2-bis(2'-pyridylmethyleneimino)benzene	947
Magnetic properties of nickel(II) complex with C-meso-5, 5, 7, 12, 12, 14-hexamethylcyclotetradecane	948
Magnetic properties of nickel(II) complex with C-meso-5, 5, 7, 12, 12, 14-hexamethylcyclotetradecane	949
Magnetic properties of nickel(II) complex with C-meso-5, 5, 7, 12, 12, 14-hexamethylcyclotetradecane	950
Magnetic properties of nickel(II) complex with C-meso-5, 5, 7, 12, 12, 14-hexamethylcyclotetradecane	951
Magnetic properties of nickel(II) complex of tridentate ligand derived from 2-acetylpyridine and S-methyldithiocarbazate	952
Magnetic properties of nickel(II) complex of tridentate ligand derived from 2-acetylpyridine and S-benzylidithiocarbazate	953
Magnetic properties of nickel(II) complex of tridentate ligand derived from 2-benzoylpyridine and S-methyldithiocarbazate	954
Magnetic properties of nickel(II) complex of tridentate ligand derived from 2-benzoylpyridine and S-benzylidithiocarbazate	955
Magnetic properties of antipyrine-4-azo- β -ethylcyanoacetate complex of nickel(II)	956
Magnetic properties of antipyrine-4-azo- β -acetylacetone complex of nickel(II)	957
Magnetic properties of 1, 3-pyrimidinyl(2, 4, 6-pyrimidinetrione) chelate of nickel(II)	958
Magnetic properties of o-vanillin-isonicotinoyl hydrazone complex of nickel(II)	959
Magnetic properties of dinuclear nickel(II) acetate complex with ligand derived from the condensation of triazolo-2, 4-pentanedione with 1, 6-diaminohexane	960
Magnetic properties of dinuclear nickel(II) chloride complex with ligand derived from the condensation of triazolo-2, 4-pentanedione with 1, 6-diaminohexane	961
Magnetic properties of dinuclear nickel(II) acetate complex with ligand derived from the condensation of thiazolo-2, 4-pentanedione with 1, 6-diaminohexane	962
Magnetic properties of dinuclear nickel(II) chloride complex with ligand derived from the condensation of thiazolo-2, 4-pentanedione with 1, 6-diaminohexane	963
Magnetic properties of nickel(II) chloride complex of 3-hydroxypyridine	964
Part XVI Platinum Pt	965
Magnetic properties of tetranuclear violet <i>trans</i> -dichloroplatinum complex with creatinine	967
Magnetic properties of dinuclear platinum(IV) chloride complex with ligand derived from the condensation of triazolo-2, 4-pentanedione with 1, 6-diaminohexane	969