

Contents

Foreword

v

I Nonlinear elliptic equations with L^1 -data

1 Nonlinear elliptic equations of the second order with L^1-data	3
1.1 Introduction	3
1.2 General conditions for the limiting summability of solutions	16
1.3 The cases where the right-hand side of the equation belongs to logarithmic classes	21
1.4 On the integrally logarithmic conditions for the limiting summability of solutions	25
1.5 The case where the right-hand side of equation belongs to Lebesgue spaces close to $L^1(\Omega)$	44
1.6 On the convergence of functions from $\mathring{W}^{1,p}(\Omega)$ satisfying special integral inequalities	51
1.7 On the existence of entropy solutions for the equations with degenerate coercivity and L^1 -data	61
1.8 A priori properties of the entropy solutions of equations with degenerate coercivity and L^1 -data	66
2 Nonlinear equations of the fourth order with strengthened coercivity and L^1-data	83
2.1 Introduction	83
2.2 Set of functions $\mathring{H}_{2,p}^{1,q}(\Omega)$	88
2.3 Definition and some properties of entropy solutions	94
2.4 One a priori estimate for the entropy solutions	98
2.5 Notion of H -solution	103
2.6 On uniqueness of the entropy solution	107
2.7 Theorems on existence	115
2.8 Entropy solutions as elements of the Sobolev spaces and the existence of W -solutions	134

2.9	On the summability of functions from $\mathring{H}_{2,p}^{1,q}(\Omega)$ satisfying certain integral inequalities	139
2.10	Improvement of the properties of summability for the solutions of problem (2.1.6), (2.1.7)	146
2.11	Some characteristics of the set of functions $\mathring{H}_{2,p}^{1,q}(\Omega)$	150
2.12	Set of functions $\hat{H}_{2,p}^{1,q}(\Omega)$	154
2.13	Definition and a priori estimates of the proper entropy solutions	157
2.14	Existence of the proper entropy solutions	164
2.15	Relationship with the entropy solutions and the theorem on uniqueness	169
2.16	Relationship with H -solutions and W -solutions	171
2.17	Properties of summability of the proper entropy solutions	175
2.18	Relationship with generalized solutions	180
2.19	Examples of coefficients and the right-hand sides of Eq. (2.1.6)	184

II Removability of singularities of the solutions of quasilinear elliptic and parabolic equations of the second order

3	Removability of singularities of the solutions of quasilinear elliptic equations	191
3.1	Introduction	191
3.2	Removability of isolated singularities	192
3.2.1	Formulation of assumptions and principal results	192
3.2.2	Integral estimates of the solutions for $1 < p < n$	194
3.2.3	Pointwise estimates of the solutions for $1 < p < n$	198
3.3	Removability of singularities of the solutions of elliptic equations on manifolds	200
3.3.1	Formulation of assumptions and main results	200
3.3.2	Integral estimates for the gradient of solution in the case $1 < p < n - s$	201
3.3.3	Pointwise integral estimates for the solution in the case $1 < p < n - s$	210
3.4	Removability of isolated singularities of the solutions of elliptic equations with absorption	217
3.4.1	Formulation of the assumptions and main results	217
3.4.2	Proof of Theorem 3.4.2	218

3.4.3	Integral estimates for the gradient of the solution	219
3.4.4	Proof of Theorem 3.4.1	224
4	Removability of singularities of the solutions of quasilinear parabolic equations	226
4.1	Introduction	226
4.2	Removability of isolated singularities	227
4.2.1	Formulation of assumptions and main results	227
4.2.2	Integral estimates for the solution	229
4.2.3	Pointwise estimates of the solution	233
4.3	Removability of isolated singularities for the solutions of quasilinear parabolic equations with absorption	237
4.3.1	Formulation of the assumptions and main results	237
4.3.2	Proof of Theorem 4.3.2	238
4.3.3	Integral estimates for the solution	240
4.3.4	Proof of Theorem 4.3.1	247
5	Quasilinear elliptic equations with coefficients from the Kato class	250
5.1	Introduction	250
5.2	Harnack's inequality	251
5.2.1	Formulation of assumptions and main results	251
5.2.2	Proof of Theorem 5.2.1	253
5.2.3	Proof of Theorem 5.2.2	262
5.3	Removability of isolated singularities	263
5.3.1	Statement of propositions and main results	263
5.3.2	Proof of Theorem 5.3.2	264
5.3.3	Proof of Theorem 5.3.1	270
5.4	Removability of isolated singularities for the solutions of quasilinear elliptic equations with absorption	272
5.4.1	Formulation of assumptions and main results	272
5.4.2	Proof of Theorem 5.4.2	273
5.4.3	Integral and pointwise estimates for the gradient of the solution	275
III	Boundary regimes with peaking for quasilinear parabolic equations	
6	Energy methods for the investigation of localized regimes with peaking for parabolic second-order equations	283
6.1	Introduction: localized and nonlocalized singular boundary regimes	283

6.2	Sufficient conditions for the localization of boundary regimes with peaking	291
6.3	Sharp conditions for the effective localization of boundary regimes: the case of slow diffusion $p > q$	304
6.4	Effective localization of singular boundary regimes for quasihomogeneous parabolic equations	317
6.5	Effective localization of singular boundary regimes for the equations of nonstationary fast-diffusion type	327
7	Method of functional inequalities in peaking regimes for parabolic equations of higher orders	333
7.1	Boundary peaking regimes for quasilinear parabolic equations of higher orders	333
7.2	Energy functions of the solutions and the main system of functional inequalities	335
7.3	Localized singular boundary regimes: the case of slow diffusion $p > q$	342
7.4	Localized boundary regimes: the case $p = q$	361
8	Nonlocalized regimes with singular peaking	377
8.1	Propagation of blow-up waves	377
8.2	Estimates for the blow-up wave in the equation of slow-diffusion type	378
8.3	Blow-up waves in quasihomogeneous parabolic equations	400
9	Appendix: Formulations and proofs of the auxiliary results	412
9.1	Interpolation inequalities	412
9.2	Systems of differential inequalities	413
9.3	Functional inequalities	422
	Bibliography	425