

Table of contents

	Preface	I
1	Introduction	1
2	New Alternative Sanitation Systems – NASS	7
2.1	Introduction	7
2.2	A brief look into the past	7
2.3	Terminology	9
2.3.1	Definitions of technical terms	9
2.3.2	Other terms for NASS	12
3	Constituents of domestic wastewater and its partial flows	13
3.1	Introduction	13
3.2	Procedure when producing the key figures	14
3.2.1	Data collection	14
3.2.2	Difficulties with the evaluation	14
3.3	Results	14
3.4	Discussion of the results	16
3.4.1	Deviations with regard to time and place	16
3.4.2	Deviations within the database	17
3.4.3	Deviations from other sources	17
3.5	Conclusions	18
3.A	Further results for concentrations and loads of partial flows	19
4	Overview of new alternative sanitation systems	23
4.1	Explanation of the system groups	23
4.2	Material flow systems	24
4.2.1	'One material flow' system	24
4.2.1.1	Conventional procedure with N and P elimination as 'reference system'	25
4.2.1.2	Procedure with downstream nutrient and water recovery / reuse	25
4.2.2	'Two material flows' system	25
4.2.3	'Two material flows' system (UDT)	27
4.2.4	'Three material flows' system (UDT)	28
4.2.5	'Two material flows' system (dry toilet)	29
4.2.6	'Three material flows' system (UDDT)	30
4.3	Products of the material flow systems and their ultimate fate	31
5	Collection and transport of material flows from new alternative sanitation systems	33
5.1	Collection	33
5.1.1	General information	33
5.1.2	Introduction to the collection of excreta (urine and faeces)	33
5.1.3	Collection – toilets without urine-diversion	34
5.1.3.1	Flush toilets – conventional / water-saving	34
5.1.3.2	Vacuum toilets	36
5.1.3.3	Dry toilets	38
5.1.4	Collection – urine-diversion toilets	39
5.1.4.1	Urine-diversion flush toilets	39
5.1.4.2	Urine-diversion flush toilets – draining of urine without flush water	40
5.1.4.3	Urine-diversion flush toilets with a separate water flush for urine	41
5.1.4.4	Urine-diversion flush toilets – non-flush draining of faeces	42
5.1.4.5	Vacuum separation toilets	43
5.1.4.6	Vacuum separation toilets – draining of urine without water	44
5.1.4.7	Vacuum separation toilets with a separate water flush for urine	45
5.1.4.8	Urine-diversion dry toilets	46
5.1.5	Collection – urinals	47
5.1.5.1	Urinals – conventional / water-saving	47
5.1.5.2	Vacuum urinal	48
5.1.5.3	Waterless urinals	49

5.1.6	Collection of organic waste	51
5.1.7	Collection of greywater	52
5.1.8	Collection of stormwater	52
5.2	Drainage / sewer systems	52
5.2.1	General information	52
5.2.2	Matrix showing drainage of urine, faeces and excreta with or without flush water	54
5.2.3	Description of drainage inside buildings	56
5.2.3.1	Gravity drainage inside buildings	56
5.2.3.2	Vacuum (or negative pressure) drainage inside buildings	58
5.2.3.3	Pressure drainage inside buildings	59
5.2.3.4	Dry collection systems inside buildings	61
5.2.4	Description of drainage outside buildings	61
5.2.4.1	Gravity drainage outside buildings	61
5.2.4.2	Vacuum (or negative pressure) drainage outside buildings	62
5.2.4.3	Pressure drainage outside buildings	64
5.2.4.4	Dry collection systems outside buildings	66
5.2.5	Special features of black- / brownwater drainage	66
5.2.6	Special features of excreta / faeces drainage	66
5.2.7	Special features of urine / yellowwater drainage	67
5.2.8	Special features of draining a mix of grey- and brownwater	68
5.2.9	Special features of draining / transporting organic waste	68
5.2.10	Drainage of greywater and stormwater	69
6	Treatment of partial flows from new alternative sanitation systems	71
6.1	Introduction	71
6.2	Overview of the treatment of yellowwater, blackwater and brownwater (taking account of undiluted material flows)	71
6.2.1	Matrices providing an overview of the treatment of yellowwater, blackwater and brownwater	71
6.2.2	Explanation of the brief process profiles	75
6.3	Treatment of blackwater and brownwater	76
6.3.1	Separation and concentration processes	76
6.3.1.1	General information	76
6.3.1.2	Sedimentation	76
6.3.1.3	Centrifugation – hydrocyclone	77
6.3.1.4	Flotation	78
6.3.1.5	Filtration – coarse filters	79
6.3.1.6	Screening – screw screen	80
6.3.1.7	Screening – curved screen	81
6.3.2	Treatment processes for the high solid phase of blackwater and brownwater	82
6.3.2.1	General information	82
6.3.2.2	Composting	82
6.3.2.3	Anaerobic treatment – biogas plant	85
6.3.2.4	Drying (for faeces)	87
6.3.2.5	Liming (for faeces)	87
6.3.3	Treatment processes for the low solid phase of blackwater and brownwater	88
6.3.3.1	General information	88
6.3.3.2	Membrane filtration	88
6.3.3.3	Precipitation	90
6.3.3.4	Aerobic – constructed wetland	90
6.4	Treatment of yellowwater	91
6.4.1	Chemical properties of urine and yellowwater	91
6.4.1.1	Introduction	91
6.4.1.2	Hydrolysis	91
6.4.1.3	Salt content, ionic strength	92
6.4.1.4	Precipitations	92
6.4.1.5	Ammonia release – occupational safety	92
6.4.1.6	Literature	93
6.4.2	Overview of treatment processes for yellowwater	94
6.4.3	Storage	94
6.4.4	Acidification	95
6.4.5	Sanitation	96
6.4.6	Evaporation	97
6.4.7	Freeze separation	98

6.4.8	Nanofiltration	99
6.4.9	Reverse osmosis	99
6.4.10	Electrodialysis	100
6.4.11	Struvite precipitation	101
6.4.12	Ca / Fe / Al precipitation	103
6.4.13	Ammonia stripping	103
6.4.14	Ion exchangers	105
6.4.15	Activated carbon	105
6.4.16	Nitrification	106
6.4.17	Anammox (anaerobic ammonium oxidation)	108
6.4.18	Biological nutrient elimination	109
6.4.19	Ozonation, AOPs	109
6.4.20	IBDU precipitation	110
6.5	Treatment of a mixture of greywater and brownwater	110
6.6	Treatment of organic waste	110
6.7	Treatment of greywater and stormwater	111
6.7.1	Properties of greywater and stormwater	111
6.7.1.1	Greywater accumulation	111
6.7.1.2	Stormwater accumulation	111
6.7.1.3	Composition of greywater	111
6.7.1.4	Stormwater composition	114
6.7.2	Treatment processes for greywater and stormwater	116
6.7.2.1	Introduction	116
6.7.2.2	Matrices providing an overview of the treatment of greywater	116
6.7.2.3	Planted soil filters	119
6.7.2.4	Activated sludge process	120
6.7.2.5	Fixed-bed process	122
6.7.2.6	Membrane process	124
6.7.2.7	Reverse osmosis	126
6.7.3	Advantages and disadvantages of the various treatment processes, depending on their respective use	127
6.A	Quality requirements of process and white water	130
6.A.1	General legal requirements for the flushing of toilets	130
6.A.2	General legal requirements for irrigation	131
6.A.3	General legal requirements for partial utilisation in washing machines and dishwashers	132
6.A.4	General legal requirements of the introduction / percolation of greywater and stormwater	134
7	Material use in agriculture of products derived from new alternative sanitation systems	135
7.1	Fertiliser	135
7.1.1	Introduction	135
7.1.2	Legal definition	135
7.1.3	Conclusion	138
7.2	NASS products and their constituents	138
7.3	Classification of products from new alternative sanitation systems as fertiliser	139
7.4	Case study: urine	140
7.4.1	Effect on yield	140
7.4.2	Hygiene	142
7.4.3	Pollutants	143
7.4.4	Load model	144
7.4.5	Recommendations for the recycling of urine	149
7.5	Assessment and outlook	150
7.A	Pharmaceutical concentrations in urine	151

8	Approaches for evaluating new alternative sanitation systems	153
8.1	Principles of evaluation and decision support	153
8.1.1	General pointers	153
8.1.2	Relevant evaluation criteria	153
8.1.3	Further aspects	155
8.2	Description and relevance of the evaluation criteria	155
8.2.1	Objective: 'Protection of the environment and resources'	157
8.2.2	Objective: 'Environmental hygiene and hygiene safety'	159
8.2.3	Economic objectives	161
8.2.4	Social objectives	163
8.2.5	Technical objectives	164
8.3	Evaluation of NASS as observed in projects throughout Germany	166
8.4	Overall synopsis of the evaluation	169
8.4.1	Evaluation of the systems under review	169
8.4.2	Overall evaluation of the criteria vis-à-vis the objectives of sanitation systems	171
8.4.2.1	Cross-system evaluation vis-à-vis environmental protection and resource conservation	172
8.4.2.2	Cross-system evaluation vis-à-vis hygiene and health	173
8.4.2.3	Cross-system evaluation vis-à-vis the economic objectives	174
8.4.2.4	Cross-system evaluation vis-à-vis the social objectives	175
8.4.2.5	Cross-system evaluation vis-à-vis the technical objectives	176
8.5	Description and evaluation of example projects	177
8.5.1	'One material flow' system	177
8.5.1.1	The conventional 'one material flow' system as a 'reference system'	177
8.5.1.2	Material flow system in the Knittlingen project ('DEUS 21' concept)	177
8.5.2	'Two material flows' system	178
8.5.2.1	Lübeck-Flintenbreite	178
8.5.2.2	Kaiserslautern / Oberhausen ('KOMPLETT' project)	178
8.5.3	'Two material flows' system (urine-diversion toilet)	178
8.5.3.1	Linz – Austria	178
8.5.3.2	Lambertsmühle	179
8.5.4	'Three material flows' system (urine-diversion toilet)	179
8.5.4.1	Berlin-Stahnsdorf	179
8.5.4.2	Berching – Hans Huber AG	179
8.5.5	'Two material flows system (dry toilet)	179
8.5.5.1	Eco-settlement in Allermöhe, Hamburg	179
8.5.5.2	Asahiyama Zoo, Asahikawa City, Japan	180
8.5.6	'Three material flows' system (urine-diversion dry toilet)	180
8.5.6.1	Gebers collective housing project, Orhem, Sweden	180
8.5.6.2	Eco-town, Dongsheng, Inner Mongolia, China	180
8.A	Example evaluation	182
9	System integration: framework conditions and case studies	187
9.1	Overview of framework conditions and how they have changed	187
9.1.1	Climate change	187
9.1.2	Shortages of essential natural resources	187
9.1.3	Demographic change and urban development in Germany	188
9.1.4	Technological progress	191
9.1.5	The change in market structures	191
9.1.6	Future requirements in terms of environmental policy	192
9.2	Interactions with the existing infrastructure	193
9.2.1	Water supply	193
9.2.2	Wastewater disposal	193
9.2.3	Energy	195
9.2.4	Waste disposal	196
9.3	Analysis of the legal framework	196
9.3.1	Introduction	196
9.3.2	The applicability of wastewater / waste legislation	196
9.3.2.1	Classification of a material as waste, product, or by-product	197
9.3.2.2	Classification of a material as a fertiliser product	197
9.3.2.3	Prioritising reuse over disposal	197
9.3.2.4	Disposal by public administration bodies	197
9.3.3	The legal framework for process and white water	198

9.3.4	Urban planning opportunities for the implementation of NASS	198
9.3.4.1	The role of urban planning law in urban infrastructure	198
9.3.4.2	Instruments in urban planning law	199
9.3.4.3	Supplementary standards at federal state and municipal level	200
9.3.4.4	Planning practice: status quo and opportunities	201
9.3.4.5	Opportunities for the further legal advancement of NASS	201
9.4	NASS case studies	201
9.4.1	Case Study 1: Shrinking medium-sized town	202
9.4.2	Case Study 2: Growing city	202
9.4.3	Case Study 3: Rural municipality	203
9.4.4	Case Study 4: New Build Area 1	203
9.4.5	Case Study 5: New Build Area 2	203
9.4.6	Case Study 6: Mountainous region that is popular with day trippers and has major variations in terms of pollution	204
9.4.7	Case Study 7: Gutting of large blocks of flats	204
10	Consequences and recommendations	205
10.1	Consideration of NASS in compiling / updating the Technical Rules and Standards of the German Association for Water, Wastewater and Waste (<i>DWA</i>) ..	205
10.1.1	Introduction	205
10.1.2	<i>DWA</i> technical rules and standards	205
10.1.3	Analysis of the technical rules and standards	207
10.1.4	Incorporation of NASS into the <i>DWA</i> Set of Rules	207
10.2	Need for research and development	209
10.3	Need for initial and continuing training	210
10.4	Inhibitors and opportunities for the implementation of NASS	211
11	Summary	213
11.1	Introduction	213
11.2	Sizing values	213
11.3	Overview of new alternative sanitation systems	214
11.4	Collection and drainage of partial flows	214
11.5	Treatment of partial flows	216
11.6	Material use in agriculture of products derived from new alternative sanitation systems	221
11.7	Cross-system evaluation	222
11.8	Examples of use	222
11.9	Implementation	222
Bibliography		225
Index		251